

~~DELETED~~
St. clsd adj & southerly 90' of westerly 5' of Lot 4 & southerly 90' of Lot 3 - The Z.A. considered the app of Mrs. Louise J. Whitney to maintain & repair exist fence which is 9'-2" above average adj ground level where fence max 6' above average adj ground level is perm - at 1520-22 Myrtle Ave., Zone R-2 and has DENIED the maintenance of the fence in excess of 6' in height within the linear distance of 22' back from the SB line, but has APPROVED the maintenance of the exist fence (with accompanying vine) ranging in height from 9'-2" to 10'-5" above the applicant's ground level, from the point 22' back of SB line to rear property line.

Case No. 7643

4/21/66

Northerly 10' of Lot 1 and all of Lots 2 and 12 - AGREEMENT #1031 to Robert H. and Beverly Ann Gilbert to construct a duplex, making a total of three units on said property. C-2430
4/28/59

Lots 1,2,5, & 12 = AGREEMENT #761 to Alfred B. and Elizabeth Torsen to redivide lots with permission to const two living qts on each SEE AGREEMENT #1031 Res. 6410

5/7/52

Lot 1-5 incl. & lot 12 & por Herbert St. & Myrtle Aye - AGREEMENT #699 to Alfred B. and Elizabeth Thorsen to redivide lots with permission to const 2 living units on each
1/2/51
