

1281

PASTS

LEVEL BOOK

No. 330

ENGINEERING DEPARTMENT,
CITY OF SAN DIEGO,
CALIFORNIA.

Our Leather Bound Engineers Note Books are carried in the following rulings:

- No. 380 LEVEL BOOK. Left and Right Hand Page the same as Left Hand Page of this Book.
- No. 382 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 4 x 4 to the inch, Center Line Red.
- No. 384 MINING TRANSIT BOOK. Left Hand Page as in this Book, Right Hand Page 8x8 to the inch, Center Line Red.
- No. 385 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 8 vertical and 4 horizontal lines to the inch, Center Line Red.

We also carry the Note Books listed above, bound in extra strong Fabri-Hide (otherwise the same quality of book), which can be furnished at a somewhat lower price.

In ordering Fabri-Hide covered books, add the letter "F" to catalog number.

THE FREDERICK POST CO.
ENGINEERING and DRAFTING SUPPLIES
IRVING PARK STATION
CHICAGO, ILL.

MICROFILMED

DEC 22 1964

No. 385 Apple

X sec.	ORCHARD	Guizot to Ocean	1
" "	CABLE.	Coronado to Orange	40
" "	Pascadera	Santa Barbara to Guizot	47
" "	"	Froude to "	60
" "	"	S.S. Cliffs Blvd to Ocean	71

No. trees 8000 7/12/24

X Sac. Orchard - Guizot to Ocean
80' st AD Rd way - 20' cbs

177.15

Cont From
Book 1279

6+60⁴⁵ = 0+00 = w.L. Guizot.

N.L.	3.0	174.2
+18	3.9	173.3
cb	4.9	172.3
+1	4.6	172.4
1/4	4.3	172.9
♀	4.4	172.8
+5	4.5	172.7
1/4	4.8	172.4
cb	5.3	171.8
+1	5.6	171.6
+2	5.6	171.6
+4	4.7	172.5
S.L.	5.1	172.1
0+23		
S.L.	6.7	170.5
+9	7.0	170.2
+19	6.9	170.3
cb	7.7	169.5
+5	7.0	170.2
1/4	6.6	170.4
♀	6.3	170.9
+7	6.1	171.1
1/4	6.2	171.0
+7	6.5	170.7
+8	7.0	170.2

Plotted 10-9-28 - C.B.H.

Orchard.

177.15

0+23

cb	5.5	171.7
+10	5.0	172.2
N.L.	4.7	172.5
0+48		
N.L.	7.7	169.5
+6	7.3	169.9
cb	7.8	169.4
+2	9.2	168.0
+3	8.7	168.5
1/4	8.5	168.7
♀	8.4	168.8
1/4	8.8	168.4
+5	9.1	168.1
cb	9.8	167.4
+1	9.0	168.2
S.L.	8.8	168.4
0+73		
S.L.	10.8	166.4
+5	11.0	166.2
+19	11.1	165.8
cb	12.0	165.2
+6	11.2	166.0
1/4	10.8	166.4
♀	10.5	166.7
1/4	10.5	166.7
+6	10.8	166.4

Orchard

2

0+73	177.85			1728	164.13		
+7		11.7	165.5	3L		2.5	161.7
cb		11.5	166.7	cb		2.3	161.8
+1		10.0	167.2	+1		3.6	160.5
+16		9.6	167.6	+2		3.1	161.0
N.L.		10.8	166.4	1/4		2.4	161.7
0+98				+		1.9	162.2
N.L.		12.5	164.7	1/4		1.9	162.2
+3		11.9	165.3	+7		2.4	161.7
+10		12.0	165.2	+8		3.0	161.1
cb		12.1	165.1	+9		3.0	161.1
+1		13.5	163.7	cb		1.6	162.5
+2		13.6	163.6	+11		1.2	162.9
+3		13.1	164.1	+17		1.1	163.0
1/4		12.7	164.5	N.L.		1.4	162.7
+		12.8	164.4	1+48			
+5		12.9	164.3	N.L.		3.6	160.3
1/4		13.0	164.2	+5		3.6	160.5
+3		13.2	164.0	+19		3.6	160.5
+7		14.1	163.1	cb		4.8	159.3
cb		13.6	163.6	+2		4.8	159.3
+1		13.2	164.0	+3		4.6	159.5
+10		13.2	164.0	1/4		4.1	160.0
S.L.		13.3	163.9	+5		4.0	160.1
T.P. 0.01	164.13	13.03	164.12	+		4.0	160.1
				+5		4.2	159.9

Orchard

1+98	164.13		
1/4	4.5	159.6	
+7	5.1	159.0	
+8	5.6	158.5	
+9	5.6	158.5	
cb	4.6	159.5	
S.L.	4.7	159.4	
1+75			
S.L.	7.0	157.1	
+10	6.7	157.4	
cb	6.7	157.4	
+1	7.5	156.6	
+3	7.5	156.6	
+4	7.2	156.9	
1/4	6.7	157.4	
+5	6.4	157.7	
¢	6.2	157.9	
1/4	6.1	158.0	
+7	6.7	157.4	
+9	6.6	157.5	
cb	6.3	160.8 157.8?	
+1	5.8	158.3	
+6	5.6	158.5	
+10	5.6	158.5	
+18	5.8	158.3	
N.L.	5.2	158.9	

1+98	164.13		
N.L.	7.0	157.1	
+3	7.4	156.7	
+19	7.7	156.4	
cb	8.2	155.9	
+7	8.3	155.8	
1/4	8.2	155.9	
¢	8.2	155.9	
1/4	8.7	155.4	
+6	9.2	154.9	
+9	9.2	154.9	
cb	8.7	155.4	
+8	8.6	155.5	
+18	8.8	155.3	
S.L.	9.0	155.1	
2+23			
S.L.	10.6	153.5	
+14	10.2	153.9	
cb	10.2	153.9	
+1	10.9	153.2	
+4	10.8	153.3	
1/4	10.3	153.8	
¢	10.0	154.1	
1/4	9.8	154.3	
+5	9.9	154.2	
cb	9.6	154.5	
+1	9.2	154.9	

Orchard

2+25	164.13	
cb+11	9.1	155.0
+18	8.7	155.4
N.L.	7.6	156.5
2+28		
N.L.	9.8	154.3
+2	10.3	153.8
+12	10.3	153.8
+19	10.6	153.5
cb	11.3	152.8
+6	11.4	152.7
1/4	11.2	152.9
2	11.3	152.8
1/4	11.7	152.4
+7	12.3	151.8
+8	12.3	151.8
cb	11.5	152.6
+15	11.8	152.3
S.L.	12.2	151.9
2+58 ²⁵ on North = 2+61 ¹⁵ on South		
= Boundary pt Loma Hts		
Street offsets 3 ⁵⁸ North.		
Sec on Boundary		
S.L. (pt Loma Hts)	11.6	152.5
S.L. (Ocean Beach)	11.8	152.3
+1	11.8	152.3
+3	12.5	151.4

164.83		
+16	12.1	152.0
+17	12.9	151.2
+19	12.9	151.2
cb	12.6	151.5
1/4	12.0	152.1
2	11.8	152.3
+9	11.8	152.3
1/4	12.0	152.1
+7	11.6	152.5
48	11.0	153.1
cb	10.9	153.2
+10	10.7	153.4
N.L. (pt Loma Hts)	10.6	153.5
+18	9.6	154.5
N.L. (Ocean Beach)	4.4	159.7
2+78		
N.L.	9.3	154.8
+3	11.4	152.7
cb	11.7	152.4
+2	11.8	152.3
+3	12.5	151.4
+5	12.6	151.5
+6	12.9	151.2
+7	12.9	151.2
+8	12.6	151.5
1/4	12.5	151.4

Orchard

5

2+73	164.13		
¢		12.5	151.6
+3		12.5	151.6
1/4		12.7	151.4
cb		13.2	150.9
+0.5		13.6	150.5
+2		13.6	150.5
+3		12.8	151.3
+16		13.1	151.0
+19		12.1	152.0
S.L.		12.0	152.1
T.P. 1.00	152.04	13.09	151.04
2+98			
S.L.		1.5	150.5
+3		2.1	149.9
+17		2.2	149.8
+18		2.9	149.1
cb		2.8	149.2
+0.5		2.5	149.5
+4		2.1	149.9
1/4		1.8	150.2
¢		1.7	150.3
1/4		1.7	150.3
+5		1.9	150.1
+6		2.2	149.8
+7		2.2	149.8
+8		1.1	150.9

2+98	152.04		
cb		1.0	151.0
+5		0.8	151.2
+16		0.6	151.4
+18 ⁵		+0.3	152.3
N.L.		+5.4	157.4
3+23			
N.L.		+4.4	156.4
+19		1.1	150.9
+15		1.9	150.1
cb		2.5	149.5
+15		2.6	149.4
+2		3.4	148.6
+4		3.4	148.6
+7		3.1	148.9
1/4		3.1	148.9
¢		3.1	148.9
+6		3.1	148.9
1/4		3.2	148.8
+6		3.5	148.5
cb		3.9	148.1
+0.5		4.2	147.8
+2		4.2	147.8
+3		3.2	148.8
+18		3.7	148.3
S.L.		3.1	148.9

Orchard

6

3+18

152.04

S.L.	4.1	147.9
+3	5.0	147.0
+17	4.6	147.4
+17 ⁵	5.5	146.5
7.19 ^E	5.5	146.5
eb	5.3	146.7
+7	4.7	147.3
1/4	4.6	147.4
¢	4.4	147.6
1/4	4.3	147.7
+5	4.5	147.5
+6	4.7	147.3
+8	4.6	147.4
+9	3.9	148.1
cb	3.7	148.3
+15	3.2	148.8
+18	2.6	149.4
N.L.	+7.1	159.1
3+18		
N.L.	+2.4	154.4
+1	3.4	148.6
+4	4.4	147.6
cb	5.0	147.0
+2	5.1	146.9
+3	5.9	146.1
44	5.7	146.3

3+13

152.04

1/4	5.4	146.6
¢	5.6	146.4
1/4	6.0	146.0
cb	6.6	145.4
+1	6.9	145.1
+3	5.7	146.1
+10	6.1	145.9
S.L.	6.3	145.7
3+18		
S.L.	7.0	145.0
+3	7.7	144.3
+18	7.2	144.8
+19	8.3	143.7
cb	8.3	143.7
+1	8.0	144.0
1/4	7.4	144.6
¢	7.0	145.0
+5	6.8	145.2
1/4	6.9	145.1
+6	7.0	145.0
+7	7.3	144.7
+8	7.3	144.7
+9	6.4	145.6
cb	6.4	145.6
+18	5.7	146.3
+19	5.3	146.7

Orchard

3+98

152.04

N.L.	2.2	149.8
4+2 ⁵		
N.L.	6.4	145.6
+1	6.3	145.7
+3	7.0	145.0
+17	7.5	144.5
cb	7.5	144.5
+1	7.5	144.5
+2	8.5	143.5
+3	6.5	143.5
+4	8.3	143.7
1/4	8.3	143.7
+6	8.2	143.8
2	8.3	143.7
1/4	9.0	143.0
+8	9.5	142.5
+9	9.7	142.3
cb	9.7	142.3
+2	8.9	143.1
+16	9.3	142.7
S.L.	9.1	142.9

4+98

152.04

S.L.	10.3	141.7
+18	10.1	141.9
+19	10.8	141.2
cb	11.1	140.9
+4	11.0	141.0
+3	10.7	141.3
1/4	10.4	141.6
1/4	9.8	142.2
1/4	9.7	142.3
+5	9.7	142.3
+7	10.1	141.9
+8	10.1	141.9
+9	9.1	142.9
cb	9.0	143.0
+10	8.6	143.4
N.L.	8.8	143.2
4+7 ³		
N.L.	10.6	141.4
+4	10.2	141.8
cb	10.7	141.3
+1	10.7	141.3
+2	11.9	140.1
+2 ⁵	11.9	140.1
+3	11.6	140.4
1/4	11.4	140.6

7

Orchard

Orchard.

8

3	4493	152.04		5400	
N	4		115	140.5	cb
H	1/4		12.2	139.8	+16
N	+5		12.2	139.8	NL
	+9		12.6	139.4	5723
	cb		12.6	139.4	NL
	+1		11.7	140.3	+2
	S.L.		12.2	139.8	+3
	T.P. 0.79	139.50	12.73	139.31	+4
	4+98				+10
	S.L.		14	138.1	+19
	+1		1.8	137.7	cb
	+6		1.6	137.9	+1
	+19		1.2	138.5	+1
	cb		2.3	137.2	+5
	+1		2.5	137.0	1/4
	+2		2.0	137.5	4
	+5		1.6	138.9	1/4
	1/4		1.3	138.2	+4
	+6		1.1	138.4	+7
	4		0.9	138.6	+7
	1/4		0.9	138.4	cb
	+5		1.0	138.5	+1
	+7		1.3	138.2	+10
	+8		1.5	138.0	+15
	+9		0.3	139.2	S.L.

139.50	
0.2	139.3
+0.2	139.7
0.2	139.3
1.1	138.4
2.1	137.4
2.3	137.2
2.0	137.5
2.1	137.4
2.4	137.1
2.6	136.9
2.9	136.6
3.6	135.9
3.2	136.3
3.1	136.4
3.0	136.5
3.6	135.9
3.7	135.8
4.0	135.5
4.7	134.8
4.5	135.0
3.5	136.0
3.6	135.9
3.7	135.8
4.3	135.2

5+48	139.50	
S.L.	6.0	133.5
+1	5.8	133.7
+10	5.6	133.9
+19	5.6	133.9
cb	6.7	132.8
+1	6.7	132.8
+2	6.2	132.8
+5	5.8	133.7
1/4	5.6	133.9
+4	5.3	134.2
¢	5.1	134.4
1/4	5.1	134.4
+6	5.1	134.4
+7	5.6	133.9
+9	5.4	134.1
+9	4.4	135.1
cb	4.3	135.2
+16	3.9	135.4
+18	4.3	135.2
+19	4.3	135.2
N.L.	2.4	137.1

5773
N.L.
+2
+4
+9
+10
cb
+2
+8
1/4
¢
+5
1/4
+5
+9
cb
+2
+14
S.L.
6+002 = F.L. Freude
S.L.
+5
+16
+19
cb
+2
+8

Orchard

139.50	
5.4	134.1
5.7	133.8
5.8	133.7
6.2	133.3
6.1	133.4
6.4	133.1
7.7	131.8
7.3	132.2
7.3	132.2
7.3	132.2
7.4	132.1
7.8	131.7
8.1	131.4
8.7	130.8
8.5	131.0
7.8	131.7
7.8	131.7
8.1	131.4
10.5	129.0
10.0	129.5
9.7	129.8
11.6	127.9
11.5	128.0
10.4	129.1
9.8	129.7

6+00²

139.50

1/4	9.8	129.7
Q	9.5	130.0
1/4	9.3	130.2
+2	9.2	130.3
+8	9.3	130.2
cb	9.2	130.3
+2	8.3	131.2
+8	8.0	131.5
N.L.	7.7	131.8

6+09²

N.L.	8.0	131.5
+13	8.5	131.0
#4	9.0	130.5
+17	9.3	130.2
cb	9.4	129.9
+2	9.7	129.8
+5	9.8	129.7
1/4	9.7	129.8
+2	9.6	129.9
+7	10.0	129.5
Q	9.9	129.6
1/4	10.2	129.3
cb	10.8	128.7
+2	10.9	128.8
+3	12.4	127.1

Orchard

10

6+09²

139.50

+8	10.1	129.4
+10	10.5	129.0
S.L.	10.9	128.6
6+12 ² = Ec b Prude		
S.L.	14.3	125.2
+5	13.3	126.2
+8	12.0	126.5
+10	13.7	125.8
+15	12.7	126.8
+17	11.2	128.3
cb	11.0	128.5
+7	11.0	128.5
1/4	10.6	128.9
+3	10.7	128.8
+5	10.2	129.3
Q	10.3	129.2
1/4	10.1	129.4
+8	9.8	129.7
cb	9.6	129.9
N.L.	8.4	131.1

139.50

6+172

N.L.	8.6	130.9
+10	9.2	130.3
cb	9.6	129.9
+5	10.1	129.4
1/4	10.3	129.2
⊕	10.5	129.0
+5	10.6	128.9
1/4	10.7	128.8
+5	10.8	128.7
cb	11.2	128.3
+4	11.1	128.4
+10	11.7	127.8
+14	12.5	127.0
S.L.	12.7	126.8

6+212 = E 1/4 Froude

S.L.	12.1	127.4
cb	11.3	128.2
1/4	10.7	128.8
+5	10.9	128.6
⊕	10.6	128.9
1/4	10.5	129.0
cb	9.7	129.8
+10	9.9	130.4
N.L.	8.6	130.9

Orchard

139.50

11

6+302 = ⊕ Froude

N.L.	10.2	129.3
+9	10.8	128.7
+12	9.5	130.0
cb	9.9	129.6
+5	10.1	129.4
1/4	10.7	128.8
+5	10.9	128.6
⊕	10.9	128.6
1/4	11.3	128.2
cb	11.5	128.0
+10	11.8	127.7
S.L.	12.4	127.1

6+392 = W 1/4 Froude

S.L.	12.7	126.8
+10	12.2	127.3
cb	12.0	127.5
1/4	11.6	127.9
+8	11.7	127.8
⊕	11.4	128.1
1/4	11.1	128.4
cb	10.3	129.2
+3	10.1	129.4
+5	10.3	129.2
+5	11.7	127.8
+12	11.3	128.2
+17	10.6	128.9

139.50

6+39 ²		
+17 ²	9.4	130.1
N.L.	9.2	130.3
6+48 ² = w cb Froude		
N.L.	9.4	130.1
+9	10.6	128.9
+11	12.1	127.4
+18	12.6	126.9
cb	12.2	127.3
+2	11.2	128.3
1/4	11.5	128.0
4	11.9	127.6
+2	12.0	127.5
+8	11.8	127.7
1/4	11.9	127.6
cb	12.4	127.1
+10	12.5	127.0
SL	13.3	126.2
6+50 ²		
S.L.	12.1	127.4
+8	11.9	127.6
+11	12.4	127.1
cb	12.6	126.9
1/4	12.0	127.5
+8	12.1	127.4
4	12.0	127.5

Orchard
139.50

12

6+50 ²		
1/4	11.6	127.9
+1	11.4	128.1
+8	11.4	128.1
+8	12.5	127.0
cb	12.5	127.0
+1	12.7	126.8
+7	12.6	126.9
+9	11.9	127.6
+10	10.4	129.1
+15	9.9	129.6
N.L.	9.7	129.8
6+60 ² = 0+00 = w L Froude		
N.L.	10.1	129.4
+10	10.7	128.8
+15	10.8	128.7
+18	11.5	128.0
cb	13.4	126.1
+1	13.7	125.8
+5	13.7	125.8
+5	12.1	127.4
+8	12.1	127.4
1/4	12.3	127.2
+7	12.4	127.1
4	13.0	126.5
+2	12.5	127.0
+7	13.3	126.2

139.50

6+60² = 0+00

1/4	13.8	125.7	+3	
+5	12.9	126.6	+3	
+8	13.3	126.2	+5	
cb	14.8	124.7	+8	
+1	14.4	125.1	+9	
1/4	12.1	127.4	cb	
S.L.	12.3	127.2	+3	
TP. 0.20	126.63	13.07	126.43	+4
0+16				+5
S.L.	0.6	126.0	+9	
+17	0.5	126.1	+11	
+17	3.4	123.2	+15	
+19	3.4	123.2	NL	
cb	2.8	123.8	0+27	
+2	2.2	124.4	NL	
+3	1.5	125.1	+3	
+7	1.1	125.5	+10	
+7	2.3	124.3	+19	
1/4	2.8	123.8	cb	
+4	1.9	124.7	+4	
+4	0.5	126.1	+5	
Φ	0.4	126.2	1/4	
+5	0.6	126.0	+1	
+7	0.7	125.9	+2	
+9	0.7	125.9	+5	
1/4	0.2	126.4	+6	

Orchard:

126.63

13

0.2	126.4
1.4	125.2
2.1	124.5
2.0	124.6
+0.2	126.8
+0.5	127.1
+0.8	127.4
+0.3	126.9
+0.4	127.0
+0.9	127.5
+1.0	127.6
+1.0	127.6
+1.7	128.3
+1.0	127.6
0.1	126.5
0.2	126.4
0.5	126.1
2.9	123.7
3.0	123.6
1.6	125.0
1.3	125.3
1.9	124.7
1.5	125.1
1.7	124.9
2.0	124.6

	126.63	
+7	1.6	125.0
¢	1.7	124.9
+5	1.6	125.0
+8	1.8	124.8
1/4	2.2	124.9
+5	2.4	124.2
+5	4.3	122.3
cb	4.3	122.3
+1	4.1	122.5
+1	1.7	124.9
+18	2.2	124.9
+19	3.7	122.9
S.L.	4.0	122.6
0+58		
S.L.	5.5	121.1
+2	4.9	121.7
+18	4.7	121.9
+18	6.7	119.9
cb	6.8	119.8
+5	6.8	119.8
+5	5.0	121.6
1/4	4.7	121.9
¢	4.1	122.5
+2	4.5	122.1
+6	3.9	122.7
+7	4.4	122.2

0+58

+8

1/4

+3

+3

+6

+6

+8

+8

cb

+3

+10

+14

+17

NL

0+77

NL

+6

+10

+15

cb

+2

+4

+5

1/4

+2

+4

126.63

3.9

122.7

4.0

122.5

3.8

122.8

4.9

121.7

5.1

121.5

5.6

121.0

5.4

121.2

3.9

122.7

3.4

123.2

2.9

123.7

2.9

123.7

2.6

124.0

1.4

125.2

+1.5

128.1

3.4

123.2

5.6

121.0

5.9

120.7

6.0

120.5

6.3

120.3

7.5

119.1

7.6

119.0

6.6

120.0

6.6

120.0

6.7

119.9

6.9

119.7

12663

0+79		
+6	6.7	119.9
+8	7.1	119.5
¢	6.8	119.8
¼	7.4	119.2
+5	7.7	118.9
+5	8.6	118.0
+7	9.4	117.2
+8	9.2	117.4
+9	8.4	118.2
cb	8.3	118.3
+1	7.7	118.9
S.L.	7.8	118.8
1+02		
S.L.	10.3	116.3
+2	10.5	116.1
+19	10.4	116.2
cb	11.7	114.9
+2	11.8	114.8
+4	10.7	115.9
+6	10.5	116.1
¼	10.2	116.4
+8	9.7	116.9
¢	9.9	116.7
+3	9.4	117.2
+6	9.6	117.0
¼	9.2	117.4

1402

+4	
+9	
cb	
+3	
+16	
+17	
N.L.	
1+27	
N.L.	
+6	
+18	
cb	
+1	
+3	
+4	
+5	
¼	
¢	
+6	
¼	
+5	
+6	
+9	
cb	
+18	
S.L.	

Orchard
12663

15

9.2	117.4
10.2	116.4
9.0	117.6
8.7	117.9
8.2	118.4
7.6	119.0
5.3	121.3
9.7	116.9
10.9	115.7
11.5	115.1
12.1	114.5
12.5	114.1
12.5	114.1
12.0	114.6
11.9	114.7
12.0	114.6
12.4	114.2
12.5	114.1
12.8	113.8
13.4	113.2
14.2	112.4
14.1	112.5
13.0	113.6
13.1	113.5
12.5	114.1

12663

T.P. 0.00 113.56 13.07 113.56

/ +5 B

S.L. 1.7 111.9

+4 2.7 111.9

+19 2.5 111.1

+19 3.6 110.0

cb 3.6 110.0

+2 3.5 110.1

+5 2.8 110.8

1/4 2.5 110.1

+5 2.1 111.5

¢ 1.9 111.7

1/4 1.6 112.0

+4 1.7 111.9

+5 2.1 111.5

+9 2.1 111.5

cb 1.4 112.2

+1 1.1 112.5

+5 0.8 112.8

+17 0.5 113.1

N.L. +0.6 114.3

1178

N.L.

+2

+5

+15

+19

cb

+3

+5

+6

1/4

¢

+5

1/4

+7

+8

cb

+1

+19

S.L.

2 + 0 2

S.L.

+19

cb

+4

+6

113.56

Orchard

16

2.9 110.7

3.4 110.2

3.4 110.2

3.7 109.9

4.1 109.5

4.5 109.1

4.8 108.8

4.6 109.0

4.4 109.2

4.5 109.1

4.6 109.0

5.1 108.5

5.4 108.2

5.7 107.9

6.3 107.3

6.3 107.3

5.1 108.5

5.4 108.2

4.8 108.0

8.3 105.3

7.8 105.8

8.9 104.7

6.8 104.8

8.3 105.3

113.56

2+02

1/4	8.0	105.6
+8	7.5	106.1
¢	7.5	106.1
1/4	7.1	106.5
+4	7.2	106.4
+7	8.6	105.0
eb	8.6	105.0
+4	8.2	105.4
+5	6.5	107.1
N.L.	6.5	107.1
2+28		
N.L.	9.4	104.2
+1	9.2	104.4
+15	9.4	104.2
+19	9.8	103.8
eb	10.7	102.9
+4	10.8	102.8
+7	10.1	103.5
1/4	10.1	103.5
¢	10.5	103.1
1/4	10.8	102.8
+8	11.3	102.3
+9	11.6	102.0
eb	10.6	103.0
+10	11.1	102.5
S.L.	11.0	102.6

Orchard

17

113.56

2+52

S.L.	13.8	99.8	
+11	13.9	99.7	
eb	13.6	100.0	
eb	14.4	99.2	
+2	14.6	99.0	
+6	14.2	99.4	
1/4	13.8	99.8	
¢	13.2	100.4	
1/4	12.7	100.9	
+2	13.0	100.6	
+5	13.7	99.9	
eb	13.5	100.1	
+1	12.3	101.3	
+10	12.1	101.5	
+19	12.2	101.4	
N.L.	10.6	103.0	
T.P. 0.16	100.84	12.88	100.68
2+78			
N.L.	2.1	98.7	
+2	2.3	98.5	
+10	2.1	98.7	
eb	2.2	98.6	
eb	3.1	97.7	
+5	2.9	97.9	
+7	3.2	97.6	
1/4	2.7	98.1	

100.84

2+78		
4+9	3.1	97.7
¢	3.3	97.5
+2	3.2	97.6
1/4	3.6	97.2
+8	4.2	96.6
cb	4.1	96.7
+10	3.6	97.2
+15	4.1	96.7
S.L.	4.0	96.8
3+00		
S.L.	6.5	94.3
+2	6.7	94.1
+15	6.6	94.2
cb	6.5	94.3
1/4	6.8	94.0
+2	6.3	94.5
+7	6.0	94.8
¢	5.9	94.9
+6	6.2	94.6
1/4	5.8	95.0
+5	5.6	95.2
+6	5.4	95.4
cb	5.4	95.4
+2	5.0	95.8
+17	4.8	96.0
+18	5.1	95.7

3+00

N.L.		
3+29		
N.L.		
+2		
+3		
+19		
cb		
1/4		
¢		
+2		
+4		
1/4		
+7		
cb		
+1		
S.L.		
3+52		
S.L.		
cb		
1/4		
+6		
¢		
1/4		
cb		
+1		
+16		

Orchard

18

100.84

4.1	96.7
6.8	94.0
7.5	93.3
7.2	93.6
7.5	93.3
7.9	92.9
8.0	92.8
8.5	92.3
8.8	92.0
8.6	92.2
9.1	91.7
8.9	91.9
9.3	91.5
9.0	91.8
9.3	91.5
11.5	89.3
11.3	89.5
11.3	89.5
10.8	90.0
10.6	90.2
10.4	90.4
10.0	90.8
9.8	91.0
9.8	91.0

3+5B	100.84		
+19		10.0	90.8
N.L.		7.8	93.0
3+7B			
N.L.		9.1	91.7
+1		9.1	91.7
+2		11.8	89.0
cb		11.9	88.9
+1		12.4	88.4
1/4		12.6	88.2
±		12.8	88.0
+7		13.3	87.5
+8		13.6	87.2
1/4		13.4	87.4
+5		13.4	87.4
cb		13.3	87.5
+1		13.2	87.6
+10		13.6	87.2
S.L.		13.6	87.2
TR 029	88.14	12.99	87.85
4+0B			
SL		2.7	85.4
+8		3.2	84.9
+19		2.5	85.6
cb		2.9	85.2
+5		2.7	85.4

Orchard

440B	88.14		
1/4		2.9	85.2
±		2.2	85.9
+5		1.9	86.2
1/4		1.8	86.3
cb		1.8	86.3
+1		1.3	86.8
+2		1.2	86.9
+19		1.2	86.9
N.L.		+1.8	89.9
4+27			
N.L.		0.0	88.1
+1		3.3	84.8
+5		3.4	84.7
cb		3.5	84.6
+4		4.2	83.9
1/4		4.0	84.1
+5		4.0	84.1
±		4.1	84.0
+8		4.6	83.5
1/4		5.1	83.0
+3		5.0	83.1
cb		4.9	83.2
+2		4.8	83.3
+19		5.2	82.9
S.L.		4.9	83.2

88.14

4+58

S.L	6.5	81.6
+1	7.3	80.8
cb	6.9	81.2
1/4	6.8	81.3
+7	6.4	81.7
⊥	6.3	81.8
+5	6.3	81.8
1/4	6.7	81.9
+7	5.8	82.3
+9	6.0	82.1
cb	5.5	82.6
+15	5.4	82.7
+19	5.3	82.8
N.L.	2.2	85.9
4+98		
N.L.	4.1	84.0
+05	7.4	80.7
+12	7.4	80.7
+19	7.5	80.6
cb	7.8	80.3
+1	8.1	80.0
+3	8.2	79.9
+5	8.0	80.1
1/4	8.0	80.1
4	8.6	79.5

Orchard

88.14

4+78

⊥	8.6	79.5
1/4	9.9	79.2
cb	9.1	79.0
+2	8.8	79.3
+12	9.1	79.0
+14	9.2	78.9
+18	9.4	78.7
S.L	8.4	79.7
5+08		
S.L	11.1	77.0
+2	11.5	76.6
+3	11.3	76.8
+16	11.1	77.0
cb	11.1	77.0
+7	10.9	77.2
1/4	11.0	77.1
⊥	10.5	77.6
1/4	10.1	78.0
+5	10.1	78.0
+9	10.5	77.6
cb	9.8	78.3
+7	9.4	78.7
+19	9.6	78.5
N.L	6.7	81.4

5+28	88.14		
NL		9.0	79.1
+1		11.8	76.3
+10		11.7	76.4
cb		12.0	76.1
+1		12.7	75.4
+5		12.3	75.8
1/4		12.2	75.9
±		12.5	75.6
1/4		13.0	75.1
+3		13.2	74.9
+7		12.7	75.4
cb		12.8	75.3
+5		13.1	75.0
+10		13.5	74.6
S.L.		13.5	74.6
TP 0.35	75.56	12.93	75.21
5+52			
S.L.		2.8	72.8
+5		2.8	72.8
+10		3.0	72.6
+15		2.3	73.3
cb		2.2	73.4
1/4		2.4	73.2
±		2.0	73.6
+5		2.1	73.5
1/4		2.0	73.6

Orchard

20

5+52	75.56		
1/4+7		2.1	73.5
cb		2.2	73.4
+1		1.3	74.3
+11		1.5	74.1
+19		1.4	74.2
N.L.		+2.0	77.6
5+78			
N.L.		0.9	74.7
+1		3.2	72.4
+4		3.7	71.9
cb		3.7	71.9
+1		4.4	71.2
1/4		4.4	71.2
+6		4.4	71.2
±		4.1	71.5
1/4		4.0	71.6
cb		4.5	71.1
+10		4.9	70.7
+14		4.8	70.8
S.L.		5.0	70.6

75.56

6+100^b = E.L Ebers

S.L	6.9	68.7
+5	6.6	69.0
cb	6.1	69.5
1/4	5.7	69.9
+	5.4	70.2
+5	5.4	70.2
+7	5.8	69.8
1/4	5.5	70.1
+5	5.6	70.0
cb	5.9	69.7
+1	5.8	69.8
+2	5.3	70.3
+6	5.1	70.5
+18	5.1	70.5
N.L	4.9	70.7

6+12^b = Ecb Ebers

N.L	5.5	70.1
+10	5.9	69.7
+11	6.2	69.4
+16	5.8	69.8
cb	5.9	69.7
+5	5.8	69.8
1/4	5.8	69.8
+	6.1	69.5
1/4	6.2	69.4

Orchard

75.56

6+12^b

cb	6.6	69.0
S.L	7.6	68.0

6+21^b = E 1/4 Ebers

S.L	7.9	67.7
cb	6.9	68.7
1/4	6.5	69.1
+	6.3	69.3
1/4	6.0	69.6
cb	6.0	69.6
N.L	5.7	69.9

6+30^b = + Ebers

N.L	5.7	69.9
cb	6.1	69.5
1/4	6.3	69.3
+	6.4	69.2
1/4	6.7	68.9
cb	7.0	68.6
S.L	8.0	67.6

6+39^b = 1/4 Ebers

S.L	8.4	67.2
cb	7.3	68.3
1/4	7.0	68.6
+	6.8	68.8
1/4	6.6	69.0
cb	6.4	69.2
N.L	6.1	69.5

75.56

6+48^e = web Ebers

N.L.	6.8	68.8
+10	7.4	68.2
+14	6.8	68.8
cb	6.9	68.7
1/4	6.9	68.7
+4	7.3	68.3
¢	7.1	68.5
1/4	7.3	68.3
cb	7.8	67.8
+13	8.3	67.3
S.L.	8.3	67.3
6+50^e		
S.L.	8.2	67.4
+7	7.8	67.8
+10	8.2	67.4
cb	7.9	67.7
1/4	7.5	68.1
+6	7.3	68.3
¢	7.2	68.4
+5	7.5	68.1
+7	7.1	68.5
cb	7.0	68.6
+1	7.4	68.2
+2	7.1	68.5
+5	7.1	68.5
+6	8.2	68.4

Orchard

22

75.56

6+50^e

+10	6.5	69.1
N.L.	6.1	69.5
6+60 ^e = 0+00 = wL Ebers.		
N.L.	6.3	69.3
+6	6.8	68.8
+18	7.1	68.5
cb	9.1	66.5
+1	9.1	66.5
+2	7.9	67.7
+4	7.7	67.9
1/4	7.7	67.9
+5	7.8	67.8
+8	8.5	67.1
¢	8.3	67.3
+3	8.0	67.6
+8	8.2	67.4
1/4	8.3	67.3
+5	8.7	66.9
cb	9.1	66.5
+1	9.1	66.5
+3	8.2	67.4
S.L.	8.6	67.0

75.56

0+25		
S.L.	11.7	63.9
+3	11.1	64.5
+19	10.9	64.7
cb	11.7	63.9
+8	11.1	64.5
1/4	12.4	63.2
+1	11.7	63.9
+2	11.0	64.6
+4	10.7	64.9
¢	10.5	65.1
1/4	10.3	65.3
+4	10.3	65.3
+6	11.2	64.4
+8	11.0	64.6
cb	9.7	65.9
+19	9.2	66.4
N.L.	8.5	67.1 ✓
0+50		
N.L.	12.4	63.2
+19	12.7	62.9
cb	13.3	62.3
+5	13.4	62.2
+8	13.0	62.6
1/4	13.2	62.4
¢	13.3	62.3

0+50

1/4	
+9	
cb	
+1	
S.L.	
T.P. 0.01	
0+25	

S.L.

+19

cb

+1

+2

+3

1/4

¢

1/4

+5

cb

+1

+13

+14

+19

N.L.

75.56

Orchard.

23

13.6	62.0
14.8	61.8
15.2	60.4
14.1	61.5
14.2	61.4
12.90	62.66 ✓
3.8	59.0
3.7	59.0
4.2	58.5
5.1	57.6
4.9	57.8
4.2	58.5
3.4	59.3
3.1	59.6
2.9	59.8
2.9	59.8
2.9	59.9
2.4	60.3
2.1	60.6
2.0	60.7
2.1	60.6
1.5	61.2

62.67

1400		
N.L.	4.4	58.3
+18	4.6	58.1
cb	5.3	57.4
+7	5.1	57.6
1/4	5.3	57.4
¢	5.5	57.2
1/4	5.8	56.9
+4	-6.0	56.7
+8	6.6	56.1
+9	7.4	56.3
cb	6.9	55.8
+1	5.9	56.8
S.L.	5.6	57.1
1425		
S.L.	7.8	54.9
+2	8.3	54.4
cb	8.0	54.7
+1	9.5	53.2
+2	9.5	53.2
+3	8.3	54.4
1/4	8.1	54.6
¢	7.8	54.9
+5	7.6	55.1
1/4	7.6	55.1
cb	7.5	55.2
+1	6.8	55.9

Orchard

62.67

24

1425		
N.L.	6.9	55.8
1450		
N.L.	8.9	53.8
cb	9.3	53.4
cb	9.8	52.9
1/4	9.9	52.8
¢	10.1	52.6
1/4	10.3	52.4
+2	10.4	52.3
+7	10.8	51.9
+8	11.7	51.0
+9	11.7	51.0
cb	10.2	50.5
+15	10.5	52.2
S.L.	10.7	52.0
1475		
S.L.	12.6	50.1
+19	12.3	50.4
cb	13.4	49.3
+2	13.6	49.1
+4	13.5	49.2
+5	12.7	50.0
1/4	12.6	50.1
¢	12.3	50.4
1/4	12.1	50.6

1475	62.67		
1/4 + 9		12.1	50.6
cb		11.2	51.5
+10		11.3	51.4
3 S.L.		11.3	51.4
T.P. 027	50.95	11.99	50.68
2+00			
S.L.		1.4	49.6
+1		2.7	48.3
+3		2.7	48.3
+19		2.8	48.2
+19		3.8	47.2
cb		3.8	47.2
+2		3.8	47.2
+3		3.4	47.6
+5		3.1	47.9
1/4		2.8	48.2
1/4		2.7	48.3
1/4		2.5	48.5
+5		2.7	48.3
cb		2.3	48.7
+1		2.1	48.9
+15		2.1	48.9
N.L.		1.9	49.1

2+25
N.L.
cb
cb
1/4
1/4
1/4
+8
cb
+1
+10
+18
S.L.
2+50
S.L.
+1
+5
+19
cb
1/4
1/4
+5
+7
cb
+0.5
+17

Orchard

50.95

4.2	46.8
4.2	46.8
4.7	46.3
4.7	46.3
4.7	46.3
4.8	46.2
5.3	45.7
5.6	45.4
4.9	46.1
4.8	46.2
5.1	45.9
4.6	46.4
6.2	44.8
7.4	43.6
7.2	43.8
7.1	43.9
7.5	43.5
7.0	44.0
6.8	44.2
6.7	44.3
6.8	44.2
7.0	44.0
6.9	44.1
6.4	44.6
6.1	44.9

50.95

2+50		
N.L.	6.2	44.8
2+75		
N.L.	7.8	43.2
+2	8.3	42.7
cb	8.4	42.6
+0.5	8.7	42.3
+5	8.9	42.1
1/4	8.7	42.3
ϕ	8.7	42.3
1/4	9.0	42.0
+5	9.4	41.6
cb	9.2	41.8
+1	9.1	41.9
+19	9.3	41.7
S.L.	8.6	42.4
3+00		
S.L.	7.9	41.1
+2	11.0	40.0
cb	10.9	40.1
1/4	10.9	40.1
ϕ	10.7	40.3
1/4	10.7	40.3
cb	10.7	40.3
+0.5	10.4	40.6
N.L.	10.3	40.7

Orchard

26

3+25

50.95

N.L.		11.7	39.3
cb		11.9	39.1
+0.5		12.3	38.7
1/4		12.3	38.7
ϕ		12.5	38.5
1/4		12.6	38.4
cb		12.7	38.3
+19		12.7	38.3
S.L.		12.3	38.7
T.P.	0.27	38.19	13.03
3+50			37.92
S.L.		1.7	36.5
cb		1.3	36.9
1/4		1.3	36.9
ϕ		1.2	37.0
1/4		0.9	37.3
+7		0.9	37.3
cb		0.9	37.3
+0.5		0.3	37.9
+13		0.5	37.7
N.L.		0.4	37.8

38.19

3+75		
NL	1.8	36.4
+19	1.7	36.5
cb	2.1	36.1
1/4	2.2	36.0
¢	2.4	35.8
1/4	2.6	35.6
cb	2.7	35.5
SL	2.9	35.3
11+00		
SL	3.8	34.4
cb	3.8	34.4
+5	3.9	34.3
1/4	3.5	34.7
¢	3.5	34.7
1/4	3.4	34.8
cb	3.0	35.2
+1	2.9	35.3
NL	2.8	35.4
4+25		
NL	3.5	34.7
cb	3.5	34.7
+1	3.9	34.3
1/4	4.1	34.1
¢	4.3	33.9
1/4	4.3	33.9
+3	4.8	33.4

Orchard

27

38.19

4+25		
cb	4.8	33.4
+1	4.5	33.7
+10	4.6	33.6
+15	4.5	33.7
SL	4.6	33.6
4+50		
SL	5.2	33.0
+19	5.0	33.2
cb	5.5	32.7
+9	4.9	33.3
1/4	5.1	33.1
¢	5.0	33.2
1/4	4.8	33.4
+9	4.7	33.5
cb	4.2	34.0
NL	4.2	34.0
4+75		
NL	4.7	33.5
cb	4.8	33.4
+1	5.6	32.6
1/4	5.5	32.7
¢	5.7	32.5
1/4	5.7	32.5
+3	5.9	32.3
cb	6.1	32.1
cb	5.6	32.6

4+75 38.19

S.L.	5.7	32.5
5+00		
S.L.	6.3	31.9
cb	6.4	31.8
+1	6.6	31.6
1/4	6.4	31.8
¢	6.2	32.0
1/4	6.0	32.2
+9	6.2	32.0
cb	5.5	32.7
N.L.	5.4	32.8

5+75

N.L.	5.8	32.4
cb	5.9	32.3
+1	6.6	31.6
1/4	6.3	31.9
¢	6.6	31.6
+8	6.7	31.5
1/4	6.9	31.3
+5	7.1	31.1
cb	7.1	31.1
+05	6.7	31.5
S.L.	6.6	31.6

5+50 38.19

S.L.	7.2	31.0
+19	7.3	30.9
cb	7.4	30.8
+5	7.4	30.8
1/4	7.2	31.0
¢	6.9	31.3
1/4	6.7	31.5
+5	6.8	31.4
+9	7.0	31.2
cb	6.5	31.7
+1	6.1	32.1
N.L.	6.0	32.2

5+75

N.L.	6.2	32.0
+10	6.2	32.0
+19	6.5	31.7
cb	6.7	31.5
+1	7.1	31.1
1/4	7.0	31.2
¢	7.1	31.1
1/4	7.5	30.7
+5	7.8	30.4
cb	7.7	30.5
+2	7.5	30.7
+10	7.3	30.9
S.L.	7.2	31.0

5+98⁴ = EL. 3819
 SS. cliffs Blvd.

S.L.	7.5	30.7
+7 ⁵ walk	7.73	30.5
+12 ⁵ ✓	7.74	30.5
+15	7.6	30.6
cb top	7.86	30.33
gut	8.23	29.96
1/4	7.79	30.4
¢	7.48	30.71
1/4	7.43	30.8
gut	7.49	30.70
cb	6.86	31.33
+4	6.7	31.5
+7 ⁵ walk	6.72	31.5
+12 ⁵ walk	6.66	31.5
N.L.	6.6	31.6
top F.H. SE		
B.M. 6.20	38.86	5.53 32.66
F.H. SE SS cliffs		
B.M. 2 Palmer	0.25	38.61 (38.53)

SS. cliffs
 Orchard

Orchard

Orchard - SS cliffs Blvd to
 Ocean

Curbs in No walks

20' cbs 40' Rdway

B.M. 9.69 42.35 32.66

0+00 -WL SS cliffs Blvd

S.L.	12.2	30.2
+7 ⁵ walk	12.82	29.53
+12 ⁵ ✓	12.87	29.48
cb	12.99	29.36
gut	13.32	29.03
1/4	12.98	30.37
¢	12.75	29.60
1/4	12.69	29.56
gut	12.63	29.72
cb	12.04	30.31
+5	11.5	30.8
+7 ⁵ walk	11.92	30.43
+12 ⁵ ✓	11.85	30.50
+15	11.7	30.7
N.L.	11.0	31.4
0+04		
N.L.	11.0	31.4
+10	11.2	31.2
+19	11.6	30.8
cb	12.00	30.35
gut	12.7	29.7
1/4	12.5	29.9

42.35

0+04

£	12.4	30.0
1/4	12.6	29.8
gut	13.1	29.3
cb	12.90	29.45
+1	12.6	29.8
+15	12.4	30.0
S.L.	12.2	30.2

0+25

S.L.	12.1	30.3
+5	11.9	30.5
+10	12.2	30.2
cb	12.57	29.78
gut	12.9	29.5
+5	12.7	29.7
1/4	12.4	30.0
£	12.0	30.4
1/4	11.9	30.5
gut	12.0	30.4
cb	11.63	30.72
+2	11.4	31.0
N.L.	11.3	31.1

42.35

Orchard

30

0+50

N.L.	11.0	31.4
+15	10.9	31.5
cb	11.16	31.19
gut	11.8	30.6
1/4	11.5	30.9
£	11.6	30.8
1/4	12.0	30.4
gut	12.5	29.9
cb	12.11	30.24
S.L.	11.8	30.6

0+75

S.L.	11.4	31.0
cb	11.65	30.70
gut	12.1	30.3
1/4	12.6	30.8
£	11.2	31.2
1/4	11.1	31.3
gut	11.3	31.1
cb	10.68	31.67
+10	10.5	31.9
N.L.	10.6	31.8

42.35

1400		
N.L.	10.0	32.4
cb	10.20	32.15
gut	10.9	31.5
1/4	10.6	31.8
⊕	10.7	31.7
1/4	11.2	31.2
gut	11.6	30.8
cb	11.18	31.17
SL	11.0	31.4
1425		
SL	10.5	31.9
cb	10.73	31.62
gut	11.3	31.1
1/4	10.8	31.6
⊕	10.2	32.2
1/4	10.2	32.2
gut	10.4	32.0
cb	9.78	32.57
+15	9.4	39.0
N.L.	9.6	32.8

42.35

31

1450		
N.L.	8.6	33.8
+6	8.7	33.5
cb	9.35	33.00
gut	10.0	32.4
1/4	9.8	32.6
⊕	9.8	32.6
1/4	10.3	32.1
gut	10.8	31.6
cb	10.25	32.10
SL	10.2	32.2
1475		
SL	9.6	32.8
cb	9.85	32.50
gut	10.4	32.0
1/4	10.0	32.4
⊕	9.3	33.1
1/4	9.4	33.0
gut	9.6	32.8
cb	8.88	33.47
N.L.	8.3	34.1

Orchard.

42.35

2+100

N.L.	8.2	34.2
+5	8.1	34.3
cb	8.45	33.90
gut	9.2	33.2
1/4	9.0	33.4
¢	8.9	33.5
1/4	9.5	32.9
gut	9.9	32.5
cb	9.40	32.95
S.L.	9.2	33.2
2+25		
S.L.	8.7	33.7
cb	8.95	33.40
gut	9.6	32.8
1/4	9.1	33.3
¢	8.6	33.8
1/4	9.5	33.9
gut	9.7	33.7
cb	7.99	34.36
N.L.	7.8	34.6

2+50

A.L.

cb

gut

1/4

¢

1/4

gut

cb

S.L.

2+75

S.L.

cb

gut

1/4

¢

1/4

gut

cb

+1

N.L.

Orchard

42.35

32

7.3

7.51

8.2

8.1

8.2

8.6

9.2

8.52

8.2

7.7

8.06

8.6

8.1

7.6

7.6

7.6

7.07

6.9

6.8

35.1

34.84

34.2

34.3

34.2

34.8

33.2

33.83

34.2

34.7

34.29

33.8

34.3

34.8

34.8

34.8

35.28

35.5

35.6

42.35

3400		
N.L.	6.2	36.2
cb	6.57	35.78
gut	7.2	35.2
1/4	7.1	35.3
E	7.0	35.4
1/4	7.6	34.8
gut	8.3	34.1
cb	7.61	34.74
S.L.	7.4	35.0
3425		
S.L.	6.8	35.6
cb	7.16	35.19
gut	7.8	34.6
1/4	7.2	35.2
E	6.6	35.8
1/4	6.6	35.8
gut	6.8	35.6
cb	6.18	36.17
+19	5.7	36.7
S.L.	6.0	36.4

42.35

33

3450		
N.L.	5.4	37.0
cb	5.70	36.65
gut	6.3	36.1
1/4	6.2	36.2
E	6.1	36.3
1/4	6.7	35.7
gut	7.4	35.0
cb	6.68	35.67
S.L.	6.2	36.2
3475		
S.L.	6.2	36.2
cb	6.25	36.10
gut	6.9	35.5
1/4	6.3	36.1
E	5.8	36.6
1/4	5.8	36.6
gut	5.9	36.5
cb	5.28	37.07
+18	5.1	37.3
N.L.	5.4	37.0

42.35

4400

N.L.	4.7	37.7
cb	4.96	37.49
gut	5.4	37.0
1/4	5.4	37.0
d	5.3	37.1
1/4	5.9	36.5
gut	6.5	35.9
cb	5.80	36.55
S.L.	5.5	36.9
4425		
S.L.	5.0	37.4
cb	5.38	36.97
gut	6.0	36.4
1/4	5.4	37.0
d	4.9	37.5
1/4	4.9	37.5
gut	5.0	37.4
cb	4.41	37.94
N.L.	4.2	38.2

42.35

34

4450

N.L.	4.0	38.4
+2	3.7	38.7
cb	3.92	38.43
gut	4.6	37.8
1/4	4.4	38.0
d	4.4	38.0
1/4	4.8	37.6
gut	5.5	36.9
cb	4.92	37.43
+1	4.6	37.8
+10	4.8	37.6
S.L.	4.8	37.6
4475		
S.L.	4.3	38.1
+18	4.2	38.2
cb	4.53	37.82
gut	5.1	37.3
1/4	4.4	38.0
d	4.0	38.4
1/4	4.1	38.3
gut	4.1	38.3
cb	3.50	38.85
N.L.	3.5	38.9

42.35

5400		
N.L.	2.8	39.6
cb	2.99	39.36
gut	3.8	38.6
1/4	3.5	38.9
¢	3.6	38.8
1/4	3.7	38.5
gut	4.5	37.9
cb	4.03	38.32
S.L.	3.9	38.5
5425		
S.L.	3.3	39.1
cb	3.51	38.84
gut	4.1	38.3
1/4	3.5	38.9
¢	3.1	39.3
1/4	3.0	39.4
gut	3.3	39.1
cb	2.54	39.81
+0.5	2.8	39.6
+1.0	2.8	39.6
N.L.	3.1	39.3

42.35

35

5450		
N.L.	2.6	39.8
+19.5	2.4	40.0
cb	2.06	39.29
gut	2.7	39.7
1/4	2.6	39.8
¢	2.7	39.7
1/4	3.1	39.3
gut	3.6	38.8
cb	3.00	39.35
S.L.	2.9	39.5
5451		
S.L.	2.9	39.5
cb	2.98	39.37
gut	3.6	38.8
1/4	3.0	39.4
¢	2.7	39.7
1/4	2.6	39.8
gut	2.6	39.8
cb	2.05	40.30
+0.5	2.1	40.34
+1.5	1.7	40.7
N.L.	1.9	40.5

5795		
N.L.	1.3	41.1
cb	1.54	40.81
gut	2.2	40.2
1/4	2.1	40.3
⊕	2.2	40.2
1/4	2.5	39.9
gut	3.2	39.2
cb	2.54	39.81
+15	2.3	40.1
S.L.	2.7	39.7
6400 ² = EL Cable		
S.L.	2.5	39.9
+1	2.0	40.4
+17	1.9	40.5
cb	2.13	40.22
gut	2.6	39.8
1/4	2.0	40.4
⊕	1.5	40.9
+6	1.6	40.8
1/4	1.7	40.7
gut	1.7	40.7
cb	1.03	41.32
N.L.	0.8	41.6

6+12² = Ecb Cable

N.L. (abcB)	1.01	41.34
N.L. gut	1.5	40.9
+13	1.4	41.0
cb	1.4	41.0
+4	1.4	41.0
1/4	1.1	41.3
⊕	1.1	41.3
1/4	1.6	40.8
+8	2.1	40.3
cb	2.0	40.4
+8	2.3	40.1
S.L. gut	2.7	39.7
S.L. cb	2.14	40.21
T.P. 5.61 47.42	0.54	41.81
6+2, 2 = E'4 Cable		
S.L.	7.6	39.8
+3	7.1	40.3
+10	6.6	40.8
cb	6.6	40.8
+2	6.7	40.7
1/4	6.3	41.1
⊕	6.0	41.4
1/4	5.9	41.5
cb	6.0	41.4
N.L.	6.4	41.0

47.42

6+30² = d Cable

N.L.	5.8	41.6
cb	5.6	41.8
1/4	5.7	41.7
⊕	5.7	41.7
1/4	6.0	41.4
+4	6.2	41.2
+7	6.5	40.9
cb	6.2	41.2
+10	6.5	40.9
S.L.	8.0	39.4

6+39² = w/c Cable

S.L.	7.7	39.7
+5	7.3	40.1
cb	6.2	41.2
+2	6.4	41.0
+6	6.0	41.4
1/4	5.8	41.6
⊕	5.6	41.8
1/4	5.5	41.9
cb	5.5	41.9
N.L.	5.8	41.6

47.42

6+48² = w/c Cable

N.L. cb	5.07	42.33
N.L. gut	6.2	41.2
cb	5.5	41.9
1/4	5.5	41.9
⊕	5.4	42.0
1/4	5.8	41.6
+5	6.1	41.3
+9	6.5	40.9
cb	6.4	41.0
1/4	6.1	41.3
+10	6.6	40.8
+15	6.8	40.6
S.L. gut	6.7	40.7
S.L. cb	6.17	41.25

6+60² = 0+00 = w/c Cable

S.L.	5.8	41.6
+5	5.8	41.6
cb	6.08	41.34
gut	6.3	41.4
1/4	5.8	41.6
⊕	5.4	42.0
1/4	5.6	41.8
gut	5.6	41.8
Ncb	5.07	42.35

walk in on North
0+00 to 0+75

37

47.42

0+25		
Ncb	4.57	42.85
gut	5.4	42.0
1/4	5.1	42.3
+7	4.9	42.5
±	5.0	42.4
1/4	5.4	42.0
gut	5.8	41.6
cb	5.36	42.06
SL	5.0	42.4
0+50		
SL	4.6	42.8
+4	4.3	43.1
cb	4.71	42.71
gut	5.3	42.1
1/4	4.9	42.5
±	4.4	43.0
1/4	4.6	43.8
gut	4.7	42.7
cb	4.06	43.36

47.42

38

0+75		
N.L.	3.0	44.4
+12 ^{and} walk	3.33	43.09
+15	3.4	44.02
cb	3.51	43.91
gut	4.3	43.1
1/4	4.0	43.4
±	3.7	43.7
1/4	4.11	43.3
gut	4.5	42.9
cb	3.96	43.46
SL	3.4	44.0
1+00		
SL	2.9	44.5
cb	3.25	44.17
gut	3.8	43.6
1/4	3.3	44.1
±	3.1	44.3
1/4	3.3	44.1
+6	3.5	43.9
gut	3.4	44.0
cb	2.99	44.43
+5	3.2	44.2
+15	3.0	44.4
+17	2.6	44.8
N.L.	1.8	45.6

?

47.42

N.L	1.1	46.3
+5	1.8	45.6
+15	2.4	45.0
cb	2.45	44.97
gut	2.6	44.8
+5	2.8	44.6
1/4	2.7	44.7
±	2.5	44.9
+5	2.5	44.9
1/4	2.7	44.7
+5	2.9	44.5
gut	3.0	44.4
cb	2.46	44.96
S.L.	2.4	45.0
1+3/4 Pavement should end here		
S.L.	2.3	45.1
cb	2.28	45.14
gut	2.8	44.6
1/4	2.7	44.7
±	2.5	44.9
1/4	2.6	44.8
+5	2.9	44.5
gut	2.6	44.8
cb	2.29	45.13
+0.5	2.4	45.0

Orchard

39

1+3/4

47.42

+5	2.4	45.0
+13	2.4	45.0
N.L.	1.4	46.0
T.P.	2.21	38.21
	6.52	32.66

with 461' w/ w.l. ss. El. 46.5 & Orchard.

X sec. Cable St. - Coronado to Orchard.
 80' Street 12' cbs 36' Rdway. Office record
 All curbs 15' 33.12

Sept 22-28
 Loudon
 Isbell Morgan.
 0+50

Cable

40

B.M.	2.52	35.92	33.40	SE Del Mar = Cable.	w.L.	35.92	
0+00 = s.L. Coronado					+3		5.9 30.0
w.L.		6.5	29.4		cb		6.3 29.6
+3 5'		6.81	29.11		gut.		6.38 29.57
+8 5'		6.95	28.97		1/4		6.9 29.0
cb		7.09	28.83		+		6.7 29.2
gut		7.60	28.32		1/4		6.5 29.4
1/4		7.36	28.56		+4		6.7 29.2
+		7.21	28.71		gut		6.7 29.2
1/4		7.35	28.57		Ecb		7.0 28.9
gut		7.56	28.36		0+75		6.38 29.54
Ecb		7.06	28.86		Ecb		6.24 29.88
0+25					gut		6.6 29.3
Ecb		6.72	29.20		1/4		6.3 29.6
gut		7.2	28.7		+		6.1 29.8
1/4		7.0	28.9		1/4		6.4 29.5
+		7.0	28.9		gut.		6.8 29.1
1/4		7.2	28.7		cb		6.3 29.89
gut		7.4	28.5		+8		5.9 30.0
wcb		6.78	29.19		w.L.		5.5 30.4
+9		6.7	29.2				
w.L.		6.3	29.6				

Walk 10:21 East
 From 0+00 to
 1+20
 No walk west.

Cable

35.92

1400		
wL	5.4	30.5
+5	5.8	30.1
cb	5.70	30.22
gut	6.5	29.4
1/4	6.1	29.8
+	5.8	30.1
1/4	5.9	30.0
+5	6.1	29.8
gut	6.5	29.4
Ecb	5.75	30.17
1425		
Ecb	5.35	30.57
gut	6.1	29.8
1/4	5.5	30.4
+	5.4	30.5
+7	5.5	30.4
1/4	5.7	30.2
+5	6.1	29.8
gut	6.2	29.7
cb	5.36	30.56
+7	5.3	30.6
+10	5.1	30.8
wL	4.8	31.1

Cable

35.92

41

1440 = N.L	Alley (No rets or backing obs)	
wL	4.7	31.2
+5	5.0	30.9
cb	5.16	30.76
gut	6.0	30.9
+5	5.9	30.0
1/4	5.5	30.4
+4	5.2	30.7
+	5.2	30.7
1/4	5.3	30.6
gut	5.7	30.0
cb	5.15	30.77
+1	4.9	31.0
+4 end walk	4.97	30.95
+9	4.87	31.03
EL	4.4	31.5
1460 = S.L	Alley	
EL	4.4	31.5
cb	4.90	31.02
gut	5.7	30.2
1/4	5.1	30.8
+	4.9	31.0
1/4	5.3	30.6
+5	5.7	30.2
gut	5.7	30.2
cb	4.90	31.02

Cable
35.92

1+60		
cb+5	4.8	31.1
+7	5.1	30.8
+9	4.6	31.3
w.l.	4.2	31.7
M.H. & of Alley 1+50		
F.L.	12.58	23.34
Top	4.88	31.04
1+75		
w.l.	4.3	31.6
+6	4.7	31.2
+8	4.5	31.4
cb	4.71	31.21
gut	5.5	30.4
1/4	5.1	30.8
¢	4.7	31.2
1/4	4.9	31.0
gut	5.4	30.5
cb	4.68	31.24
+8	4.5	31.4
F.L.	3.8	32.1

2+00

EL.

+4

cb

gut

1/4

¢

1/4

gut

cb

+9

w.l.

2+25

w.l.

+3

cb

gut

1/4

¢

1/4

gut

cb

+9

EL.

Cable

35.92

42

3.6

32.3

4.2

31.7

4.39

31.53

5.1

30.8

4.6

31.3

4.4

31.5

4.7

31.2

5.1

30.8

4.36

31.56

4.3

31.6

3.8

32.1

3.6

32.3

4.0

31.9

4.03

31.89

4.8

31.1

4.3

31.6

4.1

31.8

4.2

31.7

4.7

31.2

4.02

31.90

3.9

32.0

3.2

32.7

Cable

35.92

2+50

E.L.	3.1	32.8
+3	3.6	32.3
cb	3.68	32.24
gut	4.5	31.4
1/4	3.9	32.0
+	3.8	32.1
1/4	4.0	31.9
gut	4.5	31.4
cb	3.72	32.20
+1	3.5	32.4
+8	3.6	32.3
w.l.	3.2	32.7

2+75

w.l.	2.9	33.0
+5	3.2	32.7
cb	3.37	32.55
gut	4.3	31.6
1/4	3.8	32.1
+	3.5	32.4
1/4	3.6	32.3
gut	4.1	31.8
cb	3.37	32.55
+8	3.3	32.6
E.L.	2.8	33.1

Cable

35.92

43

2+98 = N.L. Del Mar.

E.L.	2.7	33.2
cb	3.05	32.87
gut	4.0	31.9
1/4	3.5	32.4
+	3.2	32.7
+5	3.3	32.6
1/4	3.6	32.3
+5	3.9	32.0
gut	3.9	32.0
cb	3.05	32.87
+9	3.0	32.9
w.l.	2.6	33.3

0+00 = S.L. Del Mar

wcb	2.54	33.38
gut	2.9	33.0
1/4	2.5	33.4
+	2.2	33.7
1/4	2.4	33.5
gut	2.5	33.4
cb	2.58	33.34
+0.5	2.2	33.7
E.L.	2.2	32.7

Walk in on West
From 0+00 to 3+00
No Wall on East

Cable

0+25	35.92		
E.L	1.4	34.5	
+4	1.8	34.1	
+7	1.6	34.3	
cb	1.97	33.95	
gut	2.3	33.6	
1/4	2.0	33.9	
+	2.8	33.1	
1/4	2.1	33.8	
gut	2.4	33.5	
wcb	1.77	34.15	
0+50			
wcb	1.06	34.86	
gut	1.7	34.2	
1/4	1.4	34.5	
+	1.2	34.7	
1/4	1.5	34.4	
gut	1.7	34.2	
cb	1.24	34.68	
+6	1.1	34.8	
+8	1.2	34.7	
E.L.	0.9	35.0	
T.P	7.65	43.00	0.57
			35.35

Cable

14

0+75	43.00		
E.L	7.5	35.5	
+3	7.7	35.3	
+4	7.5	35.5	
cb	7.64	35.36	
gut	8.2	34.8	
1/4	7.8	35.2	
+	7.5	35.5	
1/4	7.8	35.2	
gut	8.1	34.9	
wcb	7.39	35.61	
1+00			
wcb	6.62	36.38	
gut	7.2	35.8	
1/4	7.2	35.8	
+	7.8	35.2	
1/4	7.2	35.8	
gut	7.5	35.5	
cb	6.96	36.04	
+4	6.7	36.3	
+9	7.0	36.0	
E.L.	6.7	36.3	

43.00

1+25

E.L.	6.1	36.9
cb	6.29	36.71
gut	6.9	36.1
1/4	6.4	36.6
¢	6.0	37.0
1/4	6.2	36.8
+3	6.2	36.6
gut	6.1	36.9
wcbcb	5.93	37.07
1+40 = N.L. Alley. (No pets or Parkway) cbs on Post		
wcb	5.50	37.50
gut	5.9	37.1
1/4	5.8	37.2
¢	5.5	37.5
1/4	6.0	37.0
gut	6.5	36.5
cb	5.93	37.07
E.L.	5.6	37.4
MH at 1+50 on ¢.		
top	5.10	37.90
FL	19.09	24.91

1+60 = S.L. Alley

Cable		43.00
E.L.	4.8	38.2
cb	5.36	37.64
gut	5.9	37.1
1/4	5.4	37.6
¢	4.9	38.1
1/4	5.2	37.8
gut	5.5	37.5
wcb	4.78	38.22
1+75		
wcb	4.37	38.63
gut	5.1	37.9
1/4	4.7	38.3
¢	4.5	38.5
1/4	4.9	38.1
gut	5.4	37.6
cb	11.94	38.06
E.L.	4.7	38.3
2+00		
E.L.	4.0	39.0
+4	4.1	38.9
+10	3.9	39.1
cb	4.28	38.72
gut	4.6	38.4
1/4	4.2	38.8
¢	3.8	39.2
1/4	4.0	39.0

45

43.00

2+00		
gut	4.4	38.6
wcb	3.57	39.43
2+25		
wcb	2.84	40.16
gut	3.7	39.3
1/4	3.2	39.8
¢	3.2	39.8
1/4	3.5	39.5
gut	4.0	39.0
cb	3.60	39.40
+1	3.4	39.6
EL	3.2	39.8
2+50		
EL	2.5	40.5
+11	2.8	40.2
cb	2.91	40.09
gut	3.4	39.6
1/4	2.8	40.2
¢	2.4	40.6
1/4	2.6	40.4
gut	3.0	40.0
wcb	2.14	40.86

Cable

46

2+75

43.00

wcb	1.38	41.62
gut	2.3	40.7
1/4	1.9	41.1
¢	1.8	41.2
1/4	2.4	40.6
gut	2.6	40.4
cb	2.27	40.73
+1	2.1	40.9
EL	1.9	41.1
EL	1.5	41.5
cb	1.63	41.37
gut	2.2	40.8
1/4	1.9	41.1
¢	1.4	41.6
1/4	1.3	41.7
gut	1.7	41.3
wcb	0.64	42.36
TP*	4.79	38.21
B.M. Beginning	9.60	38.40

X Sec. Pescadero - Santa Barbara to Guizot
80' 51" 52' Rdway 14' chs.

BM	0.06	252.37		252.31
T.P.	0.08	239.53	12.92	239.45
T.P.	0.10	226.60	13.03	226.50
0 + 00 = w.L. Santa Barbara				
S.L.			2.6	224.0
+3			2.4	224.2
cb			2.6	224.0
+1			3.5	223.1
1/4			2.8	223.8
+8			2.3	224.3
E			2.3	224.3
+6			2.2	224.4
+9			2.7	223.9
1/2			2.4	224.2
+2			2.5	224.1
+6			2.3	224.3
+7			3.4	223.2
+9			2.6	224.0
+12			2.4	224.2
cb			2.0	224.6
+4			1.4	224.2
N.L.			1.0	225.6

Plotted 10-10-28 - GBH

Sept 29-28
Loudon
Isbell
Morgan

226.18

0 + 30		
N.L.	4.1	222.5
+3	4.8	221.8
+6	4.6	222.0
+13	5.0	221.6
cb	5.4	221.0
+3	5.7	220.9
+5	6.2	220.4
+7	5.6	221.0
+9	5.2	221.4
1/4	5.3	221.3
+4	5.4	221.2
+5	5.7	220.9
+6	5.5	221.1
1/2	5.6	221.0
1/4	6.1	220.5
+2	6.2	220.4
+11	7.0	219.6
cb	6.1	220.5
+9	6.2	220.4
+11	5.9	220.7
+13	5.3	221.3
S.L.	5.4	221.2

17

226.60

0+65		
S.L.	8.3	218.3
+1	9.8	216.8
+4	10.4	216.2
+7	10.2	216.4
cb	10.2	216.4
+2	10.9	215.7
1/4	10.3	216.3
¢	9.8	216.8
+1	9.7	216.9
+5	9.6	217.0
+8	9.8	216.8
1/4	9.7	216.9
+6	9.6	217.0
+7	9.8	216.8
+8	10.2	216.4
+10	10.1	216.5
+12	9.6	217.0
cb	9.7	216.9
+1	8.8	217.8
+5	9.1	217.5
+13	8.8	217.8
N.L.	8.4	218.2

226.60

48

1+00		
N.L.	12.0	214.6
+3	12.6	214.0
+4	12.9	213.7
+5	12.6	214.0
+8	12.7	213.9
+9	13.0	213.6
+10	12.7	213.9
+12	12.7	213.9
cb	13.6	213.0
+1	14.5	212.1
+3	14.4	212.2
+5	13.6	213.0
1/4	13.7	212.9
+8	13.6	213.0
¢	13.9	212.7
+2	13.9	212.7
+5	14.0	212.6
1/4	14.2	212.4
+10	14.8	211.8
+11	14.9	211.7
1/2	14.1	212.5
cb	14.1	212.5
+7	14.1	212.5
+9	14.2	212.4
+12	13.4	213.2
S.L.	10.4	216.2

	226.60		
TP. 004	213.64	13.00	213.60
1+20		0.0	
S.L.		0.0	213.6
+1		2.9	210.5
+5		3.3	210.3
+13		3.3	210.3
e 6		3.7	209.9
+1		4.5	209.1
+3		4.0	209.6
+8		3.6	210.0
+9		3.8	209.8
+11		3.5	210.1
1/4		3.3	210.3
+8		3.0	210.6
+10		2.7	210.7
4		3.0	210.6
+4		2.9	210.7
+5		3.1	210.5
+9		2.7	210.7
1/4		2.7	210.7
+5		2.9	210.7
+7		3.8	209.8
+9		3.7	209.9
+10		3.3	210.3
+12		2.8	210.8
+12		3.2	210.4

213.64

1+20

N C 6

+2

+5

+6

+7

+10

+11

+12

N.L.

1+30

N.L.

+2

+3

+4

+5

+8

+9

+10

+12

C 6

+1

+3

+11

+11

1/4

3.1

2.2

2.0

2.4

2.0

1.9

2.3

1.9

1.3

2.5

3.1

3.1

3.4

3.1

3.2

3.5

3.3

3.3

3.9

4.9

4.7

4.2

3.9

4.0

210.5

211.4

211.6

211.2

211.6

212.7

211.3

211.7

212.3

211.1

210.5

210.5

210.2

210.5

210.4

210.1

210.3

210.3

209.7

208.7

208.9

209.4

209.7

209.6

213.64

1430

4	4.0	209.6
+3	4.0	209.6
+6	4.2	209.4
+7	4.1	208.5
1/4	4.4	209.2
+4	4.6	209.0
+5	5.0	208.6
+6	4.7	208.9
+9	5.0	208.6
+10	5.5	208.1
+11	5.5	208.1
+12	5.2	208.4
cb	4.2	209.4
+12	4.2	209.4
5 b.	3.5	210.1
1465		
S.L.	8.0	205.6
+2	8.5	205.1
+7	8.4	205.2
cb	8.2	205.0
+1	9.5	204.1
1/4	8.5	205.1
+8	8.0	205.6
4	8.0	205.6
+7	7.9	205.7
+9	8.2	205.4

213.64

50

1465

+10	8.0	205.6
N 1/4	8.1	205.5
+4	7.9	205.7
+7	8.0	205.6
+10	8.4	205.2
cb	8.1	205.5
+1	7.2	206.4
+6	7.0	206.6
+7	7.3	206.3
+8	7.0	206.6
+11	7.0	206.6
+12	7.3	206.3
+13	7.0	206.6
NL	7.1	206.5
2+00		
NL	10.6	203.0
+3	10.7	202.9
+4	11.2	202.4
+5	10.7	202.9
+7	11.1	202.5
+9	11.0	202.6
+9	11.3	202.3
+10	10.9	202.7
+12	11.1	202.5
+13	12.2	201.4
cb	12.2	201.4

2+00			
cb+2	213.64	12.0	201.6
+3		11.7	201.9
1/4		11.8	201.8
+7		11.7	201.7
+8		12.0	201.6
+10		11.8	201.8
+12		11.8	201.8
4		11.9	201.7
+4		11.9	201.7
+10		12.2	201.4
1/4		12.4	201.2
+10		13.2	200.4
+11		13.5	200.1
17 ⁵		13.5	200.1
12 ⁵		12.5	201.1
cb		12.4	201.2
+5		12.3	201.3
+13		12.4	201.2
SL		11.6	202.0
2+20			
SL		12.9	200.7
T.P.	0.09	200.77	12.96
			200.68
42		1.5	199.3
cb		1.6	199.2
+1		2.6	198.2
+2		2.6	198.2

200.77

2+20		
cb+3	2.3	198.5
1/4	1.6	199.2
+8	1.3	199.5
4	1.4	199.4
+5	1.4	199.4
+7	1.5	199.3
+8	1.3	199.5
1/4	1.2	199.6
+2	1.3	199.5
+3	1.1	199.7
+10	1.1	199.7
+11	1.5	199.3
cb	1.5	199.3
cb	0.4	200.4
+5	0.4	200.4
+6	0.7	200.1
+7	0.4	200.4
+9	0.3	200.5
+11	0.6	200.2
+12	0.3	200.5
N.L.	0.2	200.6

200.77

2 +30		
NL	1.6	199 2
+2	1.4	199 4
+3	1.8	199 0
+4	1.5	199 3
+7	1.5	199 3
+8	1.8	199 0
+9	1.6	199 2
cb	1.5	199 3
cb	2.5	198 3
+2	2.3	198 5
+10	2.2	198 6
1/4	2.4	198 4
+6	2.7	198 1
+8	2.5	198 3
e	2.5	198 3
+8	2.5	198 3
1/4	2.8	198 0
+10	3.3	197 5
+11	4.1	196 7
cb	2.8	198 0
+13	2.3	198 5
SL	1.1	199 7

200.77

52

2 +65		
SL	5.1	195 7
+2	6.3	194 5
cb	6.7	194 1
+1	7.5	193 3
+2	8.0	192 8
+3	7.4	193 4
1/4	6.9	193 9
e	6.5	194 3
1/4	6.4	194 4
+5	6.3	194 5
+10	6.4	194 4
+12	6.5	194 3
cb	6.3	194 5
+1	5.9	195 0
+2	5.6	195 2
+9	5.5	195 3
NL	5.5	195 3
3 +00		
NL	9.4	191 4
+5	9.3	191 5
+13	9.6	191 2
cb	10.8	190 0
+1	10.7	190 1
+2	10.3	190 5
1/4	10.2	190 6

3+00	200.77		
4+3		10.4	190.4
¢		10.2	190.6
¼		10.6	190.2
+12		11.7	189.1
cb		10.7	190.1
+13		10.3	190.5
S.L.		9.4	190.4
3+30			
S.L.		13.3	187.5
+1		14.0	186.8
T.P.	0.19	187.96	13.00
			187.77
cb		1.2	186.7
+2		3.1	184.8
+3		2.6	185.3
+4		1.7	186.2
+11		1.3	186.6
¼		1.2	186.7
+7		0.9	187.0
¢		0.8	187.2
+5		0.8	187.2
¼		0.7	187.2
+11		1.0	186.9
+12		1.3	186.6
cb		0.5	187.4
+2		0.2	187.7

187.96		53	
3+30			
+10	0.4	187.5	
N.L.	0.3	187.7	
3+65			
N.L.	3.9	184.1	
+2	3.9	184.1	
+6	4.2	183.7	
+8	3.9	184.1	
+12	4.1	183.8	
cb	4.8	183.1	
+1	5.4	182.5	
+2	5.1	182.8	
+6	4.9	183.0	
¼	4.9	183.0	
¢	4.9	183.1	
+2	5.0	182.9	
+3	5.3	182.6	
+4	5.1	182.8	
+6	5.1	182.8	
+9	5.2	182.7	
¼	5.4	182.5	
+11	6.1	181.8	
+12	7.0	180.9	
cb	5.4	182.5	
+6	5.5	182.4	
+12	5.8	182.1	
S.L.	5.2	182.8	

187.96

3+82

S.L.	7.0	181.0
+1	7.6	180.3
cb	7.3	180.6
+1	8.7	179.2
+2	8.7	179.2
+3	7.8	180.1
1/4	7.3	180.6
+7	7.0	180.9
±	7.0	181.0
+5	6.9	181.0
+10	7.1	180.8
1/4	6.8	181.1
+6	6.8	181.1
+11	6.9	181.0
+11	7.2	180.7
+12	7.2	180.7
+12	6.8	181.1
cb	6.4	181.5
+1	5.8	182.1
+3	6.0	181.9
+7	5.7	182.2
+9	5.8	182.1
+11	5.6	182.3
+12	6.5	181.4
+13	6.6	181.3
N.L.	5.6	182.4

187.96

54

3+87

N.L.	6.3	181.7
+1	6.1	181.8
+8	6.2	181.7
+11	6.5	181.4
+12	6.2	181.7
cb	6.8	181.1
+1	7.5	180.4
+2	7.5	180.4
+3	8.2	179.7
+4	7.4	180.5
+10	7.4	180.5
1/4	7.4	180.5
+3	7.6	180.3
+8	7.4	180.5
±	7.5	180.5
+7	7.6	180.3
1/4	7.8	180.1
+10	8.2	179.7
+11	8.4	179.5
+12	9.1	178.8
cb	8.7	179.2
+9	8.1	179.8
+12	8.1	179.8
S.L.	7.2	180.8

H+00	187.96		
SL	8.6	179.4	
+12	8.4	179.5	
+4	9.6	178.3	
+5	9.4	178.5	
cb	9.1	178.8	
+1	10.4	177.5	
+2	10.4	177.5	
+8	9.8	178.1	
1/4	9.3	178.6	
⊕	9.0	179.0	
+6	9.0	179.0	
+9	9.2	178.7	
+10	9.0	179.0	
1/4	9.0	179.0	
+11	9.1	178.9	
+12	9.9	178.0	
cb	8.4	179.5	
+1	8.1	179.8	
+8	8.0	178.0	
+9	8.1	179.8	
NL	7.9	180.1	

H+30	187.96		
NL	11.5	176.5	
+2	11.4	176.6	
+5	11.6	176.4	
+11	11.6	176.4	
cb	12.2	175.7	
+1	13.1	174.8	
+2	12.7	175.2	
+7	12.4	175.5	
1/4	12.5	175.4	
+4	12.5	175.4	
+5	12.7	175.2	
+6	12.5	175.4	
⊕	12.5	175.5	
1/4	12.7	175.2	
+5	12.9	175.0	
+6	12.8	175.1	
+10	13.1	174.8	
+11	14.2	173.7	
⊕b	14.5	173.4	
+1	12.5	175.4	
+7	12.8	175.1	
+12	12.6	175.3	
S.L	12.3	175.7	
T.P.	0.27	175.23	13.00 174.96

4465

175.23

s.c	3.7	171.5
cb	3.5	171.7
+1	5.2	170.0
+4	5.1	170.1
+6	4.2	171.0
14	3.9	171.2
+8	3.5	171.7
2	3.4	171.8
+9	3.6	171.6
+10	3.8	171.4
14	3.6	171.6
+6	3.4	171.8
+11	4.1	171.1
+12	3.7	171.5
cb	3.4	171.8
+4	2.8	172.4
+8	2.6	172.6
+12	2.9	172.4
N.L.	2.7	172.5
4+91		
N.L.	5.1	170.1
+3	5.5	169.7
+6	5.4	169.8
+8	6.3	168.9
+10	5.8	169.4
+12	6.0	169.2

4+91

Ncb

+1

+12

+9

+9

14

+3

+5

+7

2

14

+9

+10

+12

cb

+9

+12

S.L.

5+00

S.L.

+1

cb

+1

+2

+3

+4

6.5 168.7

7.3 167.9

6.8 168.4

6.8 168.4

6.5 168.7

6.6 168.6

6.5 168.7

6.8 168.4

6.7 168.5

6.6 168.6

6.8 168.4

7.2 168.0

8.5 166.7

8.7 166.5

6.7 168.5

6.7 168.5

6.7 168.5

7.0 168.2

8.1 167.1

8.0 167.2

7.9 167.3

9.7 165.5

9.7 165.5

8.5 166.7

8.3 166.9

175.23

5400

s 14.	8.0	167.2
¢	7.8	167.4
+5	7.8	167.4
+6	8.0	167.2
+8	7.7	167.5
1/4	7.7	167.5
+2	7.6	167.6
+4	7.6	167.6
+5	8.0	167.2
+7	7.4	167.6
+9	7.6	167.6
+10	8.6	167.6
+12	8.6	167.6
eb	7.9	167.3
+2	6.7	168.5
+7	6.4	168.8
+8	6.8	168.4
NL	5.9	169.3
5+30		
NL	9.3	165.9
+3	9.8	165.4
+4	10.5	164.7
+6	9.9	165.3
+93	10.2	165.0
eb	10.7	164.5
+1	11.7	163.5

57

175.23

cb+2	11.7	163.5
+3	11.0	164.2
+6	10.8	164.4
+12	10.9	165.3
1/4	11.4	163.8
+1.	11.0	164.2
+2	10.9	164.3
+3	11.4	163.8
+5	10.8	164.4
¢	10.9	164.3
+6	11.1	164.1
1/4	11.4	163.8
+7	11.8	163.4
+9	12.0	163.2
+10	12.7	162.5
+12	12.6	162.6
eb	11.4	163.8
+10	11.5	163.7
+12	11.3	163.9
S.L	11.6	163.6
T.P. 205	12.95	162.28

5+65

162.33

s.l.	2.5	159.8
+7	2.5	159.8
cb	2.3	160.0
+1	2.9	159.4
+7	2.8	159.5
1/4	2.4	159.9.
+	1.8	160.5
+7	2.0	160.3
+4	1.8	160.5
1/4	1.6	160.7
+7	1.8	160.5
cb	1.7	160.6
+7	1.4	160.9
+7	1.2	161.1
+10	1.5	160.8
N.L.	0.8	161.5
6+00 ⁸⁵ = E.L. Guizat		
N.L.	4.4	157.9
cb.	4.5	157.8
+7	4.7	157.6
+10	4.5	157.8
1/4	4.7	157.6
+3	4.7	157.6
+	5.0	157.3
+8	5.2	157.1

6+00⁸⁵

1/4	5.4	156.9
+3	5.6	156.7
+7	5.8	156.5
+9	5.6	156.7
cb	5.8	156.5
+2	5.8	156.5
+11	6.1	156.2
+12	6.5	155.8
+13	6.6	155.7
s.l.	6.4	155.9
6+12 ⁸⁵ = Ecb Guizat		
s.l.	7.4	154.9
+5	7.1	155.2
+12	6.6	155.7
cb	6.5	155.8
+8	6.1	156.2
1/4	6.3	156.0
+9	5.9	156.4
+	5.8	156.5
+6	5.5	156.8
1/4	5.5	156.8
+6	5.2	157.1
cb	5.3	157.0
+6	5.3	157.0
N.L.	5.3	157.0

162.33

6+21⁸⁵ = E 1/4 Guizot.

N.L.	5.6	156.7
+1	5.8	156.5
cb	5.7	156.6
1/4	6.0	156.3
2	6.2	156.1
1/4	6.7	155.6
cb	7.0	155.3
S.L.	7.6	154.7

6+30⁸⁵ = E Guizot

S.L.	7.8	154.5
+7	7.5	154.8
cb	7.3	155.0
+7	7.3	155.0
1/4	7.0	155.3
2	6.6	155.7
1/4	6.2	156.1
cb	6.0	156.3
+3	6.1	156.2
+4	6.3	156.0
+5	6.1	156.2
N.L.	5.8	156.5

Pascadero

162.33

59

6+39⁸⁵ = W 1/4 Guizot

N.L.	6.1	156.2
+10	6.4	155.9
+12	7.1	155.2
cb	6.4	155.9
1/4	6.6	155.7
2	6.9	155.4
1/4	7.2	155.1
+8	7.6	154.7

+10

+11

cb	7.5	154.8
+7	7.6	154.7
+7	7.9	154.4
+9	8.2	154.1
S.L.	8.4	153.9

6+48⁸⁵ = Web Guizot

S.L.	8.5	153.8
+7	8.3	154.0
cb	8.1	154.2
1/4	7.5	154.8
+9	7.3	155.0
2	7.2	155.1
+10	6.9	155.4
1/4	7.0	155.3
cb	7.1	155.2
+1	7.7	154.6
+2	7.7	154.6

6+48⁸⁵
 cb + 4 7.3 155.0
 + 12 6.5 155.8
 N.L. 6.2 156.1

Pascadero - Guizat. to Froude

80' st 40' Rdway 20' cbs.

6+60⁸⁵ = 0+00 = N.L. Guizat

N.L. 6.4 155.9
 +4 7.1 155.2
 +17 7.2 155.1
 cb 8.4 153.9
 +1 8.4 153.9
 +2 7.9 154.4
 +5 7.9 154.4
 1/4 7.7 154.6
 E 7.9 154.4
 1/4 8.2 154.1
 +3 8.3 154.0
 cb 9.0 153.3
 +1 8.2 154.1
 +4 8.0 154.3
 +15 9.5 153.8
 S.L. 8.6 153.7

Plotted - 10-10-88. CBH

0+35

S.L.

+10

cb

+1

+3

1/4

+1

+2

E

1/4

+4

+8

+9

cb

+1

+17

N.L.

0+70

N.L.

T.P. 0.07

+1

cb

+1

+3

1/4

162.33

11.3

11.6

11.4

12.6

12.0

11.2

11.7

11.1

10.9

10.8

10.8

11.2

11.9

11.8

10.6

10.1

9.4

13.3

13.05

0.7

1.0

2.8

1.8

1.3

151.0

150.7

150.9

149.7

150.3

151.1

150.6

151.2

151.4

151.5

151.5

151.1

150.4

150.5

151.7

152.2

152.9

149.0

149.28

148.7

148.4

146.6

147.6

148.1

149.35

0+70

¢	1.3	148.1
1/4	1.6	147.8
+7	2.0	147.4
+8	2.3	147.1
+9	2.4	147.0
cb	1.8	147.6
+12	2.1	147.3
+17	2.3	147.1
SL	2.0	147.4

1+00

SL	4.4	145.0
+3	5.0	144.4
+8	5.0	144.4
cb	4.7	144.7
+1	5.0	144.4
+2	5.9	143.5
+3	5.1	144.3
+6	4.8	144.6
1/4	4.6	144.8
¢	4.3	145.1
1/4	4.3	145.1
+7	4.4	145.0
+8	5.5	143.9
+9	5.5	143.9
cb	5.0	144.4
+1	3.7	145.7

149.35

61

3+5	3.9	145.5
+12	3.6	145.6
+18	3.4	146.0
N.L.	2.8	146.6
1+35		
N.L.	7.1	142.3
+17	7.3	142.1
+18	8.3	141.1
cb	8.6	140.8
+1	7.8	141.6
+3	7.7	141.7
1/4	7.8	141.6
¢	7.8	141.6
1/4	8.1	141.3
+5	8.6	140.8
+7	8.8	140.6
+9	8.2	141.2
cb	8.1	141.3
+6	8.4	141.0
+13	8.4	141.0
S.L.	8.0	141.4

149.35

1470

S.L.	11.3	138.1
+1	11.5	137.9
+10	11.6	137.8
+11	11.9	137.5
+12	11.6	137.8
+16	11.5	137.9
cb	11.4	138.0
+1	11.5	137.9
+2	13.5	135.9
+4	13.4	136.0
+5	12.0	137.4
+8	11.5	137.9
1/4	11.5	137.9
2	10.8	138.6
1/4	10.9	138.5
+6	10.9	138.5
cb	11.0	138.4
+1	11.7	137.7
+2	11.4	138.0
+3	10.5	138.9
+11	10.5	138.9
+19	10.2	139.2
AL	9.9	139.5

2+00

N.L.	13.2	136.2
+7	13.3	136.1
+9	13.8	135.6
+10	13.5	135.9
T.P. 0.62	136.87	13.10 136.25
+18	1.0	135.9
+18 ⁵	2.1	134.8
+19 ⁵	2.1	134.8
cb	1.6	135.3
+8	1.2	135.7
1/4	1.3	135.6
+3	1.4	135.5
+5	1.3	135.6
2	1.5	135.4
1/4	2.0	134.9
+2	2.1	134.8
+5	2.6	134.3
+6	4.4	132.5
+9	2.0	134.9
cb	2.1	134.8
+5	2.1	134.8
+6	2.3	134.6
+7	2.1	134.8
S.L.	1.8	135.1

149.35

62

136.87

2+35		
S.L.	5.2	131.7
+1	5.5	131.4
+7	5.5	131.4
cb	5.4	131.5
+1	5.5	131.4
+12	7.6	129.3
+3	7.6	129.3
+5	6.0	130.9
+8	5.5	131.4
1/4	5.4	131.5
cb	4.9	132.0
1/4	4.8	132.1
+6	4.8	132.1
+9	5.1	131.8
cb	5.3	131.6
+2	4.3	132.6
+10	4.1	132.8
N.L.	3.8	133.1

(2+67⁹² on North = 2+70¹⁴ on South

= Boundary pt Loma Hts.
Street offsets 4.45' North.

Section Boundary

(N.L. (Ocean Beach))	7.2	129.7
+2	7.1	129.8
+4 ⁵ N.L. (pt Loma Hts)	7.2	129.7
+10	7.3	129.6

136.87

63

Section Boundary

cb	7.5	129.4
+1	8.1	128.8
+2	9.6	127.3
+6	9.6	127.3
+7	8.3	128.6
1/4	8.2	128.7
+2	8.2	128.7
cb	8.3	128.6
1/4	8.6	128.3
+9	9.1	127.8
cb	10.6	126.3
+1	10.5	125.4
+3	8.7	128.2
+13	8.9	128.0
S.L. (Ocean Beach)	8.7	128.2
S.L. (pt Loma Hts)	8.7	128.2
2+85		
S.L.	10.4	126.5
+7	10.2	126.7
+8	10.5	126.4
+9	10.2	126.7
+15	10.4	126.5
+15 ⁵	11.7	125.2
+19	11.7	125.2
cb	10.6	126.3

136.87

2+85		
cb +2	10.3	126.6
1/4	10.0	126.9
¢	9.6	127.3
1/4	9.7	127.2
+5	9.8	127.1
+5	10.8	126.1
+8	10.3	126.6
+9	9.2	127.7
cb	9.0	127.9
+15	8.8	128.1
N.L.	8.4	128.5
3+00		
N.L.	10.2	126.7
+10	10.6	126.3
+12	10.5	126.4
cb	10.8	126.1
cb	12.4	124.5
+3	12.4	124.5
+4	11.5	125.4
1/4	11.2	125.7
¢	11.3	125.6
1/4	11.4	125.5
+8	12.1	124.8
+9	12.9	124.0
cb	12.9	124.0
+1	12.8	124.1

64

136.87

cb +2	11.7	125.2
+10	11.7	125.2
SL	12.0	124.9
T.P 0.43	124.26	123.83
3+35		
SL	2.5	121.8
+18	2.4	121.9
+18	3.6	120.7
cb	2.5	120.8
+1	2.8	121.5
+4	2.5	121.8
+6	2.3	122.0
+7	2.5	121.8
1/4	2.2	122.1
¢	1.8	122.5
1/4	1.8	122.5
+5	2.0	122.3
+6	3.1	121.2
+8	3.3	121.0
+9	1.5	122.8
cb	1.4	122.9
+10	1.2	123.1
+16	1.1	123.2
+17	1.4	122.9
N.L.	0.9	123.4

124.26

3+70

NL	4.2	120.1
+5	4.9	119.4
+7	4.6	119.7
+8	4.6	119.7
+10	5.0	119.3
+12	4.7	119.6
cb	4.8	119.5
+1	4.9	119.4
+2	6.6	117.7
+4	6.7	117.6
+5	5.6	118.7
1/4	5.3	119.0
1/4	5.4	118.9
1/4	5.7	118.6
+5	6.0	118.3
+9	6.4	117.9
+9	7.7	116.6
cb	7.7	116.6
+1	7.7	116.6
+2	5.9	118.4
+10	6.2	118.1
+17	6.1	118.2
+18	6.5	117.8
S.L.	6.0	118.3

124.26

65

3+90

S.L.	8.1	116.2
+1	8.1	116.2
+2	10.3	114.0
+3	8.6	115.7
+8	8.1	116.2
+10	8.3	116.0
+13	8.1	116.2
+18	8.0	116.3
+18	9.7	114.6
cb	9.8	114.5
+1	8.5	115.8
+3	8.1	116.2
+6	7.8	116.5
+8	7.9	116.4
1/4	7.5	116.8
1/4	7.2	117.1
1/4	7.2	117.1
+5	7.4	116.9
+6	8.8	115.5
+8	8.6	115.7
+9	7.2	117.1
cb	6.8	117.5
+5	6.7	117.6
+10	7.0	117.3
+13	6.6	117.7
+14	6.9	117.4

124.26

3+90		
+15	66	117.7
+17	66	117.7
+18	7.0	117.3
N.L.	6.5	117.8
4+00		
N.L.	7.5	114.8
+1	8.0	116.3
+2	7.6	116.7
+6	7.7	116.6
+7	8.0	116.3
+8	7.6	116.7
+10	8.0	116.3
+11	7.7	116.6
+19	7.7	116.6
cb	8.6	115.7
+2	10.1	114.2
+4	9.8	114.5
+4	8.5	115.8
1/4	8.3	116.0
2	8.3	116.0
1/4	8.5	115.8
+2	8.9	115.4
+3	8.8	115.5
+8	9.2	115.1
cb	9.6	115.7
cb	10.7	113.4

124.26

66

3 +00		
+1	10.9	113.4
+2	8.7	115.4
+8	9.0	115.3
+10	9.3	115.0
+18	9.2	115.1
+19	11.3	113.0
3.6	11.3	113.0
4+10		
5.6	10.2	114.1
+8	10.1	114.2
+9	10.3	114.0
+10	10.1	114.2
+18	10.0	114.3
+18	11.8	112.5
cb	11.9	112.4
+0 ⁵	10.6	113.7
+4	9.7	114.4
+9	9.9	114.4
1/4	9.6	114.7
2	9.3	115.0
1/4	9.3	115.0
+7	9.5	114.8
+7	10.8	113.5
+8	11.3	113.0
cb	8.8	115.5

4+10	12426	8.6	115.7
cb +13		9.0	115.3
+14		8.6	115.7
+15		9.0	115.3
+19		8.6	115.7
N.L.			
4+35			
N.L.		10.5	113.8
+5		11.1	113.2
cb		11.3	113.0
+1		13.3	111.0
+2		13.2	111.1
+2		12.0	112.3
+7		11.7	112.6
'A		11.7	112.6
±		11.8	112.5
'A		12.1	112.2
+3		12.2	112.1
+9		13.0	111.3
+9		14.0	110.4
cb		14.0	110.4
+1		14.0	110.4
+1		12.3	112.0
+12		12.4	111.9
+13		12.6	111.7
+14		12.4	111.9
S.L.		12.3	112.0

12426	T.P. 0.33	111.57	1302	11124
	4+70			
	S.L.		3.1	108.5
	+10		3.0	108.6
	+19		3.0	108.6
	cb		4.9	106.7
	+2		4.8	106.8
	+3		3.3	108.3
	+5		3.1	108.5
	'A		3.0	108.6
	+5		2.7	108.9
	±		2.5	109.1
	'A		2.4	109.2
	+5		2.4	109.2
	+7		2.5	109.1
	+7		3.4	107.2
	+8		3.6	108.0
	cb		2.3	109.3
	+2		1.8	109.8
	+11		1.7	109.9
	+14		1.7	109.9
	+15		2.8	108.8
	+18		2.7	108.9
	N.L.		1.5	110.1

4488	111.57		
N.L.		3.3	108.3
+2		4.4	106.2
+5		4.4	107.2
+6		3.4	108.2
+11		3.4	108.2
+18		3.5	108.1
+18		4.9	106.7
cb		4.9	106.7
+1		4.9	106.7
+3		4.2	107.4
1/4		4.2	107.4
£		4.2	107.4
+9		4.5	107.1
+10		4.8	106.8
+12		4.6	107.0
+17		5.0	106.6
+18		6.1	105.5
cb		6.1	105.5
cb		4.7	106.9
+16		4.9	106.7
S.L.		4.8	106.8

5400	111.57		
S.L.		6.0	105.6
+11		6.0	105.6
cb		5.8	105.8
+1		7.1	104.5
+2		6.3	105.3
+8		5.8	105.8
1/4		5.7	105.7
+2		5.7	105.9
£		5.4	106.2
+8		5.4	106.2
1/4		5.5	106.1
+1		5.4	106.2
+8		5.4	106.2
+9		6.1	105.5
cb		5.1	106.5
+2		4.7	106.9
+7		4.6	107.0
+12		4.7	106.9
+13		5.2	106.4
+15		5.4	106.2
+16		4.5	107.1
+17		4.4	107.2
N.L.		4.5	107.1

5+35

111.57

N.L	7.4	104.2
+6	8.0	103.6
+8	8.8	102.8
+9	8.0	103.6
+10	7.9	103.7
+19	8.1	103.5
cb	9.1	102.5
+2	9.2	102.4
+5	8.7	102.9
1/4	8.7	102.9
±	8.8	102.8
1/4	9.2	102.4
+6	9.2	102.4
+7	9.8	101.8
+9	9.9	101.7
cb	9.0	102.6
+7	9.1	102.5
+8	9.4	102.2
+11	9.2	102.4
+14	9.4	102.2
+17	9.7	101.9
+19	9.1	102.5
SL	9.0	102.6

5+70

111.57

S.L.	12.8	98.8
+11	12.8	98.8
cb	12.5	99.3
+7	12.3	99.4
1/4	12.1	99.5
±	11.9	99.7
+5	11.8	99.8
1/4	11.6	100.0
+3	11.5	100.1
cb	11.1	100.5
+5	11.2	100.4
+10	11.3	100.3
+18	11.1	100.5
N.L.	10.9	100.9
5+95		
N.L.	12.6	99.0
+10	12.6	99.0
cb	13.3	98.3
+4	14.0	97.6
1/4	13.9	97.7
±	13.8	97.8
+8	14.2	97.4
1/4	14.7	96.9
+5	14.9	96.7
cb	14.8	96.8
+5	14.6	97.0

5495	111.57					
cb + 15		14.7	96.9	BM 513	34.53	29.40
S.L.		14.9	96.7	F.H. SE Orchard		
				BM 2 SS Cliffs	1.99	32.54 (32.66)
T.P.	0.04	101.47	101.14	101.43		
59974	- E.L. Froude					
S.L.		4.7	96.8			
+ 7 1/2 walls		5.03	95.43			
+ 12 1/2 v		5.06	95.41			
+ 19 End Ret top cb		5.26	96.21			
gut		5.82	95.65			
1/4		5.32	95.15			
1/4		5.00	96.47			
1/4		4.90	96.50			
cb + 19 ut		5.01	96.46			
cb + 1 (top cb) end ret		4.36	97.11			
+ 7 1/2 walk		4.25	97.22			
+ 12 1/2 v		4.18	97.29			
+ 15		3.5	98.0			
N.L.		2.7	98.8			
7 1/2 ack s.w. Froude						
B.M. 2 Pasadero		6.66	94.81			
T.P.	0.42	68.97	12.92	88.55		
T.P.	0.07	76.15	12.89	76.08		
T.P.	0.03	63.33	12.85	63.30		
T.P.	0.38	51.17	12.54	50.79		
T.P.	0.21	38.52	12.86	38.31		
F.H. SE SS Cliffs						
BM. 2 Pasadero		9.12	29.40			

X Sec Pascadero - 55 Cliffs Blvd to
Ocean 80' St 40' Rdway 20' obs.
Curbs all in.

Fl. SE. Pascadero 55 Cliffs

B.M.	7.39	36.91	29.52
0+00 = N.L.	55 Cliffs Blvd		
S.L.		8.9	28.0
+7 ⁵	walk	9.42	27.49
+12 ⁵	✓	9.49	27.42
cb		9.56	27.35
gut pav		10.00	26.91
1/4	✓	9.51	27.40
1/2	✓	9.12	27.79
1/4	✓	9.06	27.85
gut	✓	9.16	27.75
cb		8.61	28.30
+7 ⁵	walk	8.51	28.40
+12 ⁵	✓	8.45	28.46
+16		7.9	29.0
N.L.		7.4	29.5
0+25			
N.L.		7.3	29.6
+4		7.8	29.1
+6		7.5	29.4
+11		8.2	28.7
cb		8.24	28.67
gut		9.0	27.9
1/4		8.7	28.2
1/2		8.7	28.2
1/4		9.0	27.9

Plotted - 10-10-28 - G.B.H.

Sept 25-28
Landon Isbell
Morgan:

0+25	36.91	
1/4+5		9.3
gut		27.6
cb		9.6
+9		27.3
+14		9.10
S.L.		27.71
0+50		9.2
S.L.		27.7
1/4		8.4
1/2		28.5
1/4		8.4
1/2		28.5
1/4		8.0
1/2		28.9
1/4		8.4
1/2		28.5
1/4		8.8
1/2		28.1
1/4		8.84
1/2		28.07
1/4		9.3
1/2		27.6
1/4		9.0
1/2		27.9
1/4		9.8
1/2		28.1
1/4		8.4
1/2		28.5
1/4		8.4
1/2		28.5
1/4		8.5
1/2		28.4
1/4		7.93
1/2		28.98
1/4		7.7
1/2		29.2
1/4		7.5
1/2		29.4
1/4		8.0
1/2		28.9
1/4		7.9
1/2		29.6
1/4		6.6
1/2		30.3

71

36.91

0+75

NL	6.1	30.8
+9	7.7	29.2
+19 ⁵	7.7	29.2
cb	7.59	29.32
gut	8.1	28.8
1/4	8.0	28.9
E	8.0	28.9
+4	8.1	28.8
1/4	8.5	28.4
gut	9.0	27.9
cb	8.48	28.43
+0 ⁵	8.7	28.2
+9	8.6	28.3
+15	7.7	29.2
S.L.	6.7	30.2
1+0.0		
SL	6.4	30.5
+2	7.3	29.6
+10	8.2	28.7
+19 ⁵	8.4	28.5
cb	8.12	28.79
gut	8.7	28.2
+5	8.3	28.6
1/4	8.1	28.8
E	7.7	29.2

36.91

72

1+00

1/4	7.7	29.2
gut	7.8	29.1
cb	7.24	29.67
+0 ⁵	7.5	29.4
+18	7.3	29.6
NL	6.0	30.9
1+25		
NL	5.8	31.1
+8	6.9	30.0
+15	7.1	29.8
+19 ⁵	7.2	29.7
cb	6.91	30.00
gut	7.5	29.4
+5	7.3	29.6
1/4	7.2	29.7
E	7.3	29.6
1/4	7.7	29.2
gut	8.3	28.6
cb	7.75	29.16
+0 ⁵	8.0	28.9
+18	7.2	29.7
S.L.	5.9	31.0

36.91

1+50		
SL	5.2	31.7
+3	6.7	30.2
+9	7.4	29.5
+19 ⁵	7.6	29.3
cb	7.43	29.48
gut	8.0	28.9
1/4	7.4	29.5
⊕	7.0	29.9
1/4	7.0	29.9
+5	7.0	29.9
gut	7.1	29.8
cb	6.59	30.32
+0 ⁵	6.9	30.0
+9	6.7	30.2
+16	6.1	30.8
N.L.	5.0	31.9
1+75		
N.L.	4.8	32.1
+7	6.4	30.5
+19 ⁵	6.5	30.4
cb	6.24	30.67
gut	6.8	30.1
1/4	6.7	30.2
⊕	6.6	30.3
1/4	7.0	29.9

36.91

1+75		
gut	7.7	29.2
cb	7.03	29.88
+0 ⁵	7.3	29.6
+12	7.0	29.9
+15	6.4	30.5
+18	6.2	30.7
SL	5.4	31.5
2+00		
SL	5.8	31.1
+3	6.5	30.4
+19 ⁵	6.8	30.1
cb	6.63	30.28
gut	7.3	29.6
1/4	6.7	30.2
+7	6.3	30.6
⊕	6.4	30.5
1/4	6.4	30.5
gut	6.5	30.4
cb	5.90	31.01
+0 ⁵	6.2	30.7
+10	6.3	30.6
+17	5.7	31.2
N.L.	4.9	32.0

36.91

2+25

N.L.	4.8	32.1
+7	5.7	31.2
+19 ^S	5.8	31.1
cb	5.59	31.32
gut	6.2	30.7
1/4	6.1	30.8
⊥	6.0	30.9
+4	6.0	30.9
1/4	6.3	30.6
gut	7.0	29.9
cb	6.28	30.63
+5	6.4	30.5
+14	6.3	30.6
+19	6.0	30.9
S.L.	5.3	31.6
2+50		
S.L.	5.0	31.9
+2	5.8	31.1
+5	5.8	31.1
+15	6.0	30.9
cb	5.91	31.00
gut	6.6	30.3
1/4	6.1	30.8
+7	5.7	31.2
⊥	5.7	31.2

36.91

74

2+50

1/4	5.7	31.2
gut	5.7	31.2
cb	5.23	31.68
+0 ^S	5.3	31.6
+5	5.1	31.8
+10	5.4	31.5
+16	5.2	31.6
N.L.	4.6	32.3
2+75		
N.L.	4.4	32.5
+5	4.9	32.0
+10	5.0	31.9
+17	4.7	32.2
cb	4.90	32.01
gut	5.6	31.3
1/4	5.4	31.5
⊥	5.4	31.5
1/4	5.6	31.3
gut	6.1	30.8
cb	5.50	31.41
+15	5.5	31.4
+19	5.2	31.7
S.L.	4.7	32.2

36.91

3700

S.L.	4.6	32.3
+1	5.0	31.9
cb	5.17	31.74
gut	5.6	31.3
1/4	5.2	31.7
+7	4.9	32.0
+	4.9	32.0
1/4	5.0	31.9
gut	5.1	31.8
cb	4.58	32.33
+8	4.4	32.5
+11	4.6	32.3
N.L.	4.3	32.6

3725

N.L.	4.2	32.7
+19	4.1	32.8
cb	4.28	32.63
gut	4.6	32.1
1/4	4.7	32.2
+	4.6	32.3
+3	4.6	32.3
1/4	5.0	31.9
gut	5.3	31.6
cb	4.77	32.14
S.L.	4.6	32.3

36.91

3750 = E.L. Alloy on South

S.L.	4.5	32.4
cb	4.46	32.45
gut	4.8	32.1
1/4	4.5	32.4
+	4.2	32.7
+4	4.1	32.8
1/4	4.3	32.6
+4	4.3	32.6
gut	4.6	32.3
cb	3.97	32.94
+5	3.7	33.2
+15	3.8	33.1
N.L.	3.6	33.3

3770 = W.L. Alloy on South

N.L.	3.5	33.4
+19	3.5	33.4
cb	3.75	33.16
gut	4.5	32.4
1/4	4.0	32.9
+	3.9	33.0
1/4	4.2	32.7
+7	4.2	32.7
gut	4.5	32.4
cb	4.14	32.77
+4	3.6	33.3
+18	3.9	33.0

75

36.91

3+70		
S.L.	4.0	32.9
4+00		
S.L.	3.6	33.3
+5	3.3	33.6
+10	3.5	33.4
+19 ^E	3.5	33.4
cb	3.66	33.25
gut.	4.1	32.8
+3	3.8	33.1
1/4	3.7	33.2
¢	3.4	33.5
+2	3.5	33.4
1/4	3.6	33.3
+8	3.9	33.0
gut	3.9	33.0
cb	3.31	33.66
+0 ^E	3.2	33.7
+3	3.0	33.9
+19	3.1	33.8
S.L.	3.3	33.6

36.91

76

4+25		
N.L.	3.2	33.7
+3	2.8	34.1
+12	2.6	34.3
cb	3.03	33.88
gut	3.5	33.4
1/4	3.3	33.6
¢	3.0	33.9
+6	3.0	33.9
1/4	3.2	33.7
+6	3.3	33.6
gut	3.6	33.3
cb	3.33	33.58
+0 ^E	3.2	33.7
+5	3.1	33.8
+9	3.6	33.3
+1.3	3.0	33.9
S.L.	2.9	34.0
4450 = E.L. Alley on North		
S.L.	2.8	34.1
+2	2.6	34.3
+10	2.8	34.1
+19 ^E	2.6	34.3
cb	2.90	33.97
gut	3.1	33.8
+2	2.7	34.0
1/4	2.8	34.1

36.91

4450

£	2.8	34.1
1/4	3.0	33.9
+8	3.2	33.7
gut	2.9	34.0
cb	2.73	34.18
+4	2.8	34.1
+8	2.6	34.3
+14	2.6	34.3
NL	2.7	34.2
4470 ~ w.L. Alley on North		
NL	2.8	34.1
+5	2.8	34.1
+10	1.9	35.0
+12	2.7	34.2
+17	2.9	34.0
+19 ⁵	2.6	34.3
cb	2.38	34.53
gut	2.9	34.0
1/4	2.6	34.3
£	2.4	34.5
1/4	2.7	34.2
+2	2.5	34.4
+6	2.8	34.1
gut	2.9	34.0
cb	2.62	34.29

36.91

77

4470

+0 ⁵	2.4	34.5
+10	2.5	34.4
+18	2.5	34.4
S.L.	2.6	34.3
5+00 =		
S.L.	2.2	34.7
+7	2.2	34.7
+19 ⁵	1.8	35.1
cb	2.21	34.70
gut	2.3	34.6
+5	2.5	34.4
1/4	2.3	34.6
+3	2.1	34.8
£	2.0	34.9
1/4	2.3	34.6
gut	2.6	34.3
cb	2.00	34.91
+0 ⁵	1.6	35.3
+9	2.0	34.9
+14	1.8	35.1
+16	2.1	34.8
+18	3.1	33.8
NL	3.7	33.2

36.91

5+11 Pavamen should end here on South.

N.L.	2.2	34.7
+2	1.8	35.1
+9	1.5	35.4
+14	2.1	34.8
cb	1.82	35.09
gut	2.5	34.4
14	2.0	34.9
+4	1.8	35.1
+	1.8	35.1
+5	1.9	35.0
14	2.2	34.7
+5	2.3	34.6
gut	1.9	35.0
cb	2.03	34.88
+05	1.6	35.3
+5	1.6	35.3
+10	1.8	35.1
S.L.	1.8	35.1

F.B. 1279 - Sept. 28

London

should be end of Pavament. 78
 36.91
 Bid Section 5+11 on South = 5+96 on North.

S.L.	1.7	35.2
+11 (and 109)	1.7	35.2
+20 ✓	2.2	34.7
+29 ✓	1.9	35.0
cb	1.81	35.10
gut	2.1	34.8
+5 (and 109)	2.3	34.6
14	1.9	35.0
+	1.3	35.6
+10 and 109	1.3	35.6
14	1.5	35.4
gut	2.1	34.8
cb	0.96	35.95
+1 and 109	1.5	35.4
+5 ✓	1.4	35.5
+16 ✓	0.4	36.5
+20 ✓	0.5	36.4
+22 ✓	0.0	36.9
+28 ✓	0.0	36.9
N.L.	0.2	36.7

ENGINEERING DEPARTMENT,
CITY OF SAN DIEGO,
CALIFORNIA.

34.12
5.97
40.09
34.34
38.53
81
38.21
38.21
38.21