

1476



POSTS

LEVEL BOOK

No. 330

1476

*City Engineers,
City Hall
San Diego
Calif.*

ENGINEERING DEPARTMENT
CITY OF SAN DIEGO,
CALIFORNIA.

MICROFILMED

364

Our Leather Bound Engineers Note Books are carried in the following rulings:

- No. 380 LEVEL BOOK. Left and Right Hand Page the same as Left Hand Page of this Book.
- No. 382 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 4 x 4 to the inch, Center Line Red.
- No. 384 MINING TRANSIT BOOK. Left Hand Page as in this Book, Right Hand Page 8x8 to the inch, Center Line Red.
- No. 385 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 8 vertical and 4 horizontal lines to the inch, Center Line Red.

We also carry the Note Books listed above, bound in extra strong Fabri-Hide (otherwise the same quality of book), which can be furnished at a somewhat lower price.

In ordering Fabri-Hide covered books, add the letter "F" to catalog number.

THE FREDERICK POST CO.
ENGINEERING and DRAFTING SUPPLIES
IRVING PARK STATION
CHICAGO, ILL.

Walker
Bliss
N.S. City
11-16-33

CROSS SECTION FOR REZOVING

E.L. CANTON BOULEVARD
3319 Street to Euclid Ave

Continued from Field Book 1474

9+00

5.54 379.89

374.35

SW. 8P
3319 + 866 ft

S. cb. 6.46 373.73

S. Gut. 6.79 373.10

+10 6.43 373.46

+2.5' 6.06 373.83

L = 137.5' 5.86 374.03

+12.5 5.74 374.15

+27.5 5.88 374.01

N. Gut. 6.17 373.72

" top cb. 5.37 374.52

9+50

N. Top cb. 5.02 374.82

" Gut. 5.77 374.12

+10' 5.56 374.33

+2.5 5.30 374.59

L 5.39 374.50

+12.5 5.66 374.23

+27.5 6.05 373.84

S. Gutter. 6.28 373.61

S. Top cb. 5.66 374.23

9+612 - W. 3319 Street

S. Top cb. 5.60 374.29

S. Gut. 6.03 373.86

+10 5.93 373.96

Bench Marks on Page 79

M. 379.89 = 1

+2.5 5.47 374.42

L 5.22 374.67

+12.5 5.29 374.60

+27.5 5.40 374.49

N. Gutter. 5.67 374.22

N. Top cb. 5.01 374.88

4' East of W. line 3319 Street.

N. Top cb. 5.00 374.89

" Gutter. 5.62 374.27

+10 5.38 374.51

+2.5' 5.28 374.61

L 5.18 374.71

+12.5' 5.41 374.48

+27.5' 5.86 374.03

S. Gutter. 5.98 373.91

S. Top cb. 5.57 374.32

14' East of W. line 3319 = West cb. line 3319 on South only

50' on cb. 6.11 373.78

" " Gutter. 6.77 373.12

-25' on cb. 5.83 374.06

" " Gut. 6.40 373.49

50' on cb. 5.53 374.36

" " Gut. 5.97 373.92

+10' on cb. 5.53 374.36

" " Gut. 5.93 373.96

S. Gutter. 5.96 373.93

379.89

Gut. +10'	5.67	374.22
+25'	5.31	374.58
L	5.18	374.71
+125'	5.25	374.64
+275'	5.34	374.55
N. Gutter	5.48	374.41
+8	5.37	374.52
+15	5.27	374.62
N.L.	5.11	374.78
+25'	5.17	374.72
+50'	5.01	374.88
12' East of W.L. 3919 - N. cb. line 3319 on North		
-50' on cb.	4.52	375.37
" " Gutter	5.08	374.81
-25' " cb.	4.64	375.25
" " Gutter	5.21	374.68
N.L. on cb.	4.73	375.16
" " Gutter	5.24	374.65
+10' " cb.	4.76	375.13
" " Gut.	5.30	374.59
+17 on cb.	4.77	375.12
" " Gut.	5.35	374.54
N. Gut.	5.51	374.38
27' East of W.L.		
-50'	4.68	375.21
-25'	4.82	375.07
N.L.	4.82	375.07

379.89

2

710	5.24	374.65
+17	5.47	374.42
N. Gutter	5.52	374.37
+10'	5.41	374.48
+25'	5.20	374.69
L	5.16	374.73
+125'	5.22	374.67
+275'	5.51	374.38
S. Gut.	5.60	374.29
+10'	5.57	374.32
S. Line	5.63	374.26
+25'	5.95	373.94
+50'	6.29	373.60
L 33rd 40' E of W.L.		
-50'	6.08	373.81
-25'	5.76	374.13
S.L.	5.41	374.48
+10'	5.37	374.52
+20' - S. Gut.	5.38	374.51
S. Gut. +10'	5.40	374.49
+25'	5.18	374.71
L	5.09	374.80
+125'	5.16	374.73
+21' - L N.H. on Rinn.	5.25	374.64
+275'	5.35	374.54
N. Gutter	5.42	374.47
+8'	5.20	374.69

379.89

+15	4.96	374.93
N.L.	4.57	375.32
+25'	4.61	375.28
+50'	4.49	375.40
13' East E		
-50'	4.61	375.28
-25'	4.61	375.28
N.L.	4.57	375.32
+10	4.85	375.04
+17	5.07	374.82
N Gutter	5.36	374.53
+10'	5.23	374.66
+25	5.03	374.86
E	4.98	374.91
+12.5	5.18	374.71
+27.5	5.44	374.45
S. Gut.	5.50	374.39
+10	5.56	374.33
S.L.	5.63	374.26
+25	5.96	373.93
+50	6.28	373.61
66' East N.L. = E. cb. line on South		
-50 on Drive on gutter	6.59	373.30
-25 " " " "	6.22	373.67
S.L. on cb.	5.37	374.52
" " Gut.	5.94	373.95

379.89

+10' on cb.	5.42	374.47
" " Gutter.	5.94	373.95
J. Gutter.	5.80	374.09
+10'	5.50	374.39
+25'	5.13	374.76
E-2'	4.94	374.95
E	4.93	374.96
+12.5	4.96	374.93
+27.5	5.16	374.73
N Gutter.	5.35	374.54
+8'	5.16	374.73
+15	5.04	374.85
N.L.	4.90	374.99
+25	4.82	375.07
+50	4.70	375.19
68' East of N.L. = East cb. on North		
-50' on cb.	4.06	375.83
" " Gutter.	4.76	375.13
-25' " cb.	4.19	375.70
" " Gut.	4.90	374.99
N.L. on cb.	4.31	375.58
" " Gutter.	4.99	374.90
+10' on cb.	4.38	375.51
+10' " Gut.	5.09	374.80
+17 " "	5.14	374.75
N. Gut.	5.34	374.55

3

379.89

0+00 = E. line 33rd Street.

N.Cb.	4.67	375.22
" Gut.	5.32	374.57
+10'	5.12	374.77
+25'	4.90	374.99
↳	4.84	375.05
+125'	5.04	374.85
+275'	5.55	374.34
S. Gut.	5.90	373.99
S. Top Cb.	5.50	374.39
0+15		
S. Top Cb.	5.43	374.46
" Gut.	5.88	374.01
+10'	5.48	374.41
+25'	5.13	374.76
↳	4.89	375.00
+125'	4.83	375.06
+275'	4.96	374.93
N. Gut.	5.13	374.76
N. Top Cb.	4.57	375.32
0+50		
N. Top Cb.	4.27	375.62
" Gut.	4.96	374.93
+10'	4.86	375.07
+25'	4.65	375.24
↳	4.81	375.08

379.89

4

+125'	4.98	374.91
+275'	5.31	374.58
S. Gutter in Drive Way	5.71	374.18
+100'		
S. Top Cb.	5.05	374.84
S. Gutter.	5.51	374.38
+10'	5.11	374.78
+25'	4.77	375.12
↳	4.56	375.33
+125'	4.36	375.53
+275'	4.51	375.38
N. Gutter.	4.65	375.24
N.Cb.	4.09	375.80
+20.5 on Cb. B.C. on North Alley	3.91	375.98
" " Gut.	4.53	375.36
+22.5 = N. Cb. Line Alley on North.		
N. Cb. on Cb.	3.46	376.43
" " Gutter.	3.53	376.36
+10 " Cb.	3.70	376.19
" " Gutter.	3.91	375.99
+18 " Cb.	3.87	376.02
" " Gutter.	4.12	375.77
N. Gut.	4.50	375.39
+32.5 = S. Alley on North.		
N. Gutter.	4.46	375.43
+7'	4.28	375.61
+15'	3.94	375.95

379.89

N.L. int Alley on North	3.53	376.36
1+42.5 = E. Alley on North		
N.L. on cb.	3.19	376.70
" " Gut.	3.31	376.58
+10' on cb.	3.39	376.50
" " Gut.	3.63	376.26
+18' " cb.	3.67	376.22
" " Gutter.	4.06	375.83
N. Gutter.	4.43	375.46
1+44.5 = E.C. Alley Return on North.		
N. cb.	3.77	376.12
" Gut.	4.40	375.49
1+23 = S.C. Alley Return on South.		
on cb.	4.97	374.92
" Gut.	5.40	374.49
1+25 = W. cb. Lane Alley on South.		
S. Gut.	5.35	374.54
+7' on Gut.	5.11	374.78
" " cb.	4.88	375.01
+15" "	4.82	375.07
" " Gut.	5.00	374.89
S.L. on cb.	4.84	375.05
" " Gutter.	4.96	374.93
1+32.5 = L. Alley on South.		
S.L.	5.15	374.74
+10	5.26	374.63

379.89

5

+18	5.31	374.58
S. Gut.	5.33	374.56
1+40 = East cb. Lane Alley on South.		
S. Gutter	5.22	374.67
+7' on cb.	4.73	375.16
" " Gut.	4.99	374.90
+15' on cb.	4.67	375.22
" " Gut.	4.84	375.05
S.L. on cb.	4.63	375.26
" " Gut	4.77	375.12
1+43 = E.C. Alley Return on South.		
Top cb.	4.79	375.10
Gut.	5.19	374.70
1+50		
S. cb.	4.73	375.16
S. Gutter.	5.13	374.76
+10'	4.89	375.00
+25'	4.48	375.41
L.	4.46	375.43
+12.5	4.02	375.87
+27.5	4.21	375.68
N. Gutter.	4.36	375.53
" cb.	3.66	376.23
1+27 = S. Gut 1914	4.47	375.42
2+00		
N. cb.	3.41	376.48
" Gutter	4.00	375.89

5' South of N. cb.

379.89

+10	3.88	376.01
+25	3.75	376.14
Lo	4.00	375.89
+125	4.24	375.65
+275	4.68	375.21
S. Gutter	4.91	374.98
S. Top cb.	4.59	375.30
	2.150	
S. Top cb.	4.20	375.69
S. Gutter	4.64	375.25
+10'	4.41	375.48
+25'	3.91	375.98
Lo	3.65	376.24
+12.5	3.43	376.46
+27.5	3.61	376.28
N. Gutter	3.76	376.13
N. Top cb.	3.18	376.76
T.P.	6.19	382.00
	2.165 =	N.H. Felton st. 12' cb. 9' 1/4s.
N. Top cb.	5.08	376.92
N. Gutter	5.77	376.23
+10'	5.62	376.34
+25'	5.39	376.61
Lo	5.47	376.53
+125	5.93	376.07
+275	6.39	375.61

382.00

6

S. Gutter	6.63	375.37
S. Top cb.		
	N. cb. Felton	
-50' on cb.	6.69	375.31
- " " Gutter	7.21	374.79
-25' on cb.	6.53	375.47
- " " Gut.	7.12	374.88
S.L. on cb.	6.21	375.79
" " Gut.	6.86	375.14
+10' on cb.	6.18	375.82
" " Gut.	6.61	375.39
S. Gut.	6.40	375.60
+10	6.19	375.81
+25'	5.71	376.29
Lo - 2'	5.42	376.58
Lo	5.36	376.64
+125	5.26	376.74
+275	5.49	376.51
N. Gutter	5.61	376.39
+10' on cb.	4.95	377.05
" " Gutter	5.54	376.46
+19' 'cb.	4.93	377.07
" " Gut.	5.49	376.51
N. Lo. on cb.	4.89	377.11
" " Gut.	5.30	376.70
+25' on cb.	4.78	377.22
" " Gut.	5.13	376.87

375.805 = SWBP
 Felton + Felton

382.00

+50' curb	4.69	377.31
" " Gut.	4.96	377.04
W 1/4 Felton St.		
-50	4.53	377.47
-25'	4.72	377.28
N.L.	4.80	377.20
+16'	5.01	376.99
+15'	5.21	376.79
N. Gutter.	5.48	376.52
+10'	5.42	376.58
+25'	5.15	376.85
L.	5.27	376.73
+2'	5.32	376.68
+12.5'	5.63	376.37
+27.5'	5.94	376.06
S. Gutter.	6.05	375.95
+10'	6.44	375.56
S.L.	6.58	375.42
+25'	6.75	375.25
+50	6.90	375.10
E Felton Street		
-50	6.69	375.31
-25'	6.50	375.50
S.L.	6.35	375.65
+10'	6.15	375.85
S. Gutter.	5.83	376.17

382.00

7

+10	5.75	376.25
+25'	5.51	376.49
L.	5.18	376.82
+12.5'	5.15	376.85
+19.5' E.N.H. on Rim	5.28	376.72
+27.5'	5.33	376.67
N. Gut.	5.39	376.61
+10	5.10	376.90
+19	4.81	377.19
N.L.	4.44	377.56
+25'	4.46	377.54
+50'	4.30	377.70
E 1/4 Felton St.		
-50	4.38	377.62
-25'	4.54	377.46
N.L.	4.60	377.40
+6'	4.72	377.28
+15'	4.92	377.08
N. Gutter	5.16	376.84
+10'	5.22	376.78
+25'	5.05	376.95
L.	5.12	376.88
+12.5'	5.44	376.56
+27.5'	5.69	376.31
S. Gutter.	5.81	376.19
+10	6.13	375.87
S.L.	6.24	375.76

382.00

SL +25'	6.45	375.55
+50'	6.65	375.35
E. cb.		
-50' on cb.	6.14	375.86
-50' "Gut.	6.81	375.19
-25' "cb.	6.08	375.92
" "Gut.	6.70	375.30
SL on cb.	5.79	376.21
" "Gut.	6.42	375.58
+10' on cb.	5.65	376.35
" "Gut.	6.28	375.72
S. Gut.	6.02	375.98
+10'	5.72	376.28
+25'	5.39	376.61
↳	5.06	376.94
+12.5'	4.99	377.01
+27.5'	5.05	376.95
N. Gutter.	5.13	376.87
+10' on cb.	4.45	377.55
" "Gut.	5.05	376.95
+19' " " in Drive Way	4.98	377.02
N.L. " " " "	4.94	377.06
+25' on cb.	4.29	377.71
" "Gutter.	4.73	377.27
+50' "cb.	4.08	377.92
" "Gutter.	4.60	377.40

382.00

0+00 = East Line Felton Street. 8

N. cb.	4.41	377.59
" Gutter.	4.84	377.16
+10'	4.96	377.04
+25'	4.91	377.09
↳	4.98	377.02
+12.5'	5.28	376.72
+27.5'	5.80	376.20
S. Gut.	6.13	375.87
S. Top G. Return	5.62	376.38
0+25'		
S. Top Gb.	5.45	376.55
" Gut.	5.98	376.02
+10'	5.53	376.47
+25'	5.08	376.92
↳	4.82	377.18
+12.5'	4.61	377.39
+27.5'	4.70	377.30
N. Gut.	4.77	377.23
N. cb.	4.20	377.80
0+50'		
N. Gutter in Drive Way	4.55	377.45
+10'	4.47	377.53
+25'	4.42	377.58
↳	4.62	377.38
+12.5'	4.91	377.09

382.00

L+275	5.31	376.69	
S. Gutter 10 Fence Way	5.73	376.27	
TD 6.09	384.03	4.06	377.94
	1+00		
S. Top cb	6.65	377.38	
" Gutter	7.26	376.77	
+10'	6.86	377.17	
+25'	6.43	377.60	
L	6.15	377.88	
+125'	5.88	378.15	
+275	5.97	378.06	
N Gut.	6.15	377.88	
N Top cb.	5.47	378.54	
1+20 = BC cb Return on North	5.21	378.82	at Alley
" on Gutter	5.92	378.11	
1+225 = N cb Alley on North			
N Gut.	5.90	378.13	
+10' on cb.	5.04	378.99	
" " Gutter	5.82	378.71	
+15' " cb.	4.92	379.11	
" " Gut.	5.10	378.93	
N.L. on cb.	4.43	379.60	
" " Gut.	4.50	379.53	
1+325 = Alley on North			
N.L.	4.64	379.39	
+10	5.17	378.86	
+15	5.39	378.64	

384.03

9

N Gut.	5.79	378.24	
1+425 = E. Line cb. on North Alley			
N Gut.	5.78	378.25	
+10' on cb.	4.95	379.08	
" " Gutter	5.33	378.70	
+15' on cb.	4.72	379.31	
" " Gutter	5.03	379.00	
N.L. on cb.	5.28	378.75	
" " Gutter	4.40	379.63	
1+445 = E.C. Alley Return on North			
on cb.	5.06	378.97	
" Gutter	5.75	378.28	
1+235 = BC Alley Return on South			
on cb.	6.43	377.60	
" Gut.	6.98	377.05	
1+247 = N cb Alley on South			
S. Gut.	6.96	377.07	
+7' on cb.	6.25	377.78	
" " Gutter	6.55	377.48	
+13' on cb.	6.16	377.87	
" " Gut.	6.32	377.71	
St. on cb.	6.08	377.95	
" " Gut.	6.24	377.79	
1+322 = Alley on South			
St.	6.27	377.74	
+7	6.53	377.50	
+13	6.69	377.34	

38403

S. Gut	6.88	377.15
1+39.6 = E.Cb. Alley on South.		
S. Gut.	6.83	377.20
+7' on cb.	6.06	377.97
" " Gut.	6.40	377.63
+13' on cb.	5.99	378.04
" " Gut.	6.18	377.85
S. L. on cb.	5.91	378.12
" " Gut.	6.10	377.93
1+42 = E.C. Cb Refers on South Alley		
S. cb.	6.22	377.81
Gut.	6.81	377.22
1+50		
S. Cb.	6.10	377.93
S. Gutter.	6.68	377.35
+10'	6.45	377.58
+25'	6.04	377.99
L.	5.68	378.35
+12.5	5.35	378.68
+27.5	5.45	378.58
N Gutter.	5.73	378.30
N. Top cb.	5.01	379.02
2+00		
N. Top cb.	4.43	379.60
N. Gutter.	5.19	378.84
+10	5.05	378.98

38403

10

+25	5.00	379.03
L.	5.25	378.78
+12.5'	5.65	378.38
+27.5'	6.02	378.01
S. Gutter in Drive Way.	6.20	377.83
2+50		
S. Top cb.	5.18	378.85
" Gutter	5.69	378.34
+10'	5.60	378.43
+25'	4.98	379.05
L.	4.69	379.34
+12.5	4.44	379.59
+27.5	4.58	379.45
N Gutter in Drive Way	4.77	379.31
3+64.8 = W.L. 34th Street 12' cb. 9' 1/2' is.		
TP	6.65	385.56
5.13	378.90	378.91 = B.M. SW. 34th El Cajon
N Top cb.	5.36	380.20
N Gutter	6.14	379.42
+10'	5.97	379.59
+25'	5.93	379.63
L.	5.93	379.63
+12.5	6.35	379.21
+27.5	6.93	378.63
S. Gutter.	7.11	378.45
S. Top cb.	6.54	379.02
N cb. 34th Street		

38556

N. ob. line 34th St.

-50' on cb.	7.13	378.43
-50' "Gutter.	7.63	377.93
-25' on cb.	6.94	378.62
" "Gutter.	7.50	378.06
Side. on cb.	6.66	378.90
" "Gut.	7.20	378.36
+10' "gut.	7.13	378.43
" "cb.	6.47	379.09
S. Gut.	6.80	378.76
+10'	6.62	378.94
+25'	6.23	379.33
+35.5	6.00	379.56
⊕	5.98	379.58
+12.5	5.98	379.58
+27.5	5.97	379.59
N. Gutter	6.04	379.52
+10' on cb.	5.26	380.30
" "Gut.	5.88	379.68
+19' " in Drive Way	5.76	379.80
N.L. " " " "	5.77	379.79
+25' on cb.	5.14	380.42
" "Gut.	5.52	380.02
+50' "cb.	5.09	380.47
" "Gut.	5.43	380.13
N 1/4		
50	5.16	380.40

38556

11

-25'	5.31	380.25
N.L.	5.40	380.16
+6'	5.41	380.15
+15'	5.60	379.96
N. Gut.	5.98	379.58
+10'	5.94	379.62
+25'	5.96	379.60
⊕	5.96	379.60
+12.5	6.17	379.39
+27.5	6.40	379.16
S. Gutter.	6.40	379.16
+10'	6.65	378.91
+18'	6.72	378.84
S.L.	6.63	378.93
+4'	6.78	378.78
+25'	6.95	378.61
+50'	7.05	378.51
L. 34th Street		
-50'	6.89	378.67
-25'	6.70	378.86
-4'	6.61	378.95
S.L.	6.54	379.02
+2'	6.59	378.97
+10'	6.56	379.00
S. Gutter.	6.26	379.30
+10'	6.30	379.26

385.56

+25'		6.12	379.44
L.		5.92	379.64
+125		5.81	379.75
+195 = 2 NH ₄ on Rim.		5.97	379.59
+275		5.90	379.66
N. Gutter.		5.96	379.60
+10		5.64	379.92
+19'		5.33	380.23
N.L.		5.14	380.42
+25'		5.17	380.39
+45		5.08	380.48
+50		4.94	380.62
T.P.	6.75 385.66	6.65	378.91
	E 1/4		
-50'		5.17	380.49
-25'		5.27	380.39
N.L.		5.27	380.39
+6		5.37	380.29
+15'		5.64	380.02
N. Gutter.		5.98	379.68
+10'		5.91	379.75
+25		5.84	379.82
L.		5.93	379.73
+125		6.18	379.48
+275		6.45	379.21
S. Gutter.		6.42	379.24

385.66

12

+10		6.83	378.83
+15		6.84	378.82
S.L.		6.75	378.91
+3		6.81	378.85
+25		6.94	378.72
+50'		7.16	378.50
	E. cb. 34th		
-50' on cb.		7.00	378.66
" " Gutter.		7.49	378.17
-25 " cb.		6.86	378.80
" " Gutter.		7.35	378.31
S.L. -3' on Gutter.		7.21	378.45
St. on "		7.14	378.52
S.L. " cb.		6.70	378.96
+10' on cb.		6.60	379.06
" " Gutter.		7.05	378.61
S. Gutter.		6.74	378.92
+10		6.53	379.13
+25		6.09	379.57
L.		5.87	379.79
+125		5.78	379.88
+275		5.84	379.82
N. Gutter.		5.89	379.77
+10' on cb.		5.01	380.65
" " Gutter.		5.76	379.90
+19' on cb.		5.02	380.64
" " Gutter.		5.74	379.92

385.66

H.L. in Drive Way gutter	5.71	379.95
+25' on cb.	4.86	380.80
" " Gutter.	5.43	380.23
+50' " cb.	4.79	380.87
" " Gutter.	5.30	380.36
0+00 - E.L. 34th Street.		
H cb.	5.21	380.45
" Gutter.	5.91	379.75
+10	5.65	380.01
+25'	5.71	379.95
£	5.70	379.96
+12.5	6.09	379.57
+27.5	6.61	379.05
S. Gutter.	6.88	378.78
S. top cb.	6.62	379.04
0+10		
S. cb.	6.66	379.00
Gut.	6.94	378.72
+10	6.56	379.10
+25	6.02	379.64
£	5.66	380.00
+12.5	5.64	380.02
+27.5	5.65	380.01
N Gut. in Drive Way	5.84	379.82
0+20		
N. Gut. in Drive Way	5.89	379.77

385.66

+10	5.64	380.02
+25	5.63	380.03
£	5.84	379.82
+12.5	6.13	379.53
+27.5	6.67	378.99
S. Gutter	6.98	378.68
S. Top cb.	6.68	378.98
0+40		
S. Top cb.	6.63	379.03
" Gut.	6.95	378.71
+10	6.63	379.03
+25	6.13	379.53
£	5.75	379.91
+12.5	5.60	380.06
+27.5	5.66	380.00
N Gutter.	5.83	379.83
" cb.	5.24	380.42
0+55		
N cb.	5.30	380.36
" Gut.	5.85	379.81
+10'	5.67	379.99
+25	5.59	380.07
£	5.84	379.82
+12.5	6.14	379.52
+27.5	6.62	379.04
S. Gut.	6.92	378.74
" cb.	6.61	379.05

13

38566

1+00

S Top Ch.	6.49	379.17	
" Gutter.	6.83	378.83	
+10	6.61	379.05	
+25	6.14	379.52	
✓	5.79	379.87	
+125	5.54	380.12	
+275	5.54	380.12	
N. Gutter.	5.75	379.91	
" cb.	5.36	380.30	
1+20 = E.C. Alley Return on North			
N Top Ch.	5.21	380.45	
" Gutter.	5.76	379.90	
1+22.9 = W cb. Alley on North			
N Gut.	5.73	379.93	
+7' on cb.	5.17	380.49	
" " Gutter.	5.53	380.13	
+15' on cb.	5.08	380.58	
" " Gutter.	5.31	380.35	
T.P. 4.81	385.31	5.16	380.50
N.L. on cb.	4.59	380.82	
" " Gutter.	4.70	380.61	
1+32.9 = L Alley on North			
N.L.	4.91	380.40	
+10'	5.07	380.24	
+18	5.28	380.03	
Gut	5.36	379.95	

38531

14

1+42.9 = E. cb. Alley on North

N Gut.	5.33	379.98
+7' on cb.	4.69	380.62
" " Gut.	5.06	380.25
+15' " cb.	4.66	380.65
" " Gut.	4.85	380.46
N.L. on cb.	4.63	380.68
" " Gut.	4.82	380.49
1+46.9 = E.C. Alley Return on North		
on cb.	4.71	380.60
" Gutter.	5.33	379.98
1+23.0 = E.C. Alley Return on South		
on cb.	6.30	379.01
" Gut.	6.60	378.71
1+25.5 = W cb. Alley on South		
S. Gut.	6.54	378.77
+7' on cb.	6.07	379.24
" " Gut.	6.32	378.99
+13' " cb.	5.96	379.35
" " Gut.	6.15	379.16
S.L. on cb.	5.89	379.42
" " Gut.	5.98	379.33
1+33 = L Alley on South		
S.L.	6.27	379.04
+7	6.44	378.87
+14	6.52	378.79
S. Gut.	6.53	378.78

38531

1+405 = E. cb. Alley on South.

S. Gut.	6.52	378.79
+7' on cb.	5.96	379.35
" " Gut.	6.26	379.05
+13' " cb.	5.94	379.37
" " Gut.	6.12	379.19
S. h. on cb.	5.92	379.39
" " Gut.	6.13	379.18

1+425 = E. C. Alley Return on South.

E. cb.	6.18	379.13
" Gutter.	6.50	378.81

1+50

S. Top cb.	6.17	379.14
S. Gutter.	6.56	378.75
+10'	6.20	379.11
+25'	5.75	379.56
Z	5.36	379.95
+125'	5.11	380.20
+275'	5.19	380.12
N. Gutter.	5.30	380.01
N. Top cb.	4.74	380.57

2+00

N. Top cb.	4.65	380.66
" Gutter.	5.27	380.04
+10'	5.13	380.18
+25'	5.04	380.27

38531

15

Z	5.39	379.92
+125'	5.77	379.54
+275'	6.18	379.13
S. Gutter.	6.53	378.78
S. Top cb.	6.12	379.19

2+50

S. Top cb.	6.07	379.24
" Gutter.	6.50	378.81
+10'	6.01	379.30
+25'	5.58	379.73
Z	5.32	379.99
+125'	5.08	380.23
+275'	5.06	380.25
N. Gut.	5.21	380.10
N. Top cb.	4.80	380.51

2+66.2 = H. Swift Street. ^{12' obs.} 9' 1/2

N. Top cb.	4.68	380.63
" Gutter.	5.15	380.16
+10'	5.05	380.26
+25'	5.14	380.17
Z, -2'	5.18	380.13
Z	5.16	380.15
+125'	5.48	379.83
+275'	5.96	379.35
S. Gut.	6.43	378.88
S. Top cb.	6.01	379.30

385.310

TR	6.38	385.78	5.905	379.405
Mert. cb. Line Swift Street.				
-50' on cb			6.88	378.90
" " Gut.			7.47	378.31
-25' on cb			6.75	379.03
" " Gutter			7.33	378.45
S.L. : cb			6.40	379.38
" " Gutter			6.98	378.80
+10' on cb			6.32	379.46
" " Gut			6.90	378.88
S. Gutter			6.73	379.05
+10			6.34	379.44
+25'			5.83	379.95
L			5.61	380.17
+125			5.57	380.21
+275			5.56	380.22
N. Gutter			5.57	380.21
+10' on cb			4.87	380.91
+10' " Gutter			5.52	380.26
N.L. on cb			4.91	380.87
" " Gutter			5.35	380.43
+25' on cb			4.65	381.13
" " Gut			5.12	380.66
+50' on cb			4.40	381.38
" " Gut.			4.86	380.92

W 1/4

385.78

-50'	4.65	381.13
-25'	4.95	380.83
-10	5.05	380.73
N.L.	4.98	380.80
+15'	5.29	380.49
N. Gutter	5.58	380.20
+10	5.58	380.20
+20	5.40	380.38
+25	5.49	380.29
L	5.64	380.14
+125	5.75	380.03
+275	6.20	379.58
S. Gut.	6.31	379.47
+10	6.46	379.32
+15	6.56	379.22
S.L.	6.58	379.20
+25	6.80	378.98
+50'	6.96	378.82
L Swift Street		
-50'	6.78	379.00
-25'	6.72	379.06
S.L.	6.49	379.29
+5	6.44	379.34
+10'	6.39	379.39
S. Gutter	6.17	379.61
+10'	6.07	379.71

16

385.78

+25	5.76	380.02
2	5.60	380.18
+125	5.38	380.40
+195 S. MH.	5.43	380.35
+275	5.50	380.28
N. Gut.	5.57	380.21
+5	5.40	380.38
+10	5.24	380.54
N.H.	4.71	381.07
+10	4.81	380.97
+25'	4.73	381.05
+50	4.42	381.36
	E 1/4	
-50'	4.48	381.30
-25'	4.72	381.06
-10'	4.73	381.05
N.H.	4.76	381.02
+15	5.21	380.57
+20'	5.35	380.43
N. Gut.	5.43	380.35
+10'	5.41	380.37
+25'	5.33	380.45
2	5.54	380.24
+125	5.71	380.07
+275	6.04	379.74
+305	6.07	379.71

385.78

17

S. Gutter.	6.15	379.63
+10'	6.37	379.44
Sb.	6.50	379.28
+5	6.61	379.17
+25	6.66	379.12
+50	6.81	378.97
	East cb	
-50' on cb.	6.48	379.30
" " Gut.	7.03	378.75
-25' "cb.	6.36	379.42
" " Gut.	6.90	378.88
Sb. -5' on Gut.	6.77	379.01
Sb. on cb.	6.18	379.60
" " Gut.	6.77	379.01
+10' on cb.	6.10	379.68
" " Gut.	6.62	379.16
S. Gut.	6.40	379.38
+7	6.18	379.60
+10'	6.14	379.64
+25'	5.69	380.09
2	5.49	380.29
+125	5.28	380.50
+275	5.25	380.53
N. Gutter.	5.34	380.44
+10' on cb.	4.61	381.17
" " Gut.	5.28	380.50

386.95

N. Gut. +10'	5.81	381.14
+12.5	5.93	381.02
L	6.24	380.71
+12.5	6.58	380.37
+27.5	6.90	380.05
S. Gutter	7.28	379.67
S. Top B.	6.79	380.16
1+23 = B.C. Alley Return on South.		
on cb.	6.66	380.29
" Gutter	7.05	379.90
1+25 = N. cb. Alley on South.		
S. Gut.	7.03	379.92
+7' on cb.	6.57	380.38
" " Gut.	6.87	380.13
+13' " cb.	6.62	380.33
" " Gut.	6.77	380.18
S.L. on cb.	6.66	380.29
" " Gut.	6.86	380.09
1+37.5 = E. Alley on South.		
S.L.	6.96	379.99
+7'	7.01	379.94
+14	7.06	379.89
S. Gutter	7.00	379.95
1+40 = E. cb. Alley on South.		
S. Gut.	7.06	379.89
+7' on cb.	6.58	380.37

386.95

19

+7' on Gut.	6.86	380.09
+13' " cb.	6.57	380.38
" " Gutter	6.75	380.20
S. L. on cb.	6.55	380.40
" " " Gut.	6.79	380.16
1+42 = F.C. Alley Return on South.		
on cb.	6.61	380.34
" Gutter	7.07	379.88
1+20 = B.C. Alley Return on North.		
on cb.	5.43	381.52
" Gut.	6.06	380.89
1+22.5 = N. cb. Alley on North.		
N. Gut.	6.02	380.93
+10' on cb.	5.21	381.74
" " Gut.	5.49	381.46
+15' " cb.	5.12	381.83
" " Gut.	5.38	381.57
N.L. on cb.	4.89	382.06
" " Gut.	5.04	381.91
1+32.5 = E. Alley on North.		
N.L.	5.31	381.64
+10	5.63	381.32
+15	5.77	381.18
Gut.	6.05	380.90
1+42.5 = E. cb. Alley on North.		
N. Gutter	6.01	380.94

386.95

N Gut. +10 on cb	5.24	381.71	
" "Gut.	5.54	381.41	
+15 on cb	5.18	381.77	
" "Gut.	5.36	381.59	
N.L. on cb	4.97	381.98	
" "Gut.	5.04	381.91	
1+44 = 50. Alley Return on			
on cb	5.43	381.52	
" Gut.	6.01	380.94	
1+50			
N. cb	5.29	381.66	
" Gut.	5.97	380.98	
+10'	5.59	381.06	
+2.5'	5.88	381.07	
L	6.06	380.89	
+12.5	6.33	380.62	
+27.5	6.78	380.17	
S. Gutter	7.14	379.81	
S. Top cb.	6.62	380.33	
T.P. 5.89 386.87	5.95	380.98 = SW. BR.	
2+00		381.00 35th + Ed Leger	
S. Gutter in Drive Way	6.77	380.10	
+10'	6.42	380.45	
+2.5	6.04	380.83	
L	5.73	381.14	
+12.5	5.58	381.29	

386.87

20

+27.5	5.58	381.29	
+30.5	5.62	381.25	
N. Gut. in Drive Way	5.60	381.27	
2+50			
N. Top cb.	4.99	381.88	
" Gutter.	5.61	381.26	
+10'	5.47	381.40	
+2.5	5.34	381.53	
L	5.44	381.43	
+12.5	5.70	381.17	
+27.5	6.29	380.58	
S. Gut.	6.42	380.45	
S. Top cb.	5.88	380.99	
2+64.4 = W.L. 35th Street.			
S. Top cb.	5.87	381.00	
" Gut.	6.34	380.53	
+10	6.16	380.71	
+2.5	5.60	381.27	
L	5.26	381.61	
+12.5	5.35	381.52	
+27.5	5.49	381.44	
N. Gut.	5.61	381.26	
N. Top cb.	4.87	382.00	
4' East of W.L. 35th st.			
N. Top cb.	4.77	382.10	
" Gutter.	5.56	381.31	

N. Gut +10'	5.38	381.49
+2.5	5.34	381.53
L _o	5.27	381.60
+12.5'	5.57	381.30
+27.5	6.07	380.80
S. Gutter	6.24	380.63
S. Top cb	5.90	380.97
12' East of W.L. 35th = W. cb. ^{35th st} on North		
N. Gutter	5.35	381.52
+10' on cb	4.63	382.24
" " Gut.	5.36	381.51
+19' on " in Drive Way	5.25	381.62
N.L. " " " "	5.25	381.62
+25' " " " "	4.92	381.95
+50' " cb.	4.31	382.56
" " Gut.	4.74	382.13
14' East W.L. 35th = W. cb. on South		
-50	4.72	382.15
-25	4.90	381.97
N.L.	5.19	381.68
+6	5.22	381.65
+15	5.26	381.61
N. Gutter	5.26	381.61
+10'	5.27	381.60
+25	5.33	381.54
L _o	5.33	381.54

+12.5	5.53	381.34
+27.5	5.83	381.04
S. Gut.	6.14	380.73
+10' on cb.	5.88	380.99
" " Gut.	6.36	380.51
S.L. on cb.	5.90	380.97
" " Gut.	6.55	380.32
+25' " " in Drive Way	6.73	380.14
+50' " cb.	6.26	380.61
" " Gut.	6.78	380.09
27' East of W.L. 35th		
-50'	6.31	380.56
-25	6.22	380.65
S.L.	6.05	380.82
+10'	5.88	380.99
S. Gut.	5.71	381.16
+10	5.64	381.23
+25'	5.45	381.42
L _o -2'	5.29	381.58
L _o	5.25	381.62
+12.5	5.17	381.70
+27.5	5.11	381.76
N. Gut.	4.96	381.91
+10	4.82	382.05
+19	4.69	382.18
N.L.	4.69	382.18

38687

N.H. +25	4.45	382.42
+50	4.33	382.54
to 35th		
-50	4.22	382.65
-25	4.35	382.52
N.H.	4.46	382.41
+2	4.44	382.43
+6	4.50	382.37
+15	4.63	382.24
N. Gutter	4.90	381.97
+10	5.09	381.78
+17.5' S. N.H. 1' west of 35th	5.23	381.64
+25	5.10	381.77
to	5.21	381.66
+12.5	5.38	381.49
+27.5	5.58	381.29
S. Gutter	5.56	381.31
+10	5.75	381.12
S. Gutter	5.86	381.01
+25	5.99	380.88
+50	6.11	380.76
53' East N.H. 35th		
-50	6.19	380.68
-25	6.10	380.77
S.H.	5.97	380.90
+10	5.85	381.02

38687

22

S. Gut.	5.65	381.22
+10	5.58	381.29
+25	5.36	381.51
to	5.23	381.64
+12.5	5.11	381.76
+27.5	5.13	381.74
N. Gutter	5.04	381.83
+10	4.82	382.05
+19	4.70	382.17
N.H.	4.62	382.25
+25	4.51	382.36
+50	4.39	382.48
66' East of N.H. 35th = East of 35 St. on South.		
to	4.89	381.98
-25	5.08	381.79
N.H.	5.27	381.60
+6	5.27	381.60
+15	5.32	381.55
N. Gut.	5.36	381.51
+10	5.23	381.64
+25	5.17	381.70
to	5.08	381.79
+12.5	5.32	381.55
+27.5	5.60	381.27
S. Gutter	5.90	380.97
+10' on cb.	5.43	381.44
" " Gut.	6.05	380.82

38687

S.L. on cb	5.51	381.36
" " Gutter	6.22	380.65
+25' " cb.	5.91	380.96
" " Gutter	6.51	380.36
+40' on cb.	6.00	380.87
" " Gutter	6.65	380.22
6.8' East of N.L. 35th st. = East cb ^{on North} line		
N. Gut	5.43	381.44
+10' on cb.	4.87	382.05
" " Gut	5.40	381.47
+19' " "	5.35	381.52
N.L. on cb.	4.80	382.07
" " Gutter	5.33	381.54
+25' on cb.	4.46	382.41
" " Gut.	5.13	381.74
+50' " cb.	4.27	382.60
" " Gutter	4.93	381.94
4' West of E.L. 35th		
N cb.	4.86	382.01
Gut.	5.57	381.30
+10	5.33	381.54
+25	5.17	381.70
E	5.03	381.84
+12.5'	5.34	381.53
+27.5	5.75	381.12
S. Gut.	6.45	380.82
S. Top cb.	5.59	381.28

38687

23

0+00 = E. line 35th Street		
S Top cb.	5.60	381.27
" Gut.	6.03	380.84
+10	5.77	381.10
+25	5.33	381.54
E	5.07	381.80
+12.5	5.14	381.73
+27.5	5.32	381.55
N. Gutter	5.56	381.31
" Top cb.	4.87	382.00
0+10		
N Top cb.	4.80	382.07
" Gutter	5.63	381.24
+10'	5.48	381.39
+25'	5.16	381.71
E	5.12	381.75
+12.5	5.36	381.51
+27.5	5.77	381.10
S Gutter	6.07	380.80
" Top cb.	5.73	381.14
0+30		
S Top cb.	5.51	381.36
" Gutter	6.05	380.82
+10'	5.86	381.01
+25	5.55	381.32
E	5.21	381.66

386.87

2. +12.5	5.21	381.66
+27.5	5.43	381.44
N Gutter	5.67	381.20
N Top Cb.	4.82	382.05
	0 +1.50	
N Top Cb.	4.84	382.03
" Gutter	5.66	381.21
+10'	5.48	381.39
+25'	5.34	381.53
S.	5.43	381.44
+12.5	5.64	381.23
+27.5	6.00	380.87
S. Gutter	6.13	380.74
S. Top Cb.	5.65	381.22
	1 + 0.0	
S. Top Cb.	6.03	380.84
S. Gutter	6.40	380.47
+10'	6.23	380.64
+25'	5.86	381.01
S.	5.59	381.28
+12.5	5.41	381.46
+27.5	5.64	381.23
N Gutter	5.84	381.03
N Top Cb.	5.06	381.81
	1 + 3.19	
N Top Cb.	5.20	381.67
" Gutter	5.95	380.92

386.87

24

Gut +10	5.63	381.24
+25'	5.50	381.37
S.	5.64	381.23
+12.5	5.95	380.92
+27.5	6.27	380.60
S. Gutter	6.40	380.47
+7	6.30	380.57
+13	6.20	380.67
S.	6.07	380.80
	1 + 2.24 = B.C. Alley Return on South	
S. Top Cb.	5.92	380.95
" Gutter	6.40	380.47
	1 + 2.44 = N. Cb. Line Alley on South	
S. Gut.	6.44	380.43
+7 on Cb.	5.82	381.05
" " Gutter	6.13	380.74
+13' on Cb.	5.80	381.07
" " Gutter	5.94	380.93
S. on Cb.	5.73	381.14
" " Gutter	5.65	381.02
	1 + 3.94 = E. Cb. Line Alley on South	
S. on Cb.	5.82	381.05
" " Gutter	5.93	380.94
+7' on Cb.	5.86	381.01
" " Gutter	6.03	380.84
+13' " Cb.	5.90	380.97
" " Gutter	6.20	380.67

386.87

S. Gutter.	6.43	380.44
1+41.4 = E.C. Alley Return on South		
on cb.	6.00	380.87
" Gutter.	6.39	380.48
1+50		
S. cb.	6.02	380.85
" Gut.	6.56	380.31
+10'	6.45	380.42
+2.5'	5.98	380.89
L _o	5.66	381.21
+12.5'	5.48	381.39
+27.5'	5.69	381.18
N. Gutter.	6.05	380.82
" Top cb.	5.30	381.57
2+00		
T.P.	4.74	386.73
4.88	381.99	
N. Top cb.	5.30	381.43
" Gutter.	6.09	380.64
+10'	5.70	381.03
+2.5'	5.55	381.18
L _o	5.64	381.09
+12.5'	6.06	380.67
+27.5'	6.57	380.16
S. Gutter.	6.64	380.09
" Top cb.	6.17	380.56

2+50

386.73

S. Top cb.	6.40	380.33
" Gut.	6.92	379.81
+10'	6.72	380.01
+2.5'	6.11	380.62
L _o -3'	5.77	380.96
L _o	5.79	380.94
+6'	5.79	380.94
+12.5'	5.68	381.05
+27.5'	5.77	380.96
N. Gutter	5.95	380.78
" cb.	5.29	381.44
2+65.3 = W.L. Wilson Ave		
12' cb.		
9' 1/4"		
N. Top cb.	5.21	381.52
" Gut.	6.02	380.71
+10'	5.86	380.87
+2.5'	5.79	380.94
L _o	5.74	380.99
+4'	5.82	380.91
+12.5'	6.16	380.57
+27.5'	6.75	379.98
S. Gutter.	6.96	379.77
S. Top cb.	6.44	380.29
W. cb. Wilson Ave		
-50' on Top cb.	6.91	379.82
" " Gutter.	7.53	379.20
-25' on cb.	6.70	380.03
" " Gutter.	7.33	379.40

25

386.73

S.L. on cb.	6.45	380.28
" " Gut.	7.15	379.58
710' on cb.	6.48	380.25
" " Gut.	7.09	379.64
S. Gutter	6.96	379.77
+10'	6.65	380.08
+25'	6.26	380.47
+32	6.02	380.71
L.	5.83	380.90
+125	5.80	380.93
+275	5.90	380.83
N. Gut.	6.05	380.68
+10' on cb.	5.20	381.53
" " Gut	6.02	380.71
+19 " "	5.95	380.78
N.L. on cb.	5.28	381.45
" " Gutter.	5.81	380.92
+25' on cb.	5.10	381.63
" " Gutter.	5.44	381.29
+50' on cb.	4.83	381.90
" " Gutter.	5.17	381.56
1/4 Wilson Ave.		
-50'	4.97	381.76
-25'	5.10	381.63
N.L.	5.38	381.35
+6'	5.54	381.19

386.73

26

N.L. +15	5.89	380.84
N. Gutter.	6.12	380.61
+10'	6.02	380.71
+25'	5.87	380.86
L.	5.90	380.83
+125'	6.26	380.47
+275'	6.53	380.20
S. Gutter.	6.77	379.96
+10	7.00	379.73
S.L.	7.09	379.64
+25'	7.08	379.65
+50'	7.26	379.47
E. Wilson Ave.		
-50'	7.20	379.53
-25'	7.14	379.59
S.L.	7.06	379.67
+10'	6.95	379.78
S. Gutter.	6.65	380.08
+10'	6.55	380.18
+25'	6.26	380.47
L.	5.95	380.78
+125'	5.93	380.80
+275	6.07	380.66
N. Gutter.	6.16	380.57
+10'	5.92	380.81
+19	5.53	381.20

386.73

N.L.	5.16	381.57
+25'	4.95	381.78
+50'	4.72	382.01
E. 1/4 Wilson		
-50'	4.75	381.98
-25'	5.13	381.60
N.L.	5.43	381.30
+6'	5.68	381.05
+15'	6.00	380.73
N. Gutter	6.14	380.59
+10'	5.97	380.76
+25'	5.89	380.84
S.	6.00	380.73
+10'	6.31	380.42
+12.5'	6.34	380.39
+27.5'	6.67	380.06
S. Gutter	6.78	379.95
+10'	7.09	379.64
S.L.	7.25	379.48
+25'	7.30	379.43
+50'	7.41	379.32
E. cb. line Wilson Ave.		
-50' on cb broken	7.40	379.33
" " Gut.	7.81	378.92
-25' on cb. ok here	7.05	379.68
" " Gut.	7.62	379.11

386.73

27

Sh. on cb	7.01	379.72
" " Gutter	7.56	379.17
+10' on cb.	6.83	379.90
" " Gutter	7.25	379.48
S. Gutter	7.05	379.68
+10'	6.79	379.94
+25'	6.31	380.42
S.	6.03	380.70
+12.5'	5.90	380.83
+27.5'	6.03	380.70
N. Gutter	6.15	380.58
+10' on cb.	5.48	381.25
" " Gutter	6.08	380.65
+19' " "	5.95	380.78
N.L. " cb.	5.36	381.37
" " Gutter	5.76	380.97
+25' on cb	5.21	381.52
" " Gutter	5.48	381.25
+50' " cb.	4.88	381.85
" " Gut.	5.09	381.64
0+00 = E.L. Wilson Ave		
N. cb.	5.27	381.46
" Gut.	6.13	380.60
+10'	5.99	380.74
+25'	5.96	380.77
S.	6.04	380.69

386.73

+12.5	6.25	380.48
+27.5	6.92	379.81
S. Gutter	7.17	379.56
S. Top Cb.	6.79	379.94
0+10		
S. Top Cb.	6.84	379.89
" Gutter	7.25	379.48
+10'	6.93	379.80
+25'	6.26	380.47
L	6.03	380.70
+5	5.99	380.74
+12.5'	5.99	380.74
+27.5	6.04	380.69
N Gutter	6.20	380.53
N Top Cb.	5.46	381.27
0+25		
N Top Cb.	5.73	381.00
" Gutter	6.52	380.21
+10'	6.28	380.45
+25'	6.15	380.58
L	6.26	380.47
+12.5'	6.43	380.30
+27.5'	7.19	379.54
S. Gutter	7.34	379.39
S. Top Cb.	6.97	379.76

0+50

386.73

S. Top Cb.	7.17	379.56
" Gut.	7.57	379.16
+10'	7.38	379.35
+25'	7.22	379.51
+25'	6.91	379.82
L-9'	6.74	379.99
L	6.60	380.13
+12.5'	6.40	380.33
+27.5'	6.43	380.30
N Gutter	6.68	380.05
" top Cb.	5.86	380.87

1+00

N. Gutter in Drive Way	7.20	379.53
+10'	7.03	379.70
+25'	6.84	379.89
L	7.03	379.70
+12.5	7.25	379.48
+27.5	7.71	379.02
S. Gut.	7.90	378.83
" Cb.	7.48	379.25

1+23 = B.C. Alley Return on South.

on Cb.	7.67	379.06
" Gut.	8.05	378.68

1+25 2 = N. Cb. Line Alley on South.

S. L. on top Cb.	7.27	379.46
" " Gut.	7.38	379.35

28

386.73

28

S.L. +7' on cb.	7.38	379.35
" "Gut.	7.57	379.16
+13' on cb.	7.50	379.23
" "Gut.	7.74	378.99
S. Gutter.	8.05	378.68
+10'	7.87	378.86
+20'	7.57	379.16
+25'	7.33	379.40
⊥	7.05	379.68
+12.5	7.00	379.73
+27.5'	7.21	379.52
N. Gutter.	7.47	379.26
" top cb.	6.86	379.87
1+32.7' ⊥ Alley on South		
S. Gut.	8.05	378.68
+7'	7.85	378.88
+13'	7.70	379.03
S.L.	7.57	379.16
1+40.2' = E. cb. Alley		
S top cb. at S.L.	7.44	379.29
" Gut.	7.57	379.22
+7' on cb.	7.53	379.20
" "Gut.	7.68	379.05
+13' on cb.	7.66	379.07
" "Gutter.	7.84	378.89
S. Gutter.	8.17	378.56

386.73

29

1+42' = E.L. Return Alley on South		
on cb.	7.83	378.90
" Gut	8.17	378.56
1+50		
S. top cb.	7.96	378.77
" Gutter.	8.34	378.39
+10'	8.08	378.65
+25'	7.62	379.11
⊥	7.36	379.37
+12.5	7.33	379.40
+27.5	7.46	379.27
N. Gutter.	7.65	379.08
N Top cb.	7.03	379.70
1+93		
N Top cb.	7.42	379.31
" Gutter.	7.95	378.78
+10'	7.78	378.95
+25'	7.58	379.15
⊥	7.75	378.98
+12.5	8.04	378.69
+27.5	8.33	378.40
S. Gutter.	8.67	378.06
" Top cb.	8.24	378.49
2+05		
S. Top cb.	8.39	378.34
S. Gutter.	8.83	377.90

38673

+10	8.43	378.30
+25	8.05	378.68
Lo	7.73	379.00
+12.5'	7.67	379.06
+27.5'	7.86	378.87
N. Gutter	8.03	378.70
" top cb.	7.43	379.30
2+25		
N. Top Gutter in Driveway	8.09	378.64
+10'	8.00	378.73
+25'	7.82	378.91
Lo	7.95	378.78
+12.5	8.16	378.57
+27.5	8.59	378.14
S. Gutter.	9.00	377.73
S. Top cb.	8.56	378.17
2+50		
S. Top cb.	8.68	378.05
" Gutter.	9.13	377.60
+10'	8.82	377.91
+25'	8.35	378.38
Lo	8.03	378.70
+12.5	7.98	378.75
+27.5	8.17	378.56
N. Gutter.	8.42	378.31
" top cb.	7.67	379.06

38673

chk. SW. 8 th Wilson	6.43	380.30	30
TP	4.94	382.99	SW. 8 th
2+65.2 = W. 36 th street	8.68	378.05	36 th + E. (approx.)
N. Top cb.	4.06	378.93	
" Gutter.	4.80	378.19	
+10'	4.56	378.43	
+2.5'	4.30	378.69	
Lo	4.29	378.70	
+12.5'	4.63	378.36	
+27.5'	5.13	377.86	
S. Gutter.	5.43	377.56	
S. Top cb.	5.10	377.89	
" " " 2+65.3'	5.03	377.96	
2+75.2 = W. cb. line 36 th on South.			
-50' on cb.	5.31	377.68	
" " Gutter.	5.85	377.14	
-25' " cb.	5.20	377.79	
" " Gutter.	5.69	377.30	
St. on cb.	4.97	378.02	
" " Gutter.	5.37	377.42	
+10' on cb.	5.05	377.94	
" " Gutter.	5.47	377.52	
S. Gutter.	5.30	377.69	
2+77.2 = W. cb. 36 th on North.			
S-50'	5.77	377.22	
S. 25'	5.65	377.34	

382.99

S.L.	5.56	377.43
+10'	5.44	377.55
S. Gutter	5.22	377.77
+10'	5.07	377.92
+2.5'	4.76	378.23
S.L.	4.36	378.63
+12.5'	4.39	378.60
+27.5'	4.65	378.34
N. Gutter	4.81	378.18
+10' on cb.	4.04	378.95
" " " " " " " " " " " "	4.66	378.33
+19' " " in Drive Way	4.67	378.32
N.L. " " " " " " " " " " " "	4.63	378.36
+2.5' on Gut	4.79	378.20
" " " " " " " " " " " "	4.24	378.75
+50' " " Gut in Drive Way	3.93	379.06
2+86.2 1/4 on North.		
-50'	4.00	378.99
-2.5'	4.27	378.72
N.L.	4.38	378.61
+6'	4.52	378.47
+15'	4.75	378.24
+19'	4.82	378.17
N. Gut.	4.87	378.12
+10'	4.77	378.22
+2.5'	4.46	378.53

382.99

S.L.	4.46	378.53
+12.5'	4.79	378.20
+27.5'	5.04	377.95
S. Gut.	5.08	377.91
+5'	5.15	377.84
+10'	5.24	377.75
S.L.	5.33	377.66
+2.5'	5.31	377.68
+50'	5.50	377.49
S.L. 36th		
-50'	5.37	377.62
-2.5'	5.22	377.77
S.L.	5.27	377.72
+10'	5.21	377.78
+1.5'	5.14	377.85
S. Gutter	5.05	377.94
+10'	5.03	377.96
+2.5'	4.85	378.14
S.L.	4.53	378.46
+12.5'	4.50	378.49
+27.5'	4.85	378.14
N. Gut	5.00	377.99
+5'	4.92	378.07
+10'	4.88	378.11
+19'	4.63	378.36
N.L.	4.35	378.64

31

382.99

Nk +25'	4.27	378.72
+50'	3.98	379.01
E 1/4 on North.		
-50	4.10	378.89
-25'	4.41	378.58
Nk.	4.55	378.44
+6'	4.71	378.28
+15'	4.90	378.09
+20'	4.94	378.05
N Gutter.	5.07	377.92
+10'	4.91	378.08
+25'	4.54	378.45
L.	4.52	378.47
+12.5'	4.88	378.11
+27.5	5.13	377.86
S. Gutter.	5.09	377.90
+5	5.24	377.75
+10	5.36	377.63
S. line	5.45	377.54
+25'	5.43	377.56
+50'	5.52	377.47
E. cb. line 36 th on North.		
-50	6.06	376.93
-25	5.83	377.16
Nk.	5.68	377.31
+10	5.52	377.47

382.99

32

Sk +15	5.39	377.60
S. Gutter.	5.28	377.71
+10'	5.25	377.74
+25	4.92	378.07
L.	4.70	378.29
+12.5	4.68	378.31
+27.5	4.95	378.04
N. Gutter.	5.18	377.81
+5'	5.14	377.85
+10' on cb.	4.50	378.49
" " Gutter.	5.08	377.91
+19 " "	5.01	377.98
Nk " " in Three Way	4.98	378.01
+25' on cb.	4.12	378.87
" " Gutter.	4.66	378.33
+50' on cb.	3.55	379.44
" " Gutter.	4.31	378.68
3+15 ² = E. cb. line 36 th on South.		
S. Gutter.	5.32	377.67
+10 on cb.	5.00	377.99
" " Gutter.	5.53	377.46
Sk on cb.	5.08	377.91
" " Gutter.	5.76	377.23
+25' on cb.	5.40	377.59
" " Gutter.	5.90	377.09
+50' on cb.	5.43	377.56
" " Gutter.	5.97	377.02

382.99

0+00 = E.A. 36th Street.

S. cb.	5.02	377.97
" Gut.	5.53	377.46
+10	5.44	377.55
+25	5.02	377.97
Lo	4.73	378.26
+12.5	4.77	378.22
+27.5	5.06	377.93
N. Gut.	5.40	377.59
" Top cb	4.62	378.37
0+12		
N. Gut. 112 Drive Way	5.43	377.56
+10	5.13	377.86
+25	4.87	378.12
Lo	4.90	378.09
+12.5	5.06	377.93
+27.5	5.53	377.46
S. Gutter.	5.70	377.29
" cb.	5.23	377.76
0+25		
S. cb.	5.28	377.71
S. Gutter.	5.79	377.20
+15 car on 10' curb	5.48	377.51
+25	5.21	377.78
Lo	5.02	377.97
+12.5	5.05	377.94

382.99

33

+27.5	5.23	377.76
N. Gutter. 112 Drive Way	5.45	377.54
0+50		
N. cb.	4.92	378.07
" Gut.	5.66	377.33
+10	5.36	377.63
+25	5.20	377.79
Lo	5.18	377.81
+12.5	5.38	377.61
+27.5	5.75	377.24
S. Gutter.	5.92	377.07
S. Top cb	5.46	377.53
1+00		
S. Top cb	5.81	377.18
" Gut.	6.27	376.72
+10	6.02	376.97
+25	5.67	377.32
Lo	5.42	377.57
+12.5	5.87	377.62
+27.5	5.63	377.36
N. Gut. 112 Drive Way	5.93	377.06
1+32.5 = E. Alley on South.		
N. Top cb.	5.42	377.57
" Gutter.	6.10	376.89
+10	5.82	377.17
+25	5.59	377.40

382.99

2	5.50	377.49
+12.5	5.70	377.29
+27.5	6.15	376.84
S. Gut	6.46	376.53
+7'	6.31	376.68
+13.	6.27	376.72
+19 on Stack Staff	6.22	376.77
S. on " top concrete Paving	6.15	376.84
+18		
S. Top cb.	5.80	377.19
" Gut.	6.30	376.69
+22.5 = B.C.		
S. top cb.	6.00	376.99
" Gut.	6.33	375.66
+25 = 14. cb. Alley on South		
S. Gut.	6.38	376.61
+7' on cb.	5.73	377.26
" " Gut.	6.00	376.99
+13' on cb.	5.77	377.22
" " Gut.	5.92	377.07
S. on cb	5.79	377.20
" " Gut.	5.93	377.06
+40' = E. cb Lane Alley on South		
S. on cb.	5.83	377.16
" " Gut.	6.00	376.99
+7' on cb.	6.08	376.91
" " Gut.	6.23	376.76

382.99

34

+13' on cb	6.24	376.75
" " Gut	6.42	376.57
S. Gutter	6.58	376.41
+42 = E.C. Alley Return on South		
S. Top cb.	6.10	376.89
S. Gutter	6.50	376.49
+42' on S. Top cb.	6.02	376.97
+50		
S. top cb	6.04	376.95
" Gutter	6.54	376.45
+10'	6.30	376.69
+25'	5.83	377.16
2	5.68	377.31
+12.5	5.69	377.30
+27.5	5.91	377.08
" Gutter	6.20	376.79
N. Top cb.	5.43	377.56
+81		
N. Gutter in Drive Way	6.33	376.66
+10	6.10	376.89
+25'	5.83	377.16
2	5.89	377.10
+12.5	6.07	376.92
+27.5	6.50	376.49
S. Gutter	6.78	376.21
S. Top cb.	6.30	376.69

382.99

2+00

S Top cb.	6.41	376.58
" Gutter	6.89	376.10
+10	6.60	376.39
+25	6.16	376.83
∅	5.80	377.19
+125	5.83	377.16
+275	6.15	376.84
N. Gutter 10 Drive	6.45	376.54
2+15		
N Gutter 10 Drive	6.52	376.47
+10'	6.22	376.77
+25'	5.85	377.04
∅	6.07	376.92
+125	6.35	376.64
+275	6.71	376.28
S. Gutter	6.25	376.04
S. Top cb.	6.51	376.48
TP	5.65	381.94
2+50		
S Top cb.	5.65	376.29
S. Gutter	6.08	375.86
+10	5.94	376.00
+25	5.40	376.54
∅	5.19	376.75
+125	5.16	376.78

376.29 S.W. B.P.
Cherokee +1600

381.94

35

+275	5.41	376.53
N Gutter	5.61	376.33
N. Top cb.	4.94	377.00
2+65 = N.L. Cherokee		
N. Top cb.	5.00	376.94
" Gutter	5.70	376.24
+10	5.58	376.36
+25	5.30	376.64
∅	5.21	376.73
+125	5.57	376.42
+275	5.96	375.98
S. Gutter	6.15	375.79
S. Top cb.		
2+75 = N. cb. Cherokee on (North) south		
S. Gutter	6.08	375.86
+10 on cb.	5.67	376.27
" " Gutter	6.23	375.71
+15 " "	6.29	375.65
S. L. on cb.	5.62	376.32
" " Gutter	6.29	375.65
+25 on Gutter	6.42	375.52
+25 " cb.	5.81	376.13
+30 " Gutter	6.57	375.37
" " cb.	6.00	375.94
2+77 = N. cb. Cherokee on North.		
∅	6.53	375.41

381.94

-25	6.36	375.58
S.L.	6.18	375.76
+5'	6.21	375.73
+10	6.20	375.74
S.Gutter	6.04	375.90
+10	5.87	376.07
+25	5.58	376.36
£	5.38	376.56
+12.5	5.45	376.49
+27.5	5.66	376.28
N.Gut.	5.77	376.17
+10' on cb.	4.88	377.06
" " Gut.	5.60	376.34
+19"	5.52	376.42
N.L. on cb.	4.85	377.09
" " Gut.	5.39	376.55
+25' on Gut. in Drive Way	5.05	376.89
+50' on cb.	4.27	377.67
" " Gut.	4.77	377.17
2 + 86 = 14 1/4 on North.		
-50	4.61	377.33
-25	5.02	376.92
N.L.	5.22	376.72
+6'	5.21	376.73
+15'	5.42	376.52
N.Gutter.	5.75	376.19

381.94

36

+10	5.65	376.29
+25	5.48	376.46
£-2	5.46	376.48
£	5.40	376.54
+2'	5.42	376.52
+12.5	5.60	376.34
27.5	5.84	376.10
S.Gut.	5.87	376.07
+10	6.12	375.82
+15'	6.10	375.84
Skinc	6.11	375.83
+25	6.22	375.72
+50	6.44	375.50
£ Cherokee = 2 + 95		
-50	6.40	375.54
-25	6.17	375.77
S.L.	6.10	375.84
+10	6.02	375.92
S.Gutter	5.81	376.13
+10'	5.85	376.09
+25	5.65	376.29
£	5.42	376.52
+12.5	5.48	376.46
+27.5	5.71	376.23
+33	5.80	376.14
N.Gutter.	5.71	376.23

38194

N. Gut +10	5.33	376.61
+19	5.19	376.75
N.L.	5.13	376.81
+25	5.00	376.94
+50	4.66	377.28
3+04 = E. 1/4 on North.		
-50	4.90	377.04
-25	5.26	376.68
N.L.	5.32	376.62
+6'	5.33	376.61
+15	5.44	376.50
N. Gut	5.79	376.15
+4'	5.78	376.16
+10	5.71	376.23
+25	5.42	376.52
E.	5.50	376.44
+12.5	5.75	376.19
+27.5	6.00	375.94
S. Gut	6.03	375.91
+10'	6.26	375.68
S. Line 5'	6.33	375.61
S. Line	6.29	375.65
+25	6.37	375.57
+50	6.53	375.41
3+13 = E. 5/8 on North.		
-50	6.86	375.08

38194

37

-25	6.73	375.21
S.L.	6.61	375.33
+10	6.53	375.39
S. Gut	6.39	375.55
+10	6.21	375.73
+25	5.80	376.14
E.	5.60	376.34
+12.5	5.57	376.37
+27.5	5.85	376.09
N. Gut	5.95	375.99
+10' on cb.	5.21	376.73
" " Gut	5.87	376.07
+19' " "	5.77	376.17
N.L. on cb.	5.22	376.72
" " Gut	5.72	376.22
+25' on Gut. in Drive	5.56	376.38
+50' " cb.	4.65	377.29
" " Gut	5.28	376.66
3+15 = East cb. line Cherokee on South.		
S. Gut.	6.48	375.46
+10' on cb.	6.04	375.90
" " Gut.	6.59	375.35
S.L. on cb.	6.04	375.90
" " Gut.	6.67	375.27
+25' on cb.	6.19	375.75
" " Gut	6.81	375.13

S.L. +50' on cb	6.41	375.53
" " Gutter	6.97	374.97
East line Cherokee = 0+0.0		
S. Top cb	6.05	375.89
" Gut.	6.69	375.25
+10	6.46	375.48
+25	5.94	376.00
⊥	5.75	376.19
+125	5.72	376.22
+275	5.92	376.02
N. Gut.	5.96	375.98
N. Top cb.	5.34	376.60
0+25		
N. Gut. in Drive	6.00	375.94
+10	5.95	375.99
+25'	5.87	376.07
⊥	5.92	376.02
+125	6.22	375.72
+275	6.57	375.37
S. Gutter.	6.85	375.09
S. Top cb.	6.28	375.66
0+50		
S. Top cb.	6.41	375.53
S. Gutter.	7.07	374.87
+10'	6.73	375.21
+25'	6.30	375.64

⊥	6.05	375.89
+125	6.05	375.89
+275	6.10	375.84
N. Gutter.	6.14	375.80
N. Top cb.	5.35	376.59
1+00		
N. Top cb.	5.68	376.26
N. Gutter.	6.40	375.54
+10	6.33	375.61
+25'	6.30	375.64
⊥	6.33	375.61
+125'	6.54	375.40
+275	7.22	374.72
S. Gutter.	7.47	374.47
S. Top cb.	6.90	375.04
1+23' on cb. on South.	7.19	374.75
1+23' = B.C. Alley Return.		
on cb.	7.05	374.89
" Gutter.	7.62	374.32
1+25' 3 = W. cb. Alley on South.		
S. Guts	7.53	374.41
+7' on cb.	6.98	374.96
" " Guts	7.20	374.74
+13' on cb.	6.85	375.09
" " Guts	7.05	374.89
S.L. on cb.	6.83	375.11
" " Gutter.	6.93	375.01

381.94

1+32.8 = Alley on South.

S.L.	7.28	374.66
+7	7.37	374.57
+13	7.54	374.40
S. Gut.	7.62	374.32
+5'	7.65	374.29
+10'	7.99	374.45
+25'	6.78	375.16
±	6.51	375.43
+125	6.49	375.45
+275	6.49	375.45
N. Gutter	6.60	375.34
N. Top Cb.	5.79	376.15

1+40.' = East cb. by no. Alley on South.

S. Gutter	7.81	374.13
+7' on cb.	7.30	374.64
" " Gut.	7.57	374.37
+13' "cb.	7.23	374.71
" " Gut.	7.40	374.54
S.L. on cb.	7.09	374.85
" " Gut.	7.22	374.72

1+43 = E.S. Alley Return on South

S. Top cb.	7.28	374.66
S. Gutter	7.83	374.11

1+50

S. Top Cb.	7.35	374.59
" Gutter	7.91	374.03

381.94

39

+10'	7.58	374.36
+25	6.94	375.00
±	6.52	375.42
+125	6.50	375.44
+275	6.57	375.37
N. Gutter	6.67	375.27
N. Top Cb.	5.93	376.01
	1+61	
N. Top Cb.	6.01	375.93
" Gut.	6.70	375.24
+10	6.61	375.33
+25'	6.58	375.36
±	6.70	375.24
+125	6.98	374.96
+275	7.68	374.26
S. Gutter	8.10	373.94
S. Cb.	7.45	374.49
	2+00	
S. Top cb.	7.90	374.04
" Gutter	8.32	373.62
+10	7.25	373.99
+25	7.30	374.64
±	6.93	375.01
+125	6.80	375.14
+275	6.70	375.24
N. Gutter	6.83	375.11
N. Top Cb.	6.16	375.78

381.94

TP	6.78	380.35	8.38	373.57 = 8N, 5W, BR 37th + 51' Capon
	2+45			
N Top cb			4.67	375.68
N Gutter			5.43	374.92
+10'			5.34	375.01
+25'			5.41	374.94
Lo			5.55	374.80
+125'			6.02	374.33
+275'			6.57	373.78
S Gutter			7.06	373.29
S Top cb			6.67	373.68
	2+57			
S Top cb			6.78	373.57
S Gutter			7.13	373.22
+10'			6.69	373.66
+25'			5.93	374.42
Lo			5.56	374.79
+125'			5.47	374.88
+275'			5.33	375.02
N Gutter			5.42	374.93
N Top cb			4.75	375.60
	2+65.2 = W.L. 37TH			
N Top cb			4.80	375.55
" Gutter			5.48	374.87
+10'			5.48	374.87
+25'			5.53	374.82

380.35

40

Lo	5.65	374.70
+125'	6.07	374.28
+275'	6.80	373.55
S Gutter	7.13	373.22
S Top cb	6.71	373.64
	2+77.2 = Wcb line 37th on North	
N Gutter	5.52	374.83
+10' on cb	4.74	375.61
" " Gutter	5.44	374.91
+19' on Gutter	5.34	375.01
Nbr on cb	4.66	375.69
" " Gutter	5.30	375.05
+25' on cb	4.48	375.87
" " Gutter	5.03	375.32
+50' on cb	4.24	376.11
" " Gutter	4.83	375.52
	2+79.2 = Wcb on South	
-50'	4.74	375.61
-25'	4.94	375.41
NL	5.23	375.12
+6'	5.27	375.08
+15'	5.38	374.97
N Gutter	5.48	374.87
+10'	5.67	374.68
+25'	5.81	374.54
Lo	6.00	374.35

+12.5	6.41	373.94
+27.5	6.86	373.49
S. Gutter	7.07	373.28
+10' on cb.	6.75	373.60
" " Gutter	7.23	373.12
S. Kerne on cb.	6.82	373.53
" " " Gutter	7.43	372.92
" " +25' on cb.	6.95	373.40
" " " " Gutter	7.54	372.81
" " +50' " cb.	7.07	373.28
" " " " Gutter	7.67	372.68
2 + 92.2' = 11 1/4 on South.		
-50'	7.26	373.09
-25'	7.09	373.26
S.L.	6.95	373.40
+10'	6.86	373.49
S. Gutter	6.59	373.76
+10'	6.53	373.82
+25'	6.24	374.11
L-2'	5.92	374.43
L	5.85	374.50
+2'	5.84	374.51
+12.5	5.73	374.62
+27.5	5.48	374.87
N. Gutter	5.30	375.05
+10'	5.16	375.19

+19'	5.01	375.34
N.L.	4.85	375.50
+25'	4.65	375.70
+50'	4.48	375.87
3 + 05.2' = L 37th Street.		
-50'	4.45	375.90
-25'	4.62	375.73
N.L.	4.73	375.62
+6'	4.91	375.44
+15'	5.09	375.26
N. Gutter	5.29	375.06
+10'	5.48	374.87
+25'	5.61	374.74
L-2'	5.72	374.63
L	5.69	374.66
+2'	5.77	374.58
+12.5'	6.06	374.29
+27.5'	6.38	373.97
S. Gutter	6.33	374.02
+10'	6.65	373.70
S.L.	6.80	373.55
+25'	6.99	373.36
+50'	7.16	373.19
3 + 18.2' = 5 1/4 on South.		
-50'	7.35	373.00
-25'	7.21	373.14

38035

S. Line	7.04	373.31
+10	6.85	373.50
S. Gutter.	6.50	373.85
+10'	6.46	373.89
+25	6.03	374.32
E	5.76	374.59
+125	5.53	374.82
+275	5.54	374.81
N. Gutter.	5.31	375.04
+10'	5.10	375.25
+19	4.97	375.38
N.L.	4.88	375.47
+25	4.83	375.52
+50'	4.68	375.67
3+31.2 = E. cb on South.		
-50	5.08	375.27
-25	5.18	375.17
N.L.	5.32	375.03
+6	5.43	374.92
+15	5.50	374.85
+20	5.54	374.81
N. Gutter.	5.56	374.79
+10	5.59	374.76
+25'	5.59	374.76
E	5.86	374.49
+125	6.15	374.20

38035

42

+275	6.73	373.62
S. Gutter.	7.21	373.14
+10' on cb.	6.98	373.37
" " Gut.	7.42	372.93
Sh. on cb.	7.00	373.35
" " Gut.	7.60	372.75
+25' on cb.	7.14	373.21
" " Gutter.	7.76	372.59
+50' on cb.	7.31	373.04
" " Gut.	7.94	372.41
3+33.2 = E. cb. line 37 th on North.		
N. Gutter.	5.60	374.75
+10' on cb.	5.00	375.35
" " Gutter.	5.65	374.70
+19 " "	5.48	374.87
N.L. " " in Dir. Way	5.36	374.99
+25 " " " " "	5.26	375.09
+50 on cb.	4.51	375.84
" " Gutter.	5.10	375.25
0+0.0 = E. line 37 th Street		
N. top cb.	5.01	375.34
" Gutter.	5.70	374.65
+10'	5.67	374.68
+25	5.64	374.71
E	5.88	374.47
+125	6.19	374.16

380.35

+275	6.97	373.38
S. Gutter	7.28	373.07
S. Top cb.	6.86	373.49
O+12		
S. Top cb.	6.99	373.36
" Gutter	7.45	372.90
+10'	7.08	373.27
+25"	6.29	374.06
⊥	5.86	374.49
+125	5.71	374.64
+275	5.74	374.61
H. Gutter	5.78	374.57
H. Top cb.	5.11	375.24
O+25		
H. Gutter in Drive Way	5.88	374.47
+10'	5.88	374.47
+25	5.78	374.57
⊥	5.96	374.39
+125	6.42	373.93
+275	7.12	373.23
S. Gut.	7.45	372.90
S. Top cb.	7.03	373.32
O+22 = S.M.H. 3' North ⊥	6.02	374.33
O+50		
S. cb.	7.15	373.20
" Gut.	7.52	372.83

380.35

43

+10	7.12	373.23
+25	6.53	373.82
⊥	6.13	374.22
+125	5.98	374.37
+275	6.04	374.31
N. Gut. in Drive Way	6.04	374.31
17.00		
N. Gutter in Drive Way	6.44	373.91
+10	6.38	373.97
+25'	6.30	374.05
⊥	6.43	373.92
+125	6.77	373.58
+275	7.30	373.05
S. Gut.	7.50	372.80
S. Top cb.	7.16	373.19
17.50		
S. Top cb.	7.30	373.05
" Gut.	7.68	372.67
+10	7.39	372.96
+25'	7.04	373.31
⊥	6.69	373.66
+125	6.65	373.70
+275	6.79	373.56
H. Gut.	6.96	373.39
N. Top cb.	6.34	374.01

380.35

2+00

N. Top cb.	6.83	373.52
" Gutter	7.81	373.04
+10'	7.17	373.18
+25'	7.07	373.28
$\frac{1}{2}$	7.02	373.33
+125'	7.27	373.08
+275'	7.50	372.85
S. Gutter	7.67	372.68
" Top cb.	7.28	373.07

2+50

S. Top cb.	7.26	373.09
" Gutter	7.23	372.52
+10'	7.75	372.60
+25'	7.45	372.90
$\frac{1}{2}$	7.25	373.10
+125'	7.29	373.06
+275'	7.44	372.91
N. Gutter	7.55	372.80
N. top cb.	7.10	373.25

2+65 = N¹/₄ McClinton St.

N. top cb.	7.26	373.09
N. Gutter	7.70	372.65
+10'	7.60	372.75
+25'	7.48	372.87
$\frac{1}{2}$	7.86	372.99

380.35

+125'	7.42	372.93
+275'	7.77	372.58
S. Gutter	7.84	372.51
S. Top cb.	7.26	373.09
T.P.	5.33	378.24

2+77.0 = N¹/₄ cb. N¹/₄ Clinton Street

S. Top cb.	5.03	373.21
S. Gutter	5.74	372.50
+10'	5.63	372.61
+25'	5.38	372.86
$\frac{1}{2}$	5.29	372.95
+125'	5.40	372.84
+275'	5.63	372.61
N. Gutter	5.68	372.56
+10' on cb.	5.10	373.14
" " Gutter	5.56	372.68
+19' on "	5.53	372.71
N ¹ / ₄ on cb.	5.06	373.18
" " Gutter on block.	5.56	372.68
+25' on " on concrete	5.48	372.76
+25' on cb.	4.92	373.32
" " Gutter	5.36	372.88
+50' on cb.	4.86	373.38
" " Gutter	5.23	373.01

2+86 = N¹/₄ N¹/₄ Clinton Street

-50'	5.03	373.21
------	------	--------

44

87.87 McClinton St.
N¹/₄ E. Lyon.

378.24

-25'	5.12	373.12
Nh. 2' on concrete	5.27	372.97
Nh. " Black Staff	5.31	372.93
+6	5.39	372.85
+15	5.59	372.65
N. Gutter	5.77	372.47
2+95 = E. N ^o Clinton Street		
S. Top cb.	5.06	373.18
S. Gutter	5.79	372.45
+10'	5.75	372.49
+25'	5.43	372.81
2	5.34	372.90
+125'	5.46	372.78
+275'	5.70	372.54
N. Gut.	5.82	372.42
+10	5.65	372.59
+19'	5.43	372.81
Nh.	5.19	373.05
Nh. + 2' on concrete	5.12	373.12
Nh. + 3' and 0.1' East of this sec.	5.06	373.18
Nh. + 25'	5.05	373.19
+50'	5.00	373.24
3+04 = E. 1/4		
-50'	5.21	373.03
-25'	5.27	372.97
Nh. - 2'	5.30	372.94

378.24

45

Nh.	5.37	372.87
+6	5.42	372.82
+15	5.61	372.63
N. Gutter	5.82	372.42
3+13 = East cb. N ^o Clinton Street.		
S. Top cb.	5.27	372.97
S. Gutter	5.90	372.34
+10'	5.75	372.49
+25'	5.44	372.80
2	5.32	372.92
+12.5	5.46	372.78
+275	5.74	372.50
N. Gutter	5.91	372.33
+5	5.85	372.39
+10' on cb.	5.30	372.94
" " Gutter	5.81	372.43
+19' on "	5.73	372.51
Nh. on cb.	5.27	372.97
" " Gutter	5.74	372.50
Nh. + 2' = Concrete	5.65	372.59
+25' on Gut. in Dine	5.59	372.65
+50 on cb.	5.16	373.08
" " Gutter	5.50	372.74
3+21 = E. 1/4 3' N 2	5.34	372.90
3+25 = E. 1/4 N ^o Clinton St. = 0+00		
N. Top cb.	5.24	373.00
" Gutter	5.98	372.26

378.24

N Gut. +10'		5.74	372.50
+25'		5.38	372.86
⌒		5.34	372.90
+12.5		5.49	372.75
+27.5		5.86	372.38
S. Gutter		5.95	372.29
S. Top cb.		5.29	372.95
T.P.	5.35 378.26	5.33	372.91
S. Top cb.	0+06		
S. Top cb.		5.43	372.83
"Gutter		6.04	372.22
+10		5.94	372.32
+25'		5.52	372.74
⌒		5.31	372.95
+12.5		5.42	372.84
+27.5		5.83	372.43
N. Gut.		6.06	372.20
N. Top cb.		5.42	372.84
	0+20		
N. Top cb.		5.64	372.62
' Gut.		6.26	372.00
+10		6.08	372.18
+25'		5.57	372.69
⌒		5.59	372.67
+12.5		5.67	372.59
+27.5		5.95	372.31

N. Top
196.6 Contact
R. E. Egan

378.26

46

S. Gut.		6.17	372.09
S. Top cb.		5.55	372.71
	0+50		
S. Top cb.		5.49	372.77
S. Gutter		6.25	372.01
+10'		6.10	372.16
+25'		5.86	372.40
⌒		5.85	372.41
+12.5		5.97	372.29
+27.5		6.36	371.90
N. Gutter 10. Drive Way		6.56	371.70
	1+00		
N. Top cb.		6.71	371.55
N. Gutter		7.16	371.10
+10'		6.92	371.34
+25'		6.48	371.78
⌒		6.31	371.95
+12.5		6.27	371.99
+27.5		6.54	371.72
S. Gutter		6.42	371.84
S. Top cb.		5.83	372.43
	1+21.2 = Break on South cb (see Profile)		
S. Top cb.		6.10	372.16
S. Gutter		6.62	371.64
+10		6.65	371.61
+25'		6.44	371.82

378.26

ℓ	6.43	371.83
+12.5	6.64	371.62
+27.5	7.11	371.15
N. Gutter	7.43	370.83
N Top Cb	6.91	371.35
	1+46.2	
N Top Cb	7.08	371.18
" Gutter	7.68	370.58
+10	7.42	370.84
+25'	7.01	371.25
ℓ	6.80	371.46
+12.5	6.75	371.51
+27.5	6.84	371.42
S. Gutter	6.83	371.43
S. Top Cb	6.18	372.05
	1+71.2 = Break in Grade in South	
S. Top Cb	6.37	371.89
" Gut.	7.02	371.24
+10	7.00	371.26
+25'	6.95	371.31
ℓ	7.00	371.26
+12.5	7.18	371.08
+27.5	7.71	370.55
N Gutter	8.02	370.24
N Top Cb	7.46	370.80

1+95

378.26

N. Top Cb	7.76	370.50	
N. Gutter	8.33	369.93	
+10'	8.01	370.25	
+25'	7.41	370.85	
ℓ - 3'	7.18	371.08	
ℓ	7.21	371.05	
+12.5	7.05	371.21	
+27.5	7.17	371.09	
S. Gutter	7.11	371.15	
S. Top Cb	6.34	371.92	
T.P.	7.03	376.30	8.98 369.28 = B.P.N.E. 38 th Canyon
	2+50		
S. Top Cb	5.12	371.18	
S. Gutter	5.59	370.71	
+10'	5.60	370.70	
+25'	5.62	370.68	
ℓ	5.68	370.62	
+12.5	5.89	370.41	
+27.5	5.65	370.65	? 369.65
N. Gutter	7.08	369.22	
N Top Cb	6.49	369.81	
	2+58		
N Top Cb	6.57	369.73	
N Gut	7.18	369.12	
+10'	6.78	369.52	
+25	6.02	370.28	

47

37630.

2	5.68	370.62
+125	5.63	370.67
+275	5.64	370.66
S. Gutter	5.65	370.65
" Top cb	5.08	371.27
2+65.5 = N.L. 38 th on North		
S. Top cb	5.08	371.22
S. Gutter	5.68	370.62
+10	5.77	370.53
+25	5.72	370.58
2	5.79	370.51
+125	6.07	370.23
+275	6.88	369.42
N. Gut.	7.25	369.05
N. cb	6.67	369.63
2+77.5 = N. cb. 38 th on North		
-50' on cb	6.57	369.73
" " Gut.	7.13	369.17
-25' on cb	6.67	369.63
" " Gut.	7.21	369.09
N.L. on cb	6.68	369.62
" " Gut.	7.25	369.05
+6' on Gut.	7.30	369.00
+15' on cb	6.76	369.54
" " Gutter	7.33	368.97
N. Gut.	7.36	368.94

37630

48

+10	7.02	369.28
+25'	6.26	370.04
2	6.05	370.25
+125	5.88	370.42
+275	5.84	370.46
S. Gutter	5.80	370.50
S. Top cb	5.20	371.10
2+87		
N. Gutter	7.49	368.81
+10'	7.26	369.04
+19'	7.09	369.21
N.L.	7.05	369.25
+25'	7.01	369.29
+50'	6.88	369.42
2+98.5 = 2 nd Roadway 38 th Street on North		
-50'	6.87	369.43
-25'	7.03	369.27
N.L.	7.03	369.27
+6'	7.12	369.18
+15'	7.38	368.92
N. Gutter	7.56	368.74
+10'	7.20	369.10
+25'	6.43	369.87
7.35 = 2 nd MH on Rim.		
2	6.21	370.09
+125	6.87	370.23

376.30

+275	5.99	370.31
S. Gutter	5.93	370.37
" cb	5.32	370.98
3+13.5 = E. cb.	3.84	
S. cb.	5.74	370.56
S. Gutter	6.25	370.05
+10'	6.23	370.07
+25'	6.28	370.02
2	6.42	369.88
+12.5	6.67	369.63
+27.5	7.20	369.10
N. Gutter	7.65	368.65
+10' on cb.	7.15	369.15
" " Gutter	7.52	368.78
+19 " "	7.52	368.78
N/2 " " in Drive Way	7.44	368.86
+25' on cb.	7.05	369.25
" " Gutter	7.43	368.87
+50' " cb.	6.87	369.43
" " Gutter	7.29	369.01
3+0.6 Not taken in order but ok.		
N. Gutter	7.62	368.68
+10'	7.40	368.90
+19	7.25	369.05
N/2-	7.16	369.14
+25	7.12	369.18
+50'	7.06	369.24

376.30

49

3+25.5 = 0+00 = E. line 38 th Street.		
N. Top cb.	7.00	369.30
" Gut.	7.62	368.68
+10'	7.28	369.02
+25	6.71	369.59
2	6.47	369.83
+12.5	6.36	369.94
+27.5	6.40	369.90
S. Gutter	6.42	369.88
S. Top cb.	5.87	370.43
0+10		
S. cb.	5.93	370.37
" Gut.	6.52	369.78
+10'	6.48	369.82
+25	6.42	369.88
2	6.41	369.89
+12.5	6.72	369.58
+27.5	7.35	368.95
N. Gutter	7.75	368.55
N Top cb.	7.14	369.16
0+25		
N cb.	7.29	369.01
" Gut.	7.89	368.41
+10'	7.49	368.81
+25'	6.93	369.37
2	6.68	369.62

376.30

+125	6.60	369.70
+275	6.60	369.70
S. Gut.	6.73	369.57
S. Top Ch.	6.09	370.21
0+50		
S. Top Ch.	6.48	369.82
S. Gutter	7.07	369.23
+10'	6.92	369.38
+25	6.82	369.48
⊘	6.90	369.40
+125	7.13	369.17
+275	7.75	368.55
N. Gutter	8.12	368.18
N. Drive Way	8.02	368.28
1+00		
N. Gut. to Drive Way	8.57	367.73
+10	8.23	368.07
+25	7.65	368.65
⊘	7.36	368.94
+125	7.25	369.05
+275	7.35	368.95
S. Gutter	7.55	368.75
S. Top Ch.	6.89	369.41
1+25		
S. Top Ch.	6.98	369.32
S. Gut.	7.62	368.68

376.30

+10'	7.59	368.71
+25	7.49	368.81
⊘	7.49	368.81
+125	7.80	368.50
+275	8.41	367.89
N. Gutter	8.82	367.48
N. Top Ch.	8.28	368.02
1+50		
N. Top Ch.	8.42	367.88
" Gutter	9.03	367.27
+10'	8.65	367.65
+25	8.06	368.24
⊘	7.81	368.49
+125	7.75	368.55
+275	7.82	368.48
S. Gutter	7.89	368.41
S. Top Ch.	7.28	369.02
2+00		
S. Top Ch.	7.75	368.55
" Gutter	8.39	367.91
+10'	8.29	368.01
+25	8.23	368.07
⊘	8.29	368.01
+125	8.48	367.82
+275	9.14	367.16
N. Gutter	9.54	366.76
" Top Ch.	8.93	367.37

50

376.30

S.W. BP
39th
+ 2' on top

TP	5.86	373.66	8.50	367.80
	2+50			
N. Top cb.			6.57	367.09
N. Gutter			7.32	366.34
+10'			6.94	366.72
+25'			6.32	367.34
↳			6.01	367.65
+125			6.07	367.59
+275			6.07	367.59
S. Gutter			6.17	367.49
S. Top cb.			5.52	368.14

2+65.2 = N. line 39th on North.

S. Top cb.	5.71	367.95
S. Gutter	6.40	367.26
+10	6.23	367.43
+25	6.14	367.52
↳	6.17	367.49
+125	6.40	367.26
+275	7.03	366.63
N. Guts	7.33	366.33
N. Top cb.	6.78	366.91

2+75.2 = N. cb 39th Street on North

-50' on cb.	6.63	367.03
" " Gut.	7.19	366.47
-25' on Gut. in Drive & box	7.31	366.35
N. " " " " "	7.29	366.37

373.66

51

N. +6 on Gutter.	7.29	366.37
+15' on cb.	6.79	366.87
" " Gut	7.00	366.36
N. Gut.	7.45	366.21
+10'	7.10	366.56
+25'	6.54	367.12
↳	6.36	367.30
+125	6.23	367.43
+275	6.30	367.36
S. Gutter	6.48	367.18
S. Top cb.		

2+85.2 = N. 1/4 39th on North.

N. Gut.	7.45	366.21
+10'	7.33	366.33
+19'	7.20	366.46
N. Guts	7.12	366.54
+25'	6.96	366.70
+50'	6.93	366.73

2+95.2 = S. 39th Street on North.

-50'	6.73	366.93
-25'	6.85	366.81
N. Guts	6.96	366.70
+6'	7.07	366.59
+15'	7.27	366.39
N. Gutter	7.44	366.22
+10'	7.13	366.53

373.66

N. Gut. +25'	6.62	367.04
2	6.40	367.26
+12.5	6.35	367.31
+27.5	6.51	367.15
S. Gut.	6.64	367.02
2+91.5 = B.C. cb Return 39th Street on North		
S. on cb	5.97	367.69
" " Gut.	6.58	367.08
3+0.1.8 = West. cb Line 39th Street on South		
-50' on cb	5.88	367.78
" " Gut.	6.28	367.38
-25' on cb.	5.91	367.75
" " Gut.	6.31	367.35
S.L. on cb.	5.88	367.78
" " Gut.	6.40	367.26
+10' on cb.	5.83	367.83
" " Gut.	6.41	367.25
S. Gutter.	6.70	366.96
3+0.52 = E. 1/4 39th on North.		
N. Gutter.	7.43	366.23
+10	7.39	366.27
+19	7.29	366.42
N.L.	7.17	366.49
+25	7.02	366.64
+50	6.93	366.73
3+15.2		

373.66

52

-50' on cb	6.91	366.75
" " Gut	7.45	366.21
-25' on cb.	7.01	366.65
" " Gutter.	7.59	366.07
N.L. on cb	7.03	366.63
" " Gut.	7.57	366.15
+6' on Gut	7.50	366.16
+15' on cb.	6.96	366.70
" " Gut.	7.48	366.18
N. Gut.	7.18	366.18
+10'	7.19	366.47
+25'	6.68	366.98
2	6.57	367.09
+12.5	6.55	367.11
+27.5	6.73	366.93
S. Gutter.	6.84	366.82
3+10.2 = 11 1/4 ^{33.5'} Roadway 39th on South.		
S. Gutter.	6.80	366.86
+5'	6.77	366.89
+10	6.56	367.10
S.L.	6.25	367.41
+25'	6.09	367.57
+50'	6.25	367.61
3+18.6 = 2' of 33.5' Roadway on 39th on South		
-50	6.05	367.61
-25	6.04	367.62

373.66

S.L.	6.28	367.38
+10'	6.58	367.08
+15'	6.73	366.93
S. Gutter	6.86	366.80

3+252 = 0+00 = E. line 39th Street on North.

S. Gutter	6.84	366.82
+10'	6.78	366.88
+25	6.58	367.08
∫	6.51	367.15
+125	6.72	366.94
+27.5	7.20	366.46
N. Gutter	7.51	366.15
" top cb.	6.98	366.68
0+00 - 3' - L.M.H. 2' N.E.	6.58	367.08

0+01.7 = E. 1/4 Roadway 39th on South.

S. Gut.	6.83	366.83
+5'	6.83	366.83
+10'	6.70	366.96
S.L.	6.36	367.30
+25'	6.18	367.48
+50	6.25	367.41

0+10 = E. cb. line 39th St. on South.

-50' on Gut. in Drive Way	6.58	367.08
-25' on cb.	6.14	367.52
" " Gutter	6.56	367.10
S.L. on cb.	6.15	367.51
" " Gutter	6.58	367.18

373.66

53

S.L. +10' on cb.	6.10	367.56
" " " Gut.	6.66	367.00
S. Gutter	6.82	366.84
+10'	6.77	366.89
+25'	6.54	367.12
∫	6.55	367.11
+12.5	6.73	366.93
+27.5	7.27	366.39
N. Gutter	7.57	366.09
N. Top cb.	7.03	366.63

0+20 = E.C. cb. Return on South, 39th

N. cb.	7.05	366.61
" Gut.	7.56	366.10
+10	7.29	366.37
+25	6.76	366.90
∫	6.54	367.12
+12.5	6.55	367.11
+27.5	6.78	366.88
S. Gutter	6.88	366.78
S. Top cb.	6.18	367.48

0+50

S. Top cb.	6.35	367.31
" Gut.	7.11	366.55
+10'	6.90	366.76
+25'	6.66	367.00
∫	6.61	367.05

373.66

N. +12.5	6.83	366.83
+27.5	7.30	366.36
N. Gutter	7.61	366.05
N. Top cb.	6.98	366.68
1+00		
N. Top cb.	7.10	366.56
" Gutter	7.68	365.98
+10'	7.35	366.31
+25'	6.91	366.75
ℒ	6.83	366.83
+12.5	6.83	366.83
+27.5	7.13	366.53
S. Gutter.	7.20	366.46
S. Top cb.	6.60	367.06
1+50		
S. Top cb.	6.88	366.78
S. Gutter	7.45	366.21
+10'	7.30	366.36
+25'	7.00	366.66
ℒ	6.89	366.77
+12.5	7.05	366.61
+27.5	7.43	366.23
N. Gutter.	7.76	365.90
N. Top cb.	7.25	366.41
2+00		
N. Top cb.	7.21	366.45
N. Gutter.	7.87	375.79

373.66

54

N. Gutter +10'	7.48	366.18
+25	7.13	366.53
ℒ	7.02	366.64
+12.5	7.17	366.49
+27.5	7.46	366.20
S. Gutter.	7.63	366.03
S. Top cb.	7.17	366.49
2+50		
S. Top cb.	7.43	366.23
S. Gutter	7.69	365.97
+10'	7.69	365.97
+25	7.25	366.41
ℒ	7.05	366.61
+12.5	7.18	366.48
+27.5	7.53	366.13
N. Gutter.	7.99	365.67
N. Top cb.	7.31	366.35
T.P.	5.26	371.65
2+65.5 = N. line 40 th Street	7.27	366.39
N. cb.	5.27	366.38
N. Gutter.	5.90	365.75
+10'	5.60	366.05
+25'	5.22	366.43
ℒ	5.19	366.46
+12.5	5.35	366.30
+27.5	5.68	365.97

371.65

S. Gutter	5.69	365.96
S. top cb.	5.49	366.16
10' East of N.W. 40th = Wcb line on North.		
N. Gutter	5.90	365.75
+10' on cb.	5.24	366.41
" " Gutter	5.88	365.77
+19' " "	5.90	365.75
N.W. on cb.	5.40	366.25
" " Gutter	5.91	365.74
N.W. + 25' on cb.	5.26	366.39
" " Gutter	5.91	365.74
+50' " Gutter in Drive Way	5.78	365.87
14' East of N.W. line of 40th Street = Wcb line on South.		
-50'	5.65	366.00
-25'	5.83	365.82
N.W.	5.82	365.83
+6'	5.84	365.81
+15'	5.86	365.79
N. Gutter	5.91	365.74
+10'	5.76	365.89
+25'	5.29	366.36
↳	5.22	366.43
+12.5	5.38	366.27
+27.5	5.63	366.02
S. Gutter	5.80	365.85
+10' on cb.	5.55	366.10
" " Gutter	6.01	365.64

371.65

55

S.W. on cb.	5.54	366.11
" " Gutter	6.18	365.47
+25' in Drive Way	6.20	365.45
+50' on cb.	5.73	365.92
" " Gutter	6.24	365.41
27' East of N.W. line 40th = N.W. on South.		
-50'	5.87	365.78
-25'	5.83	365.82
S.W.	5.64	366.01
+10	5.50	366.15
S. Gutter	5.48	366.17
+10	5.46	366.19
+25'	5.31	366.34
↳	5.23	366.42
+12.5	5.29	366.36
+27.5	5.86	365.79
N. Gutter	5.95	365.70
+10	5.79	365.86
+19	5.49	366.16
N.W.	5.36	366.29
+10'	5.36	366.29
+25'	5.40	366.25
+50	5.22	366.43
↳ 40th		
-50'	4.96	366.69
-25'	5.01	366.64

371.65

-10'	5.03	366.62
N.L.	5.14	366.51
+6'	5.34	366.31
+15	5.74	365.91
+20	5.92	365.73
N. Gut.	5.98	365.67
+10	5.89	365.76
+25'	5.40	366.25
+35 = S.M.H. on rim,	5.36	366.29
2	5.38	366.27
+12.5	5.39	366.26
+27.5	5.50	366.15
S. Gutter	5.47	366.18
+10'	5.53	366.12
S.L.	5.58	366.07
+25'	5.75	365.90
+30	5.75	365.90
13' East 2		
-50'	5.93	365.72
-25'	5.94	365.71
S.L.	5.82	365.83
+10'	5.83	365.82
S. Gutter	5.83	365.82
+10'	5.86	365.79
+25	5.79	365.86
2	5.72	365.93

371.65

2+125	5.84	365.81
+275	6.01	365.64
N. Gut.	5.97	365.68
+5'	5.90	365.75
+10'	5.71	365.94
+19'	5.35	366.30
N.L.	5.19	366.46
+10'	5.15	366.50
+25'	5.09	366.56
+50	5.08	366.57
26' East 2 40th = Ecb line on South		
-50'	5.40	366.25
-25	5.41	366.24
N.L.	5.49	366.16
+6'	5.52	366.13
+15'	5.71	365.94
+20'	5.87	365.78
N. Gut.	6.03	365.62
+10'	6.08	365.57
+25	6.12	365.53
2	6.07	365.58
+125	6.18	365.47
+275	6.29	365.36
S. Gut.	6.26	365.39
+10' on cb.	5.68	365.97
" " Gut.	6.33	365.32

56

371.65

S. on Ch.	5.83	365.82
" " Gut.	6.44	365.21
+25' on Ch.	6.00	365.65
" " Gut.	6.52	365.13
+50' on Ch.	6.09	365.56
" " Gutter.	6.56	365.09
30' East of 40th = E.C.B. line on North		
S. Gut.	6.25	365.40
+10'	6.25	365.40
+25	6.15	365.50
ℓ	6.07	365.58
+12.5	6.09	365.56
+27.5	6.05	365.60
N. Gut.	5.94	365.71
+5'	5.87	365.78
+10' on Ch.	5.05	366.60
" " Gut.	5.74	365.91
+19' on Gut.	5.63	366.02
N.L. on Ch.	5.00	366.65
" " Gut.	5.57	366.08
+25' on Ch.	5.02	366.63
" " Gut.	5.50	366.15
+50' on Ch.	4.96	366.69
" " Gut.	5.43	366.22
0+00 = East Line 40th Street		
N. Top Ch.	4.98	366.67
N. Gutter	5.83	365.82

371.65

+10	5.99	365.66	57
+25'	5.85	365.80	
ℓ	5.74	365.91	
+12.5	5.94	365.71	
+27.5	6.28	365.37	
S. Gut.	6.27	365.38	
S. Top Ch.	5.76	365.89	
TP 4.83 370.93	5.55	366.10	
0+10			
S. Top Ch.	5.11	365.82	
S. Gutter	5.61	365.32	
+10'	5.45	365.48	
+25	4.93	366.00	
ℓ	4.78	366.15	
+12.5	4.78	366.15	
+27.5	5.06	365.87	
N. Gutter	5.14	365.79	
N. Top Ch.	4.47	366.51	
0+25			
N. Top Ch.	4.45	366.48	
N. Gutter	5.15	365.78	
+10'	5.10	365.83	
+25'	4.78	366.15	
ℓ	4.82	366.11	
+12.5	5.00	365.93	
+27.5	5.43	365.50	

370.93

S. Gutter	5.72	365.21
S. Top Cb	5.17	365.76
0+50		
S. Top Cb	5.24	365.69
S. Gutter	5.84	365.09
+10	5.55	365.38
+25	5.43	365.80
L	4.97	365.96
+12.5	4.94	365.99
+27.5	5.29	365.64
N. Gutter	5.40	365.53
N. Top Cb	4.75	366.18
0+68		
N. Top Cb	4.78	366.15
" Gutter	5.45	365.48
+10	5.36	365.57
+25	5.00	365.93
L	5.02	365.91
+12.5	5.21	365.72
+27.5	5.63	365.30
S. Gutter	5.94	364.99
S. Top Cb	5.23	365.60
0+80		
S. Top Cb	5.46	365.47
S. Gutter	6.06	364.87
+10	5.69	365.24

370.93

58

+25	5.22	365.71
L	5.13	365.80
+12.5	5.07	365.86
+27.5	5.43	365.50
N. Gutter	5.52	365.41
N. Top Cb	4.83	366.10
1+00		
N. top cb	4.91	366.02
" Gutter	5.48	365.45
+10	5.50	365.43
+25	5.16	365.77
L	5.21	365.72
+12.5	5.36	365.57
+27.5	5.74	365.19
S. Gutter	6.12	364.81
S. Top Cb	5.51	365.42
1+23 = RC. Alley Return on South		
S. top Cb	5.61	365.32
" Gutter	6.19	364.74
1+25.4 = W cb. Alley on South		
S. Gutter	6.19	364.74
+17' on Cb	5.45	365.48
" " Gutter	5.84	365.09
+13' on Cb	5.37	365.56
+13' " Gutter	5.55	365.38
+17' on Gutter	5.46	365.47

37093

S.L. on cb.	5.30	365.63
" "Gut.	5.48	365.45
T.P.	5.00	369.74
1+32.9 = E. Alley on North + South	6.19	364.74
S.L.	4.54	365.20
+7	4.70	365.04
+13	4.87	364.87
S Gut.	5.01	364.73
+10'	4.79	364.95
+25'	4.33	365.41
L	4.10	365.64
+12.5	4.06	365.68
+27.5	4.29	365.45
N. Gutter.	4.51	365.23
+5'	4.42	365.32
+10	4.26	365.48
+15	4.07	365.67
+21	3.92	365.82
N.L.	3.99	365.75
1+23 = B.C. Alley Return on North		
N cb.	3.79	365.95
" Gut.	4.87	365.37
1+25.4 = Y.L. Alley on North		
N. Gut.	4.42	365.32
+10' on cb	3.65	366.09
" "Gut.	3.86	365.88

369.74

59

+15 on top cb.	3.51	366.29
" "Gut.	3.70	366.04
N.L. on cb.	3.38	366.36
" "Gutter.	3.47	366.27
1+40.4 E. cb. Alley on North		
N.L. on cb.	3.55	366.19
" "Gutter.	3.69	366.05
+5' on cb.	3.60	366.14
" "Gut.	3.80	365.94
+10' "cb.	3.70	366.04
" "Gut.	3.98	365.76
N. Gut.	4.50	365.24
1+42.3 E.C. cb. Returns on North + South		
N Gut	3.81	365.93
N top cb.	4.45	365.29
S. Gut.	5.01	364.73
S. top cb.	4.55	365.19
1+40.3 = E. cb. Line Alley on South		
S.L. on cb.	4.24	365.50
" "Gut.	4.40	365.34
+7' on cb.	4.37	365.37
+7' "Gut.	4.52	365.22
+13' "cb.	4.45	365.29
" "Gut.	4.75	364.99
S Gut.	4.99	364.75
1+50		

369.74

S. cb.	1+50	4.54	365.20
" Gutter.		5.05	364.69
+10'		4.85	364.89
+25'		4.33	365.41
$\frac{1}{2}$		4.10	365.64
+125		4.12	365.62
+275		4.31	365.43
N. Gutter.		4.55	365.19
N. Top cb.		3.86	365.88
	2+00		
x. top cb.		4.15	365.59
" Gutter		4.73	365.01
+10'		4.51	365.23
+25		4.39	365.35
$\frac{1}{2}$		4.43	365.31
+125		4.61	365.13
+275		5.01	364.73
S. Gutter		5.25	364.49
S Top cb.		4.81	364.93
	2+50		
S. Top cb.		5.03	364.71
S. Gutter.		5.36	364.38
+10'		5.17	364.57
+25'		4.80	364.94
$\frac{1}{2}$		4.64	365.10
+125		4.51	365.23

369.74

+275	4.87	364.87	
N. Gut	4.95	364.79	
N. top cb.	4.35	365.39	12' cbs.
	Z+65.5 = White Central Ave		9' 1/4s.
N top cb.	4.41	365.33	
N. Gut.	5.03	364.71	
+10	4.85	364.89	
+25	4.67	365.07	
$\frac{1}{2}$	4.63	365.11	
+125	4.80	364.94	
+275	5.22	364.52	
S. Gut.	5.39	364.35	
S top cb.	5.06	364.68	
	M cb Line		
-50 on cb.	5.14	364.60	
" " Gut	5.81	363.93	
-25" cb.	5.04	364.70	
" " Gut.	5.68	364.06	
S. on cb.	5.01	364.73	
" " Gut.	5.62	364.12	
+10' on cb.	5.05	364.69	
" " Gutter.	5.46	364.28	
S. Gut.	5.36	364.38	
+10	5.17	364.57	
+25	4.83	364.91	
$\frac{1}{2}$	4.77	364.97	

60

369.74

L			
+125	469	365.05	
+275	496	364.78	
N. Gut.	512	364.62	
+10' on cb.	442	365.32	
" " Gut.	495	364.79	
+19' " "	506	364.68	
N.L. on cb.	441	365.33	
" " Gut.	496	364.78	
+25' on cb.	448	365.26	
" " Gut.	501	364.73	
+50' on cb.	443	365.31	
" " Gut.	484	364.90	
			W 1/4
-50'	462	365.12	
-25	470	365.04	
N.L.-5	473	365.01	
N.L.	475	364.99	
+6	484	364.90	
+15	498	364.76	
N. Gutter.	515	364.59	
+10	500	364.74	
+25	471	365.03	
L	470	365.04	
+125	486	364.88	
+275	508	364.66	
S. Gutter.	517	364.57	

369.74

+10'	529	364.45	
S.L.	531	364.43	
+25'	537	364.37	
+50	545	364.29	
			L
-50'	526	364.48	
-25'	522	364.52	
S.L.	522	364.52	
+10'	518	364.56	
S. Gutter.	514	364.60	
+10	508	364.66	
+25'	490	364.84	
L	475	364.99	
+125	478	364.96	
+275	502	364.72	
N. Gutter.	515	364.59	
+10	498	364.76	
+19	484	364.90	
N.L.	469	365.05	
+5	462	365.12	
+25'	455	365.19	
+50	444	365.30	
			E. 1/4 Central
-50'	457	365.17	
-25'	474	365.00	
-5	480	364.94	

61

369.74

+25	4.91	364.83
L	4.79	364.95
+125	4.81	364.93
+275	5.12	364.62
N. Gut.	5.28	364.46
N. Top cb.	4.57	365.17
0+25		
N top cb	4.57	365.17
" Gut.	5.24	364.50
+10'	5.17	364.57
+25'	4.85	364.89
L	4.89	364.85
+125	4.93	364.81
+275	5.30	364.44
S. Gutter in Drive Way	5.59	364.15
0+50		
S. Top cb.	5.12	364.62
S. Gutter.	5.50	364.24
+10	5.32	364.42
+25	4.94	364.80
L	4.91	364.83
+125	4.89	364.85
+275	5.23	364.51
N. Gutter.	5.44	364.30
N. top cb.	4.62	365.12

1+00

369.74

N. Gut. in Drive Way	5.41	364.33
+10'	5.25	364.49
+25	4.95	364.79
L	4.90	364.84
+125	5.00	364.74
+275	5.35	364.39
S. Gutter in Drive Way	5.59	364.15
1+23.5 = B.C.'s Alley Returns		
S. top cb.	5.22	364.52
S Gut.	5.61	364.13
N. Gut.	5.43	364.31
N top cb.	4.71	365.03
1+253 = W. cb. Line Alley on North and South.		
N. on cb.	4.37	365.37
" " Gut.	4.50	365.24
+10' on cb.	4.47	365.27
" " Gutter.	4.82	364.92
+15' on cb.	4.55	365.19
" " Gut.	4.94	364.80
N. Gut.	5.43	364.31
S. Gut.	5.60	364.14
+7' on cb.	5.05	364.69
" " Gut.	5.27	364.47
+13' on cb.	4.93	364.81
" " Gut.	5.10	364.64
S. on cb.	4.81	364.93
" " Gut.	4.93	364.81

63

369.74

1+32.8 = E. Alley curbs on North + South

S. ls.	5.15	364.59
+4'	5.22	364.52
+7'	5.30	364.44
+13'	5.46	364.28
S. Gutter	5.64	364.10
+10'	5.38	364.36
+25'	5.09	364.65
E.	4.96	364.78
+125'	5.01	364.73
+275'	5.39	364.35
N. Gut.	5.46	364.28
+10'	5.29	364.45
+15'	5.15	364.59
N. ls.	4.92	364.82

1+40.3 = E. cb. Lane Alley on North + South

N. ls. on cb.	4.51	365.23
" " Gut.	4.69	365.05
+10' on cb.	4.58	365.16
" " Gut.	4.84	364.90
+15' on cb.	4.62	365.12
" " Gutter.	5.01	364.73
N. Gut.	5.40	364.34
S. Gut.	5.61	364.13
+7' on cb.	5.06	364.68
" " Gutter.	5.33	364.41

369.74

64

+13' on cb.	4.93	364.81
" " Gut.	5.13	364.61
S. ls. on cb.	4.87	364.87
" " Gut.	5.02	364.72

1+42.0 = E. G. Alley Returns on North

N. Top cb.	4.80	364.94
N. Top Gutter.	5.45	364.29

1+42.3 = E. G. Alley Return on South.

^{1+42.2} S. top cb.	5.19	364.55
^{1+42.3} S. top cb.	5.29	364.45
S. Gutter.	5.62	364.12

1+50

S. top cb.	5.28	364.46
S. Gutter.	5.62	364.12
+10'	5.38	364.36
+25'	5.10	364.64
E.	4.96	364.78
+125'	5.08	364.66
+275'	5.35	364.39
N. Gutter.	5.41	364.33
N. top cb.	4.81	364.93

1+85

N. Gut. in Drive Way	5.41	364.33
+10'	5.40	364.34
+25'	5.06	364.68
E.	5.05	364.69

369.74

±125'		5.12	364.62	
T.P.	4.73	369.68	4.79	364.95
+275'		5.37	364.31	
S. Gutter		5.58	364.10	
S. top b		5.17	364.51	
	Z+00			
S. Top b		5.17	364.51	
S. Gut.		5.65	364.03	
+10'		5.42	364.26	
+25'		5.13	364.55	
L		5.05	364.63	
+125'		5.06	364.62	
+275'		5.28	364.40	
N. Gutter		5.45	364.23	
N. top b		4.83	364.85	
	Z+12			
N. top b		4.83	364.85	
N. Gut.		5.44	364.24	
+10'		5.29	364.39	
+25'		5.25	364.63	
L		5.00	364.68	
+125'		5.15	364.53	
+275'		5.36	364.32	
S. Gutter		5.69	363.99	
S. top b		5.14	364.54	

Z+25

369.68

S. top b		5.21	364.47
S. Gutter		5.71	363.97
+10'		5.38	364.30
+25'		5.14	364.54
L		5.10	364.58
+125'		5.10	364.58
+275'		5.25	364.43
N. Gutter		5.44	364.24
N. top b		4.92	364.76
	Z+50		
N. Gutter in Drive		5.47	364.21
+10'		5.33	364.35
+25'		5.13	364.55
L		5.23	364.45
+125'		5.19	364.49
+275'		5.39	364.29
S. Gut.		5.61	364.07
S. top b		5.21	364.47
	Z+58		
S. Top b		5.19	364.49
S. Gutter		5.73	363.95
+10'		5.46	364.22
+25'		5.23	364.45
L		5.28	364.40
+125'		5.22	364.46
+275'		5.42	364.26

65

369.68

N. Gutter in Drive	5.49	364.19	6' st.
2 + 65.5 = 1/2 line 41st Street			10' cbs. North 12' cbs. South
N. top cb	5.01	364.67	
N. Gutter	5.53	364.15	
+10'	5.49	364.19	
+25'	5.38	364.30	
2	5.34	364.34	
+12.5'	5.40	364.28	
+27.5'	5.57	364.11	
S. Gutter	5.67	364.01	
S. top cb	5.13	364.55	
2 + 75.5 = W. cb. 41st St on North			
N. S. Gutter	5.52	364.16	
+10' on cb	4.97	364.71	
" " Gutter	5.44	364.24	
+19' "	5.38	364.30	
N. L. on Gutter in Drive	5.35	364.33	
+25' on cb	4.95	364.73	
" " Gutter	5.26	364.42	
+50' on cb	4.89	364.79	
" " Gutter	5.22	364.46	
2 + 77.5 = W. cb. 41st Street on South			
-50'	5.16	364.52	
-25'	5.25	364.43	
N. L.	5.33	364.35	
+6'	5.34	364.34	

369.68

66

+15'	5.43	364.25
N. Gutter	5.51	364.17
+10'	5.54	364.14
+25'	5.53	364.15
2	5.57	364.11
+12.5'	5.59	364.09
+27.5'	5.60	364.08
S. Gutter	5.61	364.07
+10' on cb	5.13	364.55
" " Gutter	5.72	363.96
S. L. on cb	5.20	364.48
" " Gutter	5.82	363.86
+25' on cb	5.26	364.42
" " Gutter	6.08	363.60
+50' on cb	5.35	364.33
" " Gutter	6.11	363.57
9' East of West cb line = 1/4 on South		
-50'	5.67	364.01
-25'	5.55	364.13
S. Line	5.42	364.26
+10'	5.40	364.28
S. Gutter	5.37	364.31
+10'	5.44	364.24
+25'	5.36	364.32
2	5.41	364.27
+12.5'	5.41	364.27

+27.5	5.47	364.21
N. Gutter	5.51	364.17
+10'	5.32	364.36
+19'	5.19	364.49
N.L.	5.12	364.56
+25'	5.07	364.61
+50'	5.06	364.62
E 41st Street		
-50'	4.87	364.81
-25'	4.96	364.72
N.L.	4.89	364.79
+6	4.95	364.73
+15	5.22	364.46
N. Gutter	5.50	364.18
+10'	5.45	364.23
+25'	5.17	364.51
E	5.12	364.56
+12.5	5.15	364.53
+27.5	5.26	364.42
S. Gutter	5.27	364.41
+10'	5.32	364.36
S.L.	5.26	364.42
+15'	5.47	364.21
+50	5.51	364.17
9' East of E		
-50'	5.62	364.06
-25'	5.56	364.12

S.L.	5.44	364.24
+10'	5.36	364.32
S. Gut.	5.28	364.40
+10'	5.22	364.46
+25	5.10	364.58
E	5.04	364.64
+12.5	5.05	364.63
+27.5	5.34	364.34
N. Gutter	5.45	364.23
+10	5.13	364.55
+19	4.97	364.71
N.L.	4.93	364.75
+25'	4.80	364.88
+50	4.71	364.97
East ab. on South		
-50	4.82	364.86
-25	4.90	364.78
N.L.	5.04	364.64
+6'	5.07	364.61
+15'	5.21	364.47
N. Gutter	5.36	364.32
+10'	5.29	364.39
+25	5.03	364.65
E	4.90	364.78
+12.5	5.06	364.62
+27.5	5.26	364.42

369.68

S. Gutter	5.39	364.29
+10' on cb.	5.15	364.53
" " Gutter.	5.57	364.11
S. on cb.	5.17	364.51
" " Gutter.	5.73	363.95
+50' on cb.	5.35	364.33
" " Gutter.	5.99	363.69
East cb. line 41st St. on North.		
N. Gutter.	5.38	364.30
+10' on cb.	4.78	364.90
" " Gut.	5.24	364.44
+19" "	5.13	364.55
N. on cb.	4.61	365.07
" " Gut.	5.11	364.57
+25' on cb.	4.49	365.19
" " Gut.	4.97	364.71
+50' on cb.	4.35	365.33
" " Gut.	4.88	364.80
0+00 = East line 41st Street		
N. top cb.	4.83	364.85
" Gut.	5.29	364.39
+10'	5.20	364.48
+25'	4.90	364.78
ℓ	4.87	364.81
+12.5	5.07	364.61
+27.5	5.33	364.35

369.68

68

S. Gutter	5.47	364.21
S. top cb.	5.03	364.65
0+12		
S. top cb.	5.01	364.67
S. Gut.	5.47	364.21
+10	5.23	364.45
+25'	5.0	364.67
ℓ	4.92	364.76
+12.5	4.77	364.91
+27.5	5.12	364.56
N. Gutter.	5.26	364.42
N. top cb.	4.77	364.91
0+25		
N top cb.	4.73	364.95
" Gut.	5.22	364.46
+10	5.04	364.64
+25'	4.78	364.90
ℓ	4.96	364.72
+12.5	4.98	364.70
+27.5	5.17	364.51
S. Gutter.	5.44	364.24
S. top cb.	4.99	364.69
0+50		
S. cb.	4.96	364.72
" Gut.	5.43	364.25
+10	5.12	364.56

+25	4.97	364.71
∫	4.83	364.85
+12.5	4.71	364.97
+16.	4.71	364.97
+27.5	5.02	364.66
N. Gutter	5.25	364.43
N. top cb.	4.70	364.98
chk. SW. BP. 41 St. 1.5 Canyon.	5.145	364.535 ✓
1700		
N. top cb.	4.58	365.10
" Gut.	5.24	364.44
+10'	4.97	364.71
+25'	4.63	365.05
∫	4.71	364.97
+12.5	4.85	364.83
+16.5	4.85	364.83
+27.5	5.08	364.60
J. Gutter	5.32	364.36
S. top cb.	4.85	364.83
1+23.5 = B.G. Alley Return on South.		
J. top cb.	4.77	364.91
S. Gutter	5.23	364.45
1+25.3 = W cb. Alley on South.		
Sta on cb.	4.55	365.13
" " Gut.	4.69	364.99
+7' on cb.	4.63	365.05
" " Gut.	4.81	364.87

+13' on cb.	4.72	364.96
" " Gut.	4.97	364.71
S. Gut.	5.22	364.46
1+23.2 = B.G. Alley Return on North.		
H. top cb.	4.50	365.18
N. Gutter	5.09	364.59
1+25.1 = W cb Alley on North.		
N. Gut.	5.07	364.61
+10' on cb.	4.27	365.41
" " Gut.	4.54	365.14
+15' on cb.	4.17	365.51
" " Gut.	4.37	365.31
N.L. on cb.	4.01	365.67
" " Gutter	4.14	365.54
1+32.7 = B Alley		
H.L.	4.37	365.31
+5'	4.40	365.28
+10'	4.58	365.10
+15'	4.77	364.91
N. Gutter	5.07	364.61
+10	4.90	364.78
+25'	4.61	365.07
∫	4.67	365.01
+12.5	4.80	364.88
+17.5	4.77	364.91
+27.5	5.03	364.65

369.68

S. Gut.	520	364.48
+7	523	364.45
+13	5.03	364.65
+18	4.99	364.69
S. Line	492	364.76
1+40' = Ecb. Alley on South		
S. Line on cb.	452	365.16
" " Gut.	465	365.03
+7' on cb.	459	365.09
" " Gut.	478	364.90
+13' on cb.	467	365.01
" " Gut.	493	364.65
S. Gutter.	519	364.49
1+42.3 = E.C. Alley Return on South		
J. cb.	472	364.96
" Gutter.	519	364.49
1+40' = Ecb. Line Alley		
Gut	500	364.68
+10' on cb.	418	365.50
" " Gut.	445	365.23
+15' on cb.	407	365.61
" " Gut	432	365.36
N. 20' on cb.	391	365.77
" " Gut.	410	365.58
1+42.4 = E.C. Alley Return on North		
N top cb.	432	365.36
" Gutter	498	364.70

369.68

70

1+50		
N. Gutter.	4.95	364.73
+10'	4.85	364.83
+25	4.59	365.09
E.	4.60	365.08
+12.5	4.73	364.95
+27.5	4.97	364.71
S. Gutter	5.21	364.47
S. top cb.	4.68	365.00
2+00		
S. top cb.	4.66	365.02
S. Gutter.	5.15	364.53
+10'	4.85	364.83
+25'	4.59	365.09
E.	4.47	365.21
+12.5	4.47	365.21
+27.5	4.69	364.99
N. Gutter.	4.86	364.82
N. top cb.	4.11	365.57
T.P. 4.96 370.26	4.38	365.30
2+50		
N Top cb.	4.55	365.71
" Gutter.	5.35	364.91
+10'	5.17	365.09
+25	4.92	365.34
E.	4.93	365.33

S.W. 8 P
Mortborough
4 E1 Cojon

370.26

S. +125	4.99	365.27
+275	5.30	364.96
S. Gutter.	5.58	364.68
S. Top cb.	5.07	365.19
2 + 65' - <i>W. Pine Marlborough</i> 10' cbs. / 10' 1/4 s.		
S. Top cb.	4.95	365.31
" Gutter.	5.50	364.76
+10'	5.28	364.98
+25'	4.97	365.29
S.	4.82	365.44
+125	4.94	365.32
+275	5.10	365.16
N. Gutter	5.29	364.97
N cb.	4.47	365.79
<i>W cb.</i>		
-50' on cb.	4.45	365.81
" " Gutter.	5.11	365.15
-25' on cb.	4.51	365.75
" " Gutter.	5.17	365.09
N 1/2 on cb.	4.53	365.73
" " Gut.	5.16	365.10
+6' on Gut.	5.12	365.14
+15' on cb.	4.45	365.81
" " Gut.	5.08	365.18
N. Gutter.	5.20	365.06
+10	5.01	365.25

370.26

71

+25	4.88	365.38
S.	4.87	365.39
+125	4.99	365.27
+275	5.21	365.05
S. Gut.	5.42	364.84
+10' on cb.	5.00	365.26
" " Gutter.	5.53	364.73
S. 1/2 on cb.	4.97	365.29
" " Gut.	5.65	364.61
+25' on cb.	5.17	365.09
" " Gut.	5.78	364.48
+50' on cb.	5.23	365.03
" " Gut.	5.91	364.35
<i>W 1/4</i>		
-50	5.45	364.81
-25'	5.44	364.82
S. 1/2.	5.41	364.85
+10	5.35	364.91
S. Gutter.	5.26	365.00
+10'	5.18	365.08
+25'	5.04	365.22
S.	4.91	365.35
+12.5	4.92	365.34
+27.5	4.94	365.32
N. Gut.	4.96	365.30
+10	4.96	365.30

370.26

+19	4.90	365.36
N.L.	4.83	365.43
+25	4.88	365.38
+50	4.87	365.39
<i>E. Marlborough Street.</i>		
-50	4.79	365.47
-25'	4.73	365.53
N.L.	4.79	365.47
+6	4.84	365.42
+15	4.83	365.43
N. Gut.	4.87	365.39
+10'	4.96	365.30
+25'	4.95	365.31
L.	4.99	365.27
+12.5	5.06	365.20
+27.5	5.19	365.07
S. Gut.	5.25	365.01
+10	5.30	364.96
S.L.	5.31	364.95
+25'	5.30	364.96
+50	5.33	364.93
<i>E. 1/4</i>		
-50	5.60	364.66
-25	5.52	364.74
S.L.	5.56	364.70
+10'	5.53	364.73

370.26

72

S. Gut.	5.48	364.78
+10	5.32	364.94
+25'	5.18	365.08
L.	5.05	365.21
+12.5	5.00	365.26
+27.5	5.04	365.22
N. Gut.	5.04	365.22
+10'	4.96	365.30
+19'	5.02	365.24
N.L.	4.96	365.30
+10'	5.08	365.18
+25'	5.02	365.24
+50'	4.97	365.29
<i>E. 6. Line Marlborough St.</i>		
-50' on cb.	4.94	365.32
" " Gut.	5.23	364.83
-25' on cb.	4.95	365.31
" " Gut.	5.52	364.74
N.L. on cb.	4.84	365.42
" " Gut.	5.54	364.72
+6' on Gut.	5.49	364.77
+15' on cb.	4.69	365.57
" " Gut.	5.55	364.71
N. Gutter.	5.38	364.88
+10'	5.14	365.12
+25'	5.01	365.25

370.26

Σ	5.03	365.23
+125	5.17	365.09
+275	5.49	364.77
S. Gutter	5.73	364.53
+10' on cb	5.23	365.03
" " Gutt	5.84	364.42
S. L. on cb	5.27	364.99
" " Gutt	5.90	364.36
+25' on cb	5.32	364.94
" " Gutt	5.96	364.30
+50' on cb	5.46	364.80
" " Gutter	6.11	364.15

0+00 = East line Marlborough Street

S. top cb	5.30	364.96
" Gutt.	5.83	364.43
+10	5.61	364.65
+25	5.24	365.02
Σ	5.05	365.21
+125	5.07	365.19
+275	5.28	364.98
N. Gutter	5.55	364.71
N. top cb	4.80	365.46

0+11

N. top cb	4.86	365.40
N. Gutter	5.62	364.64
+10	5.42	364.84

370.26

+25	5.05	365.21
Σ	5.04	365.22
+125	5.22	365.04
+275	5.57	364.69
S. Gutter	5.84	364.42
S. top cb	5.35	364.91

0+25

S. top cb	5.43	364.83
" Gutt.	5.90	364.36
+10	5.60	364.66
+25	5.26	365.00
Σ	5.17	365.09

+125	5.10	365.16
+275	5.46	364.80
N. Gutt.	5.73	364.53
N. top cb	4.96	365.30

0+50

N. top cb	5.03	365.23
N. Gutter	5.85	364.41
+10	5.54	364.72
+25	5.19	365.07
Σ	5.23	365.03
+125	5.30	364.96
+275	5.64	364.62
S. Gutter	5.96	364.30
" top cb	5.43	364.83

73

370.26

	1700		
S. top cb.	5.54	364.72	
" Gutter	6.05	364.21	
+10'	5.83	364.43	
+25'	5.50	364.76	
do	5.38	364.88	
+125'	5.38	364.88	
+275'	5.65	364.61	
N. Gut.	5.97	364.29	
N. top cb.	5.20	365.06	
	1+22.6 = B.C. Alley Return on North.		
N top cb.	5.14	365.12	
" Gutter	5.90	364.36	
	1+25.3 = W. cb. Lane Alley on North.		
N.L. on cb.	5.05	365.21	
" " Gut	5.19	365.07	
+10' on cb.	5.08	365.18	
" " Gutter	5.24	365.02	
+15' on cb.	5.08	365.18	
" " Gut.	5.33	364.93	
N. Gut.	5.95	364.31	
	1+23.5 = B.C. Alley Return on South.		
S. top cb.	5.57	364.69	
" Gutter.	6.07	364.19	
	1+25.5 = W. cb. Alley on South.		
S. Gut.	6.09	364.17	

370.26

+ 7' on cb.	5.41	364.85	
" " Gut.	5.66	364.60	
+ 13' on cb.	5.37	364.89	
" " Gut.	5.53	364.73	
S.L. on cb.	5.30	364.96	
" " Gut.	5.46	364.80	
	1+32.8 = E. Alley obs. on North.		
	1+33.2 = E. Alley obs. on South.		
S.L.	5.67	364.59	
+1	5.74	364.52	
+7'	5.80	364.46	
+13'	5.95	364.31	
S. Gut.	6.10	364.16	
+10	6.03	364.23	
+25	5.61	364.65	
do	5.45	364.81	
+125	5.45	364.81	
+275	5.76	364.50	
N. Gut.	6.05	364.21	
+5	5.99	364.27	
+10'	5.79	364.47	
+15'	5.62	364.64	
+22	5.50	364.76	
N.L.	5.31	364.95	
	1+40.3 = E. cb. Lane Alley on North.		
	1+40.4 = E. cb. Lane Alley on South.		
N.L. on cb.	4.97	365.29	
" " Gutter.	5.13	365.13	

74

370.26

+10' on cb	5.14	365.12
" " Gut.	5.26	364.90
+15' on cb	5.22	365.04
" " Gut.	5.47	364.79
N. Gut.	5.98	364.28
S. Gut.	6.13	364.13
+7' on cb	5.56	364.70
" " Gut.	5.82	364.44
+13' on cb	5.48	364.78
" " Gut.	5.64	364.62
S.L. on cb.	5.41	364.85
" " Gut.	5.55	364.71

1+42.3 E.C. Returns on North & South ^{11 days}

S. top cb.	5.64	364.62
S. Gutter.	6.15	364.11
N. Gutter	6.04	364.22
N top cb.	5.34	364.92

1+50

S. top cb.	5.64	364.62
" Gut.	6.14	364.12
+10	6.05	364.21
+25	5.63	364.63
Σ	5.53	364.73
+125	5.50	364.76
+275	5.75	364.51
N. Gut.	6.05	364.21
N. top cb.	5.35	364.91

370.26

75

2+00

N. top cb.	5.53	364.73
" Gutter.	6.26	364.00
+10'	5.95	364.31
+25'	5.61	364.65
Σ	5.55	364.71
+125	5.84	364.62
+275	6.12	364.14
S. Gutter.	6.15	364.11
S. top cb.	5.61	364.65

2+50

S. top cb.	5.90	364.36
S. Gutter.	6.23	364.03
+10'	6.27	363.99
+25	5.90	364.36
Σ	5.83	364.43
+125	5.79	364.47
+275	6.15	364.11
N. Gutter.	6.25	364.01
N. top cb.	5.63	364.63

2+62

N top cb.	5.70	364.56
" Gutter	6.37	363.89
+10	6.15	364.11
+25'	5.77	364.49
Σ	5.68	364.58

370.26

+125'		5.90	364.36
+27.5'		6.30	363.96
S. Gutter. -19'		6.33	363.93
S. Gutter.		6.11	364.15
S. top cb.		5.89	364.37
T.P.	4.64 369.11	5.79	364.47
Z+65.6 = W. line 42 nd Street on North			
N. top cb.		4.60	364.51
N. Gutter		5.20	363.91
Z+70.5 = B.C. cb Return on North.			
N. top cb.		4.58	364.53
N. Gut.		5.17	363.94
Z+75.6 = W. line 42 nd St. on South ^{10' cb's} _{on south}			
S. top cb.		4.67	364.44
" Gut.		5.18	363.93
+10'		5.12	363.99
+25'		4.81	364.30
∫		4.65	364.46
+125		4.81	364.30
+275		5.14	363.97
N. Gut.		5.18	363.93
Z+80.6 = W. cb. 42 nd on North.			
N. Gut.		5.26	363.85
+10' on cb.		4.49	364.62
" "Gut.		5.11	364.00
+19' on Gut.		5.20	363.91

369.11

76

N. line on cb		4.57	364.54
" "Gut.		5.17	363.94
+25' on cb.		4.58	364.53
" "Gut.		5.14	363.97
+50' "cb.		4.46	364.65
" "Gut.		5.14	363.97
Z+85.6 = W. cb. line 42 nd St. on South.			
-50'		4.94	364.17
-25'		4.94	364.17
N. line.		5.03	364.08
+6'		5.08	364.03
+15'		5.15	363.96
N. Gutter.		5.35	363.76
+10'		5.22	363.89
+25'		4.81	364.30
∫		4.75	364.36
+125		4.80	364.31
+275		5.01	364.10
+305		5.07	364.04
S. Gut.		5.31	363.80
+8' on Gut.		4.99	364.12
+10' on cb.		4.64	364.47
" "Gut.		5.00	364.11
S. L. on Gut. in Drive		5.05	364.06
+25' " " "		5.21	363.90
+50' on cb.		4.79	364.32
" "Gut.		5.20	363.91

369.11

2 + 95.6 = N¹/₄ 42nd Street on South

-50'	4.92	364.19
-25'	4.91	364.20
S. Line	4.83	364.28
+10'	5.05	364.06
+12	5.05	364.06
S. Gut.	5.33	363.78
+7'	5.05	364.06
+10'	5.00	364.11
+25'	4.86	364.25
℄	4.90	364.21
+12.5	4.97	364.14
+27.5	5.38	363.73
N. Gut.	5.50	363.61
+10	5.30	363.81
+19'	5.12	363.99
N.L.	5.00	364.11
+25'	4.72	364.39
+50'	4.70	364.41
℄ 42 nd Street		
-50	4.63	364.48
-25	4.63	364.48
N.L.	4.92	364.19
+6	5.06	364.05
+15	5.34	363.77
N. Gutter	5.54	363.57
+10	5.45	363.66

369.11

77

+25'	5.07	364.04
℄	4.92	364.19
+12.5	4.88	364.23
+27.5	4.92	364.19
+30.5	4.97	364.14
S. Gut.	5.35	363.76
+8'	4.94	364.17
+10'	4.93	364.18
S. Line	4.69	364.42
+25'	4.77	364.34
+50	4.78	364.33
10' East ℄		
-50'	4.92	364.19
-25'	4.88	364.23
S.L.	4.85	364.26
+10'	5.07	364.04
+12'	5.08	364.03
S. Gutter	5.40	363.71
+7'	5.09	364.02
+10'	5.07	364.04
+25	4.95	364.16
℄	4.88	364.23
+12.5	5.02	364.09
+27.5	5.50	363.61
N. Gut.	5.50	363.61
+10	5.44	363.67

369.11

+19	5.22	363.89
N.L.	5.12	363.99
+25'	4.85	364.26
+50'	4.75	364.36
East cb line 42 nd on South		
-50	5.35	363.76
-25	5.30	363.81
N.L.	5.31	363.80
+6	5.42	363.69
+15	5.50	363.61
N.Gut.	5.60	363.51
+10'	5.53	363.58
+25	5.06	364.05
L	4.94	364.17
+12.5'	4.97	364.14
+27.5	5.15	363.96
+32.5	5.30	363.81
S.Gutter.	5.46	363.65
+8' on gutter	5.38	363.83
+10' on cb.	4.76	364.35
" " Gut.	5.25	363.86
S.L. on cb.	4.85	364.26
" " " Gut.	5.27	363.84
+25' on cb.	4.90	364.21
" " Gutter.	5.28	363.83
+50' on cb.	4.95	364.16
" " Gutter.	5.33	363.78

369.11

East cb. Line 42nd on North

78

N. Gutter.	5.64	363.47
+10' on cb.	4.89	364.22
" " Gut.	5.64	363.47
+19' on gutter.	5.63	363.48
N.L. on cb.	5.02	364.09
" " Gut.	5.62	363.49
+25' on cb.	5.09	364.02
" " Gut.	5.62	363.49
+50' on cb.	5.03	364.08
" " Gut.	5.64	363.47

0700 = East Line 42nd Ft. on South.

N. Gut.	5.68	363.43
+10'	5.53	363.58
+25'	5.11	364.00
L	5.02	364.09
+12.5	5.10	364.01
+27.5	5.37	363.74
S. Gutter.	5.54	363.57
S. top cb.	5.00	364.11
check on S.W. BP	4.64	364.47

42nd and
E/Cajon

Finished - 11-23-33

Cross Sections Continued
in Field Book 1477

Bench Marks on E/Cajon Arc Page 79

Walker
Bliss
MS Only
11-17-83

"BENCH MARKS"
ON EL CAJON AVENUE

Copied from field Book 1474

		Elevations
NE. BP	El Cajon And Idaho	377.24
NE. Top Hpt.	" " Utah	373.23
NE. B.P.	" " Kansas	367.86
" " "	" " 30th	364.17
SE. " "	" " Ohio	363.14
SE. " "	" " Illinois	362.52
SE. " "	" " Iowa	372.92
NE. " "	" " Boundary	377.91
NW. " "	" " Bancroft.	373.60
SW. " "	" " 33rd St.	374.35
SW. " "	" " Felton	375.805
SW. " "	" " 34th	378.91
SW. " "	" " Swift	379.405
SW. " "	" " 35th	380.98
SW. " "	" " Wilson	380.30
SW. " "	" " 36th	378.05
SW. " "	" " Cherokee	376.29
SW. " "	" " 37th	373.57
NE. " "	" " Mt. Clinton	372.91
NE. " "	" " 38th	369.265
SW. " "	" " 39th	367.80
SW. " "	" " 40th	366.10
SW. " "	" " Central	364.745
SW. " "	" " 41st	364.535
SW. " "	" " Marlborough	365.30

		Elevations
SW. BP	El Cajon And 42nd	364.47
SW. " "	" " Copeland	363.025
" " "	" " Van Dyke	363.64
" " "	" " 43rd	357.78
" " "	" " Fairmount	352.295
" " "	" " 44th	354.80
" " "	" " Highland	356.20
" " "	" " 45th	357.32
" " "	" " Chamouni	356.625
" " "	" " 46th	353.04
" " "	" " Menlo	351.22
" " "	" " 47th	347.245
" " "	" " Euclid	345.74

364745
519
370,93

IMPROVED TABLES
AND
INFORMATION

3.89 /
15
1945
388 /
583 5

CITY ENGINEERING DEPT.

City Hall

5th + G-st.

San Diego

Calif.