

R.D.I. No 40

NAME VALENCIA PARK

Class _____ Course _____ Party _____

295-D

1920

BOOK 4

FIELD NOTES

No. 403P

ESPECIALLY ADAPTED
TO THE USE OF
ENGINEERING STUDENTS

EUGENE DIETZGEN Co.

MANUFACTURERS

DRAWING MATERIALS
MATHEMATICAL AND SURVEYING INSTRUMENTS
MEASURING TAPES

CHICAGO SAN FRANCISCO NEW YORK
NEW ORLEANS PITTSBURGH

MICROFILMED

DEC 30 1964

Index

	Page
Los Angeles Place	1 to 8
Los Animas Way	11 to 16
Barcelona Terrace	18 to 21
Los Flores Terrace	23 to 28

East Side Los Angeles Pl.

Profile Stations	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks
0+32.46				200.0 199.20			-0.97	E.C. Ret. Trinidad Way
	tang	26.17	26.17	200.5 199.50				
0+58.63				200.5 199.50			-0.67	E.C. Ret. West Side
	tang	16.09	16.09	201.5 200.12				
0+75				201.5 200.12			-0.84	Lot 1-2 Blk. 11
0+74.72				201.5 200.12				
	tang	25.28	25.28	202.9 201.09			-0.50	
1+00				202.9 201.09				
	tang	25.00	25.00	203.7 201.82			-0.78	
1+25				203.7 201.82				
	tang	9.72	9.72	203.75 201.92				Lot 2-3 Blk. 10
1+54.72				203.75 201.92				
	tang	15.28	15.28	204.0 202.06			-0.60	
1+50				204.0 202.06				
	tang	25.00	25.00	203.7 201.81			-0.74	
1+75				203.7 201.81				
	tang	19.72	19.72	202.60 201.24			-0.68	Lot 3-4 Blk. 10
2+00				202.60 201.24				
1+94.72				202.60 201.24				
	tang	30.28	30.28	200.4 199.87				Grade
2+25				200.4 199.87				
	tang	29.72	29.72	197.8 198.00			-0.38	B.C. $\Delta = 40^{\circ} 27' 59''$
2+54.72				197.8 198.00				# R = 910
	0°39' 23.34"	20.84	20.62				-0.25	& R = 875
2+75				196.22				
	1°27' 56.70"	25.70	25.42					
3+00				194.50			+0.16	

West Side Los Angeles Place


^E or Profile Grade	Deflect.	# Chord	2' Curb off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off + or -	Remarks
0+58.63	tang	16.37	16.37	200.5 199.50			+0.18	E.C. Return Trinidad Way
0+75	tang	25	25	201.5 200.14			-0.02	
1+00	tang	25	25	202.9 201.09			-0.34	
1+25 1+23.63	tang	23.63	23.63	203.70 201.78			+0.03	Lot 23 & 22 Blk. 10
1+50	tang	26.37	26.37	204.0 202.06			-0.24	
1+75	tang	25	25	203.7 201.81			+0.30	
1+93.63	tang	8.63	8.63	203.45 201.56				Lot 22 & 21 Blk. 10
2+00	tang	16.37	16.37	202.6 201.09			-0.39	
2+25	tang	25	25	200.4 199.87			-0.32	
2+43.63	tang	18.63	18.63	199.7 198.60				Lot 21 & 20 Blk. 10
2+50	tang	11.09	11.09	199.80 198.00	197.56		-0.24	B.C. Δ = 41° 47' 59"
2+75	0° 39' 23.34"	19.70	19.93	196.22	195.82		-0.40	Δ R = 860 E R = 885

East Side Los Angeles Place

# of Profile Station	Deflect	# Chord	2' Curb off. chord	Profile Grade	# +/-	# Off. +/-	Curb Off. +/-	Remarks
	1° 53' 19.80"	13.44	13.29					
3+13.07				193.86				Lot 5 & Lane BIK. 11
3+25	2° 12' 13.68"	10.01	9.90	193.30				
3+22.80				193.38		+0.26		Lane & Lot 6 BIK. 11
	3° 05' 03.42"	27.97	27.66					
3+50				192.40		+0.30		
	3° 53' 36.78"	25.70	25.42					
3+75				192.10		+0.25		
	4° 05' 33.48"	6.30	6.26					
3+81.15				192.13				Lot 6 & 7 BIK. 11
	4° 42' 10.14"	19.39	19.17	192.45		+0.15		
4+00				192.20		+0.40		
	5° 30' 43.50"	25.70	25.42	194.40				
4+25				193.10	95.64	+1.24		
	5° 58' 53.22"	14.91	14.75	1.29				
4+39.50				194.34				Lot 7 & 8 BIK. 11
	6° 19' 16.80"	10.80	10.68	198.40				
4+50				195.20	99.05	+0.65		
	7° 07' 50.10"	25.70	25.42	203.20				
4+75				198.20	02.87	-0.33		
	4° 52' 12.90"	23.50	23.24	206.71				
5+100				206.90		-0.78		
4+97.85				201.27		+0.03		Lot 8 & 9 BIK. 11
	8° 44' 56.88"	27.92	27.61	208.6				
5+25				205.20		-0.71		
	9° 33' 30.24"	25.70	25.42					

West Side Los Angeles Place

Station	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# +/-	# Off +/-	Curb Off +/-	Remarks
	1° 27' 56.70"	24.29	24.57					
3+00				194.50	194.48		- 0.02	
	1° 47' 45.36"	9.84	9.95					
3+10.90				194.02				Lot 20 & 19 BIK. 10
	2° 16' 30.06"	14.34	14.51					
3+25				193.30	193.58		+ 0.28	
	3° 05' 03.42"	24.29	24.57					
3+50				192.40	192.89		+ 0.49	
	3° 57' 39.18"	26.32	26.62					
3+75				192.10				
3+77.08				192.05	192.00		- 0.10	Lot 19 & 18 BIK. 10
	4° 42' 10.14"	22.27	22.53					
4+00				192.45	192.45		Grade	
	5° 30' 43.50"	24.29	24.57					
4+25				194.40	195.13		+ 0.73	
	6° 07' 33.00"	18.42	18.64					
4+43.96				194.67				Lot 18 & 17 BIK. 10
	6° 19' 16.86"	5.87	5.94					
4+50				198.46	199.00		+ 0.60	
	7° 07' 50.22"	24.29	24.57					
4+75				203.2	203.20		Grade	
	7° 56' 23.58"	24.29	24.57					
5+00				206.71	206.71		Grade	
	8° 17' 26.82"	10.50	10.65					
5+10.94				207.1	203.08			Lot 17 & 16 BIK. 10
	8° 44' 56.94"	13.76	13.92					



East Side Los Angeles Place

Profile Station	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off + or -	Curb Off + or -	Remarks
5+50				210.30 208.40			-0.50	
	9° 45' 32.76"	6.37	6.31					
5+56.20				211.0 208.78				Lot 9 & 10 BIK. 11
	10° 22' 03.60"	19.03	19.11					
5+75				211.8 210.30			-0.42	
	11° 10' 36.96"	25.70	25.42					
6+00				212.5 211.50			-0.30	
	11° 38' 52.56"	14.96	14.80					
6+14.55				212.8 211.93				Lot 10 & 11 BIK. 11
	11° 59' 10.32"	10.75	10.63					
6+25				212.9 211.90			+0.13	
	12° 47' 43.68"	25.70	25.42					
6+50				212.9 212.00			+0.32	
	13° 36' 17.04"	25.70	25.42					
6+75				212.2 211.60			+0.90	
	13° 51' 06.18"	7.84	7.76					
6+92.63				211.9 211.29				Lot 11 & 12 BIK. 11
	14° 24' 50.40"	17.86	17.66					
7+00				211.0 210.60			+0.20	
	15° 13' 28.76"	25.70	25.42					
7+25				209.0 208.90			-0.70	
	16° 01' 57.12"	25.70	25.42					
7+50				206.30			-0.35	
	16° 41' 06.42"	20.73	20.50					
7+75 7+70.16				203.88 204.11			-0.10	Lot 12 & 13 BIK. 11

East Side Los Angeles Place

or
Profile
Station

Deflect Chord # 2' Curb Profile
Off. Chord Grade

+ or -

Off
+ or -

Curb Off
+ or -

Remarks

17° 39' 03.78" 30.65 30.34

8+00

201.00
200.86

+0.12

18° 27' 37.14" 25.70 25.42

8+25

198.50
198.18

+0.06

19° 16' 10.50" 25.70 25.42

8+50

196.6
195.40

-0.03

20° 04' 43.86" 25.70 25.42

8+75

195.3
193.30

~~0.2~~

20° 13' 59.70" 4.91 4.85

8+79.77


195.0
193.00

+0.06

B.C. Ret San Mateo Dr.

West Side Los Angeles Place

^E Profile Station	Deflect.	\bar{R} Chord	2' Curb Off. Chord	Profile Grade	\bar{R} + or -	\bar{R} Off. + or -	Curb Off. + or -	Remarks
8+00	17° 39' 03.90"	26.02	26.33	200.9 200.86			+0.12	
8+25	18° 27' 37.26"	24.29	24.57	198.7 198.18			-0.07	
8+34.96	19° 46' 57.96"	9.68	9.79	197.8 197.13			—	Lot 12 & 11 BIK. 10
8+50	19° 16' 10.62"	14.62	14.79	196.7 195.40			-0.04	
8+75	20° 04' 43.98"	24.29	24.57	194.9 193.30			+0.31	
9+00.35	20° 53' 59.5"	24.63	24.92	193.0 192.00			+0.77	P.C.C. Ret. Santa Maria



^E
^{or}
Profile
Stations

Deflect

\pm
Chord

2' curb
Off. Chord

Profile
Grade

\pm
+ or -

\pm Off.
+ or -

curb Off.
+ or -

Remarks

South Side Las Animas Way

Profile Stations	Deflect	# Chord	2' Curb off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks
0-14.43				175.00			+1.30	
	tang	40.38	40.38					
0+25.95				188.73			+1.67	Lot 544 BIK. 7
	tang	23.59	23.59					
0+49.54				190.90			+0.97	B.C. Δ = 23° 24'
	1° 26' 39.54"	24.20	24.60					# R = 480'
0+75				192.87			-0.09	± R = 505'
	2° 59' 02.16"	25.80	26.23					
¹⁰⁰ 1+02.14				194.41			-0.14	Lot 443 BIK. 7
	4° 16' 50.70"	21.73	22.09					
1+25				195.30 195.53			+0.48	
	5° 41' 56.38"	23.76	24.16					
1+50				195.90 196.23			+0.79	
	7° 07' 01.86"	23.76	24.16					
1+75				196.40 196.52			+0.13	
	7° 27' 37.44"	5.75	5.85					
1+84.05				196.45 196.41				Lot 342 BIK. 7
	8° 32' 07.44"	18.01	18.31					
2+00				196.60 196.37			-0.16	
	9° 57' 13.02"	23.76	24.16					
2+25				196.60 195.81			-1.00	
	11° 22' 18.60"	23.76	24.16					
2+50				196.30 194.82				
	11° 42' 00"	5.50	5.59					
2+53.79				196.20 194.54			-1.55	P.C.C.

North Side Las Animas Way

# or Profile Stations	Deflect.	# Chord	2' Cur. b. Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off + or -	Remarks
0+14.43				187.65			+1.75	Boundary Tract
	74°29'	35.11	35.11					
0+49.5A				190.90			+0.71	B.C. Δ = 23°24'
	1°26'39.5A"	26.72	26.32					# R = 530
0+75				92.87			+0.18	# R = 505
	2°51'45.12"	26.24	25.84					
1+00				194.41			-28	
	4°16'50.70"	26.24	25.84					
				195.30				
1+25				195.53			+0.17	
	5°12'50.16"	17.27	17.01					
				195.69				
1+41.45				196.01				Lot 7 & 8 B1K.6
	5°41'56.28"	8.97	8.84					
				195.90				
1+50				196.23			+0.13	
	7°07'01.86"	26.24	25.84					
				196.40				
1+75				196.52			+0.25	
	8°27'25.62"	24.79	24.41					
				196.60				
2+00				196.40			-0.05	Lot 8 & 9 B1K.6
1+95.62								
	9°57'13.02"	27.68	27.26					
				196.60				
2+25				195.81			-1.00	
	11°22'17.60"	26.24	25.84					
				196.30				
2+50				194.95				
	11°42'	6.07	5.98					
				196.20				
2+55.79				194.67			-1.25	Lot 9 & 10 B1K.6 (RCC)

South Side Las Animas Way

2. or Profile Stations	Deflect	Chord #	2' curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off + or -	Remarks
	2°00'04.32"	17.46	18.02	195.90 193.63				$\Delta = 15^\circ 27' 41''$
2+75							-1.77	#R = 250
	3°08'49.62"	10.00	10.32	195.78 193.01				#R = 275
2+86								Lot 2 & 1 Blk. 7
	4°36'20.04"	12.73	13.13	195.30 192.24				
3+00							-1.71	
	7°12'35.76"	22.72	23.45	194.60 190.95				
3+25								
	9°43'50.5"	4.55	4.69	194.40 ✓ 190.68				
3+30							-1.26	P.C.C. Return
	11°52'24.87"	—	11.52	194.00 ✓ 190.00				$\Delta = 94^\circ 59' 19''$
	23°44'49.75"	—	11.52	193.60 ✓ 189.50			-0.87	Curb R = 30
	35°37'14.62"	—	11.52	193.30 ✓ 188.90			-0.82	
	47°29'38.50"	—	11.52	193.10 ✓ 188.80			-0.57	
							-0.21	E.C. Ret. (Barcelona)
				192.40 ✓ 187.80				
	11°15'	—	10.92	191.90 ✓ 187.40			+0.44	B.C. Ret. (Barcelona)
								$\Delta = 90^\circ$
	22°30'	—	10.93	191.40 ✓ 186.90			-0.03	Curb R = 30'

North Side Las Animas Way								
# or Profile stations	Deflect.	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks
	2° 00' 04.32"	20.95	20.39	195.90 193.61			-1.28	Δ = 20° 27' R = 300
2+75	1° 36' 18.50"	27.26	26.54	195.30 192.33			-1.58	R = 275
3+00	5° 15' 07.44"	6.77	6.59	195.15 191.92				
3+06.21								Lot 10811 BIK. 6
3+30	7° 12' 34.20"	20.49	19.95	194.40 190.88			-1.77	
3+25	10° 13' 30"	31.57	30.73	193.10 189.41			-1.27	E.C.
3+53.95	tang	2.92	2.92	193.00 189.27				
3+56.77	tang	18.13	18.13	192.30 188.38			-1.26	Lot. 11812 BIK. 6
3+75	tang	25	25	191.10 187.15			-1.15	
4+00	tang	16.87	16.87	190.40 186.32				Lot 12813 BIK. 6
4+16.77	tang	8.13	8.13	190.10 185.93			-1.47	
4+25	tang	25	25	187.60 184.39			-1.77	
4+50	tang	25	25	186.90 182.85			-1.64	
4+75	tang	27.37	27.37					

South Side Las Animas Way

# or Profile Stations	Deflect.	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off. + or -	curb Off. + or -	Remarks
	33° 45'	—	10.92	190.80 186.40	✓		-0.28	
4+23.94	45° 00'	—	10.93	190.10 186.00	✓		-0.26	E.C. Ret.
	tang	26.06	26.06	177.40 184.40			-0.34	
4+50				186.80 176.80				
4+75 A+73.94	tang	23.94	23.94	182.93			-0.25	Lot 1824 BIK. 8
	tang	26.06	26.06	176.20 181.60			-0.58	
5+00				176.20 181.30			-1.27	
5+25	tang	25	25	176.40 181.75			-1.07	B.C. Ret. (San Jacinto)
5+40.09	7° 29' 15"	—	9.90	176.60 182.00				Δ = 59° 54'
	14° 58' 30"	—	9.90	156.90 182.50				Curb R = 40'
	22° 27' 45"	—	9.90	177.30 182.70				
	29° 57'	—	9.91	177.80 183.09				E.C. Ret. (San Jacinto)

North Side Las Animas Way

Profile or Stations	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# tor-	# Off tor-	Curb Off tor-	Remarks
5402.37				185.00 181.17			-1.43	B.C. Ret. (San Jacinto)
15°00'45"	—	11.91	(2.00)	183.00 180.36				A = 120°06'
30°01'30"	—	11.92	(1.20)	176.80 179.56	87.63		-1.08	Curb R. = 25'
45°02'15"	—	11.91	(1.40)	180.40 178.75	80.30		+0.12	
60°03'00"	—	11.92	(2.40)	177.95			+0.50	E.C. Ret. (San Jacinto)

South Side Barcelona Terrace

Profile or stations	Deflect	Æ Chord	2' Curb Off. Chord	Profile Grade	Æ + or -	Æ Off + or -	Curb Off. + or -	Remarks
0+42.22				179.90 186.80			+0.24	Boundary Unit No 1 A=7°16'20" R=200'
	3°38'10"	25.37	24.35					
0+64.44				190.60 187.15			-0.00	P.C.C. A=20°02' R=900 & R=875
	0°20'48.64"	10.86	10.77					
0+75				190.70 187.20			-0.10	
	1°06'58.94"	24.17	23.96					
1+00 0+97.47				191.00 187.30			-0.69	Lot 10+9 BIK. 8
	1°59'14.58"	27.37	27.12					
1+25				190.30 187.45			-0.36	
	2°52'13.90"	27.74	27.49					
1+50 1+51.94				190.60 187.60			-0.41	Lot 9+8 BIK. 8
	3°37'35.90"	23.75	23.54					
1+75				190.10 187.71			-0.05	
	4°37'24.18"	31.31	31.03					
2+00 2+05.41				177.30 187.86			+0.20	Lot 8+7 BIK. 8
	5°15'57.16"	20.18	20.00					
2+25				187.40 187.95			+0.63	
	6°05'07.82"	25.74	25.51					
2+50				188.20 188.21			+0.73	Curb Outlet
	6°32'11.28"	14.16	14.04					
2+63.74				188.20 188.49				Lot 7+6 BIK. 8
	6°54'22.48"	11.62	11.51					
2+75				188.60 188.72			+0.86	
	7°43'33.14"	25.74	25.51					

North Side Barcelona Terrace

Profile stations	Deflect	# Chord	2' curb Off. Chord	Profile Grade	# + or -	# Off. + or -	curb off + or -	Remarks
0+42.22				190.10 186.80			+0.22	Bound of Unit N ^o 1 Δ = 7°16'20" R = 150 P.C.C. Δ = 20°02' R = 850 ΔR = 875
	3°38'10"	19.03	20.04					
0+64.44				190.60 187.15			-0.24	
	0°20'44.64"	10.26	10.36					
0+75				190.70 187.20			-0.33	
	1°09'55.30"	24.31	24.54					
1+00				191.00 187.33			-0.67	
	2°01'27.32"	25.48	25.72					
1+25				190.70 187.46			-0.61	Lot 687 BIK.7
1+26.20								
	2°48'18.56"	23.17	23.39					
1+50				190.60 187.58			-0.46	
	3°37'28.22"	24.31	24.54					
1+75				190.10 187.71			-0.27	
	4°27'19.56"	24.64	24.87					
2+00				187.40 187.84			-0.30	Lot 788 BIK.7
2+00.32								
	5°15'52.48"	24.01	24.23					
2+25				187.80 187.95			-0.26	
	6°05'03.14"	24.31	24.54					
2+50				188.50 188.21			-0.06	
	6°59'14.00"	26.79	27.05					
2+75				88.70 188.80			+0.07	Lot 889 BIK.7
2+77.53								
	7°43'28.46"	21.88	22.09					
3+00				187.60 189.50			+0.10	
	8°32'39.12"	24.31	24.54					

South Side Barcelona Terrace

Profile Station	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off + or -	Curb Off. + or -	Remarks
3+00				189.70 189.50			+0.15 -1.06	
3+25 3+22.07	8°26'58.44"	22.73	22.53	191.70 190.42			-0.30	Lot 685 BIK. 8
3+50				194.40 191.21			-1.06	
3+70.38				195.40 192.70			-0.18	P.C.C. Δ = 40°59'
3+79.20				195.70 192.79				Δ R = 160'
	6°17'10.10"	24.63	23.40					Lot 5+4 BIK. 8
4+00			33.33	196.00 193.60			+0.44	
	11°10'55.32"	27.31	25.94	195.90 196.00 193.82			+1.10	Lot 483 BIK. 8
4+20 4+23.07				95.50			+0.24	
4+50	20°29'30"	51.77	49.18	195.20 192.80			+1.76	E.C. Lot 3+2 BIK. 8
4+66.94	tang	33.06	33.06					
5+00				194.50 191.38			+1.76	
	tang	26.94	26.94					
5+20 5+26.94				193.90 190.24			+1.40	Lot 281 BIK. 8
	tang	23.06	23.06					
5+50				193.40 189.26			+1.10	
	tang	34.81	34.81					
5+84.81				192.40 187.80			+0.10	B.C. Return

North Side Barcelona Terrace									
# of Profile Station	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks	
3+25				191.70 190.59					
	9°25'06.29"	25.94	26.18				- 0.18 (tan)		
3+50 3+51.65				194.40 191.76			- 0.95	Lot 9x10 BIK. 7	
	10°02'00"	18.25	18.42						
3+70.3F				195.40 192.59			- 0.32	P.C.C. Δ = 40°59'	
	6°17'09.10"	24.09	25.84					ΔR = 110 ΔR = 135	
4+00				196.00 193.45			+ 0.33		
	11°35'28.76"	20.34	21.82						
4+25				195.90 193.70			+ 0.79		
	16°53'48.02"	20.34	21.82						
4+50				195.50 193.20			+ 1.23		
	20°29'30"	13.79	14.80						
4+66.9A				195.20 192.78			+ 1.43	E.C. BIK. 7	
	tang	12.00	12.00						
4+78.9A				194.70 192.27				Lot 10x1 BIK. 7	
	tang	21.06	21.06						
5+00				194.50 191.38			+ 1.11		
	tang	25	25						
5+25				195.70 190.32			+ 1.25		
	tang	25	25						
5+50				193.40 189.26			+ 1.05		
	tang	33.94	33.94						
5+83.9A				193.10 188.80			- 0.21	B.C. Return	

The image shows an open notebook with two pages. The left page is ruled with four vertical red lines and horizontal blue lines. The right page is ruled with a vertical red line, horizontal blue lines, and vertical green lines forming a grid. The pages are aged and yellowed. There is some faint, illegible handwriting at the top of both pages. The number '22' is written in the top right corner of the right page.

West Side Las Flores Terrace

# of profile station	Deflect	# Chord	2' Curb off. chord	Profile Grade	# + or -	# Off. + or -	Curb Off + or -	Remarks
				255.53 ✓				B.C. Ret. (Churchward)
	5° 58' 15"	—	12.07					Δ = 35° 49' 30" # R = 50
				256.69				
	11° 56' 30"	←	12.07					
				257.85				
	17° 54' 45"	—	12.07					
0+32.78				259.00			-0.02	
	tang	24.40	24.40					
0+57.18				261.00			+0.38	
	tang	3.60	3.60					
0+60.78				261.24			—	Lot 36 & 35 BIK. 3
	tang	22.00	22.00					
0+82.78				262.70			+0.05	
	tang	25.00	25.00					
1+07.78				263.95			-0.08	
	tang	13.00	13.00					
1+20.78				264.49			—	Lot 35 & 34 BIK. 3
	tang	11.52	11.52					
1+32.30				264.98			-0.38	
	tang	17.70	17.70					
1+50				265.70 ✓			0.38 0.09	
	tang	30.78	30.78					
1+80.78 1+75				266.74 266.72 ✓				Lot 34 & 33 BIK. 3
	tang	19.22	19.22				+0.63	
2+00				267.74 ✓			+0.66	
2+25				68.74 ✓			+0.18	

East Side Las Flores Terrace

[±] Profile Station	Deflect	# Chord	2' Curb Off. Chord	Profile Grade	# + or -	R Off. + or -	Curb Off + or -	Remarks
	8° 12' 35.94"	24.89	24.22					
3+75				275.17			-0.27	
	10° 48' 51.66"	27.26	26.54					
4+00				275.78			-0.17	
	11° 33' 44.34"	7.83	7.62					
4+07.18				276.17				Lot 6 & 5 BIK. 2
	13° 25' 07.32"	19.44	18.92					
4+25				276.48			+0.13	
	16° 01' 23.04"	27.26	26.54					
4+50				276.60			-0.39	
	19° 17' 00.90"	13.29	12.93					
4+62.18				276.70				Lot 5 & 4 BIK. 2
	18° 37' 38.76"	13.98	13.61					
4+75				276.75			-0.76	
	21° 13' 54.48"	27.26	26.54					
5+00				276.65			-0.40	
	23° 29' 54.54"	23.73	23.10					
5+21.76				276.30			-0.66	Lot 4 & 3 BIK. 2
	25° 23' 55.02"	19.89	19.36					
5+40				275.70				
	26° 54' 30"	15.81	15.38					
5+54.49				275.33			+0.58	E.C. BIK. 2
	tang	20.51	20.51					
5+75				274.61			+0.34	
	tang	13.79	13.79					

West Side Las Flores Terrace

# or Profile Station	Deflect	# Chord	2' curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks
2+50	tang	40.78	40.78					
2+40.78				269.76 269.40			-0.01	Lot 33432 B/K.3
	tang	55.41	55.41					
2+96.19				271.66			+0.09	B.C. Δ = 53°49'
	0°31'33.90"	4.59	4.74					# R = 250 Δ R = 275
3+01.24				271.87				Lot 32431 B/K.3
	3°00'04.56"	21.59	22.29					
3+25				271.78			+0.12	
	5°36'20.28"	22.72	23.45					
3+50				273.80			+0.13	
	7°24'05.76"	15.67	16.17					
3+67.24				274.44				Lot 31430 B/K.3
	8°12'36.00"	7.05	7.28					
3+75				274.67			-0.14	
	10°48'51.72"	22.72	23.45					
4+00				275.28			+0.12	
	13°25'07.44"	22.72	23.45					
4+25				276.00			-0.70	
	16°01'23.16"	22.72	23.45					
4+50				276.10			-0.42	
	18°37'38.88"	22.72	23.45					
4+75				276.25			-0.36	
	21°13'54.60"	22.72	23.45					
5+00				276.15			-0.64	
	23°50'10.32"	22.72	23.45					

West Side Los Flores Terrace

# or Profile Station	Deflect.	# chord	# Curb Off. Chord	Profile Grade	# + or -	# Off. + or -	Curb Off. + or -	Remarks
5+25				275.60				
	24° 50' 44.34"	8.81	9.09				-0.27	
5+34.69				275.30				
	26° 54' 30"	18.00	18.57					Lot 30 & 29 BIK. 3
5+54.49				274.80				
	tang	20.51	20.51				+0.42	E.C. BIK. 3
5+75				274.10				
	tang	17.54	17.54					
5+92.54				273.50				
						+0.31		B.C. Pt. (Trinidad Way)

$\Delta = 126^{\circ} 09' 39''$
 $R = 38.05$ Side
 (See North Side
 Trinidad Way)

