

NAME Tingeys 80.0

Class _____ Course _____ Party _____

Profile of Easement Lines

Monterey Heights.

RETURN TO
Watson, Valle & Gough, Inc.
508 Sprackels Bldg
San Diego, Calif.

1946

204
FIELD NOTES

No. 403P

ESPECIALLY ADAPTED
TO THE USE OF
ENGINEERING STUDENTS

EUGENE DIETZGEN Co.

MANUFACTURERS

DRAWING MATERIALS

MATHEMATICAL AND SURVEYING INSTRUMENTS

MEASURING TAPES

CHICAGO SAN FRANCISCO NEW YORK
NEW ORLEANS PITTSBURGH

MICROFILMED

DEC 30 1964

INDEX

Block #	Page
3	2
1	4
2	5
5	7
6	8
7	10
8	12
9	15
10	18
11	20
12	22
13	25
14	27
15	28
16	30
17	31

Block # A

1

B.M # 38

438.61

1.82 440.43

11.81 428.62

0.55 429.17

12.01 417.16

1.16 418.32

Lot 1-4

4.9 413.4

1-3-4

6.3 412.0

1-2-3

9.1 409.2

+24

11.2 407.1 Bottom Marsh

Lot 1-2

11.4 406.9

407.80

P.C. Lot 1-Bk 2 Ensenada St (D) Page-12 Book 180

3.20 411.00

Cor-4-5	6.2	404.8	
+33	9.9	401.1	Edge of Wash
Cor-3-4-5	11.1	399.9	In Wash
+11	10.8	400.2	Edge wash
+26	7.7	403.3	
Cor-3-5-27	5.8	405.2	
Cor-2-3-27	5.4	405.6	
1-2-27	3.1	407.9	
1-27	0.9	410.1	

3-5-27	5.8	405.2	
5-6-27	6.6	404.4	
26-27-6	6.7	404.8	
6-7-26	6.2	404.8	
25-26-7	6.5	404.5	
7-8-25	7.1	403.9	
	6.67	404.33	

3.10 407.43

8-9-24-25	3.8	403.6	
9-10-24	4.3	403.1	
23-24-10	4.9	402.5	
10-11-23	5.9	401.5	

407.43

22-23-11	6.9	400.5
11-12-22	7.4	400.0
12-16-22	6.8	400.6
16-17-21-22	5.1	402.3
17-18-20-21	3.2	404.2
18-19-20	1.3	406.1
19-20	Hand Level	410.7
18-19	5.4	402.0
<hr/>		
12-22-16	6.8	400.6
12-13-15-16	9.2	398.2
	11.07	396.36
0.80	397.16	
13-14-15	4.5	392.7
14-15	7.3	389.9
13-14-15		
+46	10.1	387.1 In Wash
13-14	6.2	391.0
	12.08	385.08

406.2
412.4

385.10 = 21/22 Bk 8 - Page 8 - Book 180

Block #1

4

		433.50
4.43	437.93	
5-6-7	6.5	431.4
6-7	9.6	428.3
<hr/>		
4-5-7-8	7.5	430.4
4-8-9	7.7	430.2
3-4-9	7.6	430.3
3-9-10	7.4	430.5
2-3-10	7.7	430.2
2-10-11-15 X	7.6	430.3
11-14-15	8.0	429.9
11-12-14	7.9	430.0
12-13-14	8.5	429.4
12-13	10.1	427.8
13-14	6.6	431.3
<hr/>		
2-15-16	6.8	431.1
1-2-16	4.9	433.0
1-16	4.0	433.9
1-2-T.P.	5.28	432.65

on Hub - Lot 5-6 - Blk 1

432.62 on hub

Block #2

			407.80
	9.84	417.64	
1-35		11.8	405.8
1-2-35		10.7	406.9
1-2		7.9	409.7
2-3-34-35		8.8	408.8
3-4-7-33-34		5.2	412.4
4-5-7			417.7
5-6-7			423.8
6-7			427.2
<hr/>			
7-8-32-33		5.3	412.3
8-31-32		5.5	412.1
			407.80
	7.28	415.08	
8-9-31		1.9	413.2
		1.85	413.23
	7.22	420.45	
9-30-31		7.0	413.5
9-29-30		6.1	414.4
9-10-29		6.6	413.9
10-28-29		8.3	412.2
10-11-28		10.5	410.0
11-27-28		11.2	409.3
11-26-27		11.4	409.1

Hand Level

N.E. Cor Block 2

$$\begin{array}{r} 417.3 \\ 12 \\ \hline 429.3 \end{array}$$

417.7

N.E. Cor Block #2

On hub Lot 8-9-31

420.45

11-12-26	11.2	409.3
12-25-26	9.4	411.1
12-13-25	9.2	411.3
13-24-25	7.7	412.8
13-14-24	7.0	413.5
14-23-24	6.0	414.5
14-15-23	5.6	414.9
15-22-23	5.3	415.2
	5.23	415.22

11.49

426.71

15-16-21-22	11.8	414.9
16-20-21	11.3	415.4
16-17-20	10.5	416.2
17-19-20	10.1	416.6
17-18-19	9.0	417.7
17-18	8.6	418.1
	0.84	425.87

9.91

435.78

2.32 433.46

433.50 = Hub Lot 5-6 B1K 1

Block #5

7

433.7

B.M. #38

438.61

0.96 439.57

11.11 428.46

8.05 436.51

1-12 12.1 424.4

1-11-12 10.4 426.1

1-2-11 10.5 426.0

2-10-11 10.7 425.8

2-3-10 8.9 427.6

9-10-3 8.3 428.2

+40 5.9 430.6

3-4-8-9 6.5 430.0

7-8-4 5.0 431.5

4-5-7 5.1 431.4

5-6-7 4.5 432.0

5-6 3.8 432.7

S.W. Cor 5 8.0 428.5

S.E. Cor 6 Hard Level 440.7

11.62 424.89

0.11 425.00

11.34 413.66

413.67 S.W. Cor Block #4

Block #6

8

413.67

SW. Cor Block 4

11.34 425.01

1-21 8.2 416.8

1-2-21 10.2 414.8

1-2 13.1 411.9

2-3-20-21 7.6 417.4

3-4-19-20 4.2 420.8

+30 1.5 423.5

4-5-18-19 1.9 423.1

T.P. 1.89 423.12 Cor Lots 4-5-18-19

5.03 428.15

5-6-17-18 3.3 424.9

+22 3.0 425.2

+45 1.6 426.6

6-7-16-17 2.7 425.5

7-15-16 2.9 425.3

9-8-15 2.4 425.8

+20 2.3 425.9

8-14-15 6.6 421.6

8-10-14 9.5 419.7

8-9-10 13.8 414.4

8-9 19.9 408.3

10.6

428.15

10-11-13-14	12.3	415.9
+70	13.6	414.6
11-12-13	10.7	417.5
+23	10.1	418.1
+50	5.8	422.4
11-12	4.8	423.4

~~~~~

|          |      |        |
|----------|------|--------|
| 11-12-13 |      |        |
| +15      | 9.5  | 418.7  |
| +32      | 10.4 | 417.8  |
| 12-13    | 6.7  | 421.5  |
|          | 0.57 | 427.58 |

427.66 N.E. Cor Block 7



## Block #7

10

Nov. 9-26

430.01

Lot 13-14-Block 7

|               |      |        |                            |
|---------------|------|--------|----------------------------|
| 10-1          | 3.76 | 433.77 |                            |
| 11-12         |      | 0.0    | 433.8<br><del>430.8</del>  |
| 11-1 +22      |      | 2.1    | 431.7<br><del>428.7</del>  |
| 10-11-12      |      | 3.4    | 430.4<br><del>427.4</del>  |
| 10-11         |      | 3.7    | 430.1<br><del>427.1</del>  |
| 11-9-10-12-13 |      | 5.5    | 428.3<br><del>425.3</del>  |
| 13-14-16-8-9  |      | 7.0    | 426.8<br><del>423.8</del>  |
| 11-1          |      | 7.05   | 426.7<br><del>423.72</del> |
|               | 1.30 |        | 428.0<br><del>425.02</del> |
| 14-15-16      |      | 2.0    | 426.0<br><del>423.0</del>  |
| 12-1 +50      |      | 1.0    | 427.9<br><del>424.0</del>  |
| 15-16         |      | 1.8    | 426.2<br><del>423.2</del>  |
| 13-14-16-8-9  |      |        |                            |
| 140           |      | 0.7    | 427.3<br><del>424.3</del>  |
| 7-8-16-17     |      | 3.0    | 425.0<br><del>422.0</del>  |
| +50           |      | 4.5    | 423.5<br><del>420.5</del>  |
| 6-7-17-18     |      | 3.5    | 424.5<br><del>421.5</del>  |
| +23           |      | 3.8    | 424.2<br><del>421.2</del>  |
| +40           |      | 2.4    | 425.6<br><del>422.6</del>  |
| 5-6-18-19     |      | 4.3    | 423.7<br><del>420.7</del>  |
| +40           |      | 7.3    | 420.7<br><del>417.7</del>  |
| 2-3-5-19      |      | 6.8    | 421.2<br><del>418.2</del>  |

Hub - Lot 13-14-16-8-9 Block 7



428.02  
425.02

2-2-5-19

11- +42

+56

10-1-2-19

10 +10

9-1 1-19

13-

2-3-5-19

+40

14-3-4-5

1-

0.40

416.48  
413.48

4-5

13-

7-

6-7

5-6

2-3

12.8

Hand Level

8.7

7.4

11.94

1.4

11.12

415.2  
~~412.2~~  
415.8  
~~412.8~~  
414.5  
~~411.5~~  
411.5  
~~408.5~~  
409.4  
406.4

419.3  
~~416.3~~  
420.6  
~~417.6~~  
416.08  
413.08

415.1  
~~412.1~~  
405.36  
402.36

405.39 on hub S.E. Cor Block B



## Block #8

10.1

12

405.39

on Hub S.E. Cor Block 8

|               |      |        |       |        |
|---------------|------|--------|-------|--------|
| 2-3           | 0.92 | 406.31 |       |        |
| 15-16         |      |        | 11.0  | 395.3  |
| +16           |      |        | 13.1  | 393.2  |
| 1-2 15-16-17  |      |        | 11.3  | 395.0  |
| 14-15-17      |      |        | 11.1  | 395.2  |
| 1 14-17-18    |      |        | 11.3  | 395.0  |
| 13-14-18      |      |        | 10.7  | 395.6  |
| 2-3 13-18-19  |      |        | 10.8  | 395.5  |
| 12-13-19-20   |      |        | 12.1  | 394.2  |
| 3             |      |        | 12.06 | 394.25 |
|               | 1.60 | 395.85 |       |        |
| 12-20-21      |      |        | 3.1   | 392.8  |
| 11-12-21-23 X |      |        | 5.1   | 390.8  |
| 21-22-23      |      |        | 9.3   | 386.6  |
| +35           |      |        | 13.1  | 382.8  |
| +65           |      |        | 13.3  | 382.6  |
| 22-23         |      |        | 10.5  | 385.4  |
| 11-12-21-23   |      |        |       |        |
| 11-23-24      |      |        | 3.9   | 392.0  |
| 10-11-24-25   |      |        | 3.1   | 392.8  |
| 10-25-26      |      |        | 4.4   | 391.5  |
| 9-10-26       |      |        | 5.7   | 390.2  |

8.3

on Hub - Lot 12-13-19-20 - Block 8



395.85

|    |                 |        |       |        |
|----|-----------------|--------|-------|--------|
| 2  | 9-26-27         |        | 6.7   | 389.2  |
|    | 18-9-27         |        | 7.7   | 388.2  |
|    | 8-27-28         |        | 9.8   | 386.1  |
|    | 157-8-28        |        | 10.1  | 385.8  |
|    | 147-28-29       |        | 12.0  | 383.9  |
|    | 14              |        | 12.26 | 383.59 |
| 13 | 2.44            | 386.03 |       |        |
| 13 | 6-7-29          |        | 1.7   | 384.3  |
| 12 | +10             |        | 2.2   | 383.8  |
|    | +30             |        | 5.0   | 381.0  |
|    | 6-29-30         |        | 5.5   | 380.5  |
| 12 | 5-6-30          |        | 6.0   | 380.0  |
| 11 | 4-5-30          |        | 8.0   | 378.0  |
| 21 | 30-31-4         |        | 8.2   | 377.8  |
|    | 3-4-31          |        | 11.2  | 374.8  |
|    | +10             |        | 13.6  | 372.4  |
| 2  | +15             |        | 11.2  | 374.8  |
|    | 31-32-3         |        | 11.2  | 374.8  |
| 11 | 2-3-32          |        | 11.3  | 374.7  |
| 11 | 1-2-32          |        | 14.7  | 371.3  |
| 10 | 1-32            |        | 15.3  | 370.7  |
| 10 | +10             |        | 19.1  | 366.9  |
| 9  | Nov. Cor Lot 32 |        | 3.8   | 382.2  |

no bub - Lot 7-8-29 - B16 8

7.7

9.1

11.4



$$\begin{array}{r} 12.6 \\ 6.5 \\ \hline 19.1 \\ 11.4 \end{array}$$

386.03

9-2 1-32 0.20 385.83

8- 11.72 397.55

8- 1-32

7- +38 19.4 378.2

7-2 +50 18.0 379.6

+86 12.4 385.2

+120 8.3 389.3

6- +131 8.7 388.9

SW Cor Lot 1 5.2 392.4

4.53 393.02

393.03 Lot 1-2 B1K-8

6- 0.22 393.24 0.22 397.33

5- 11.57 .90

4-

30

3-

31

2-

1-2

1-

1-



## Block 9

15

397.33

from Page 14

11.57 408.90

N.W. Cor Lot 30

11.1 397.8

1- +50 5.6 403.3

+73 2.7 406.2

0.63 408.27

11.80 420.07

+100 9.5 410.6

+117 8.0 412.1

S.W. 4-30 1.9 418.2

1.91 418.16

Hub Lot 4-30 Blk 9

8.27 426.43

+28 1.4 422.0

+45 3.8 422.6

3-4 1.7 424.7

+25 2.0 424.4

+50 0.2 426.2

2-3 1.9 424.5

1-2 10.4 416.0

11.39 415.04

0.40 415.44

+50 4.4 411.0

+100 9.5 405.9



|           |       |        |       |        |
|-----------|-------|--------|-------|--------|
|           |       | 415.44 |       |        |
|           |       |        | 11.73 | 403.71 |
| 11        | 1.49  | 405.20 |       |        |
|           |       |        | 6.0   | 399.20 |
|           |       |        | 5.94  | 399.26 |
|           |       |        |       | 418.16 |
|           | 11.81 | 429.97 |       |        |
| 4-30      |       | 430.00 |       |        |
| +30       |       |        | 12.6  | 417.4  |
| 4-5-30    |       |        | 11.4  | 418.6  |
| +15       |       |        | 10.3  | 419.7  |
| 29-30-5   |       |        | 11.0  | 419.0  |
| +25       |       |        | 10.7  | 419.3  |
| +50       |       |        | 12.3  | 417.7  |
| 356-28-29 |       |        | 12.1  | 417.9  |
| 6-27-28   |       |        | 11.9  | 418.1  |
| 6-7-27    |       |        | 11.1  | 418.9  |
| +17       |       |        | 9.8   | 420.2  |
| +34       |       |        | 12.0  | 418.0  |
| 7-8-26-27 |       |        | 12.5  | 417.5  |
| +30       |       |        | 12.5  | 417.5  |
| +40       |       |        | 11.1  | 418.9  |
| 8-9-26    |       |        | 11.6  | 418.4  |
| 25-26-9   |       |        | 11.6  | 418.4  |

SW Cor Lot-1-B/k 9 = 399.20

On Hub Lot-4-30 B/k 9



|             |        |       |        |
|-------------|--------|-------|--------|
| 25-26-9     | 429.97 |       |        |
| +10         | 430.00 | 10.9  | 419.1  |
| 9-10-25     |        | 8.3   | 421.7  |
| +15         |        | 8.4   | 421.6  |
| 24-25-10    |        | 7.0   | 423.0  |
| 10-11-24    |        | 5.5   | 424.5  |
| 11-12-23-24 |        | 2.5   | 427.5  |
| 12-13-23    |        | 2.3   | 427.7  |
| 13-22-23    |        | 1.9   | 428.1  |
| 13-14-22    |        | 1.7   | 428.3  |
| 14-21-22    |        | 2.3   | 427.7  |
| 14-15-21    |        | 2.3   | 427.7  |
|             |        | 2.14  | 427.86 |
| 1.13        | 428.99 |       |        |
|             | 429.00 |       |        |
| 15-16-20-21 |        | 1.8   | 427.2  |
| 16-17-20    |        | 2.9   | 426.1  |
| 19-20-17    |        | 4.1   | 424.9  |
| 17-18-19    |        | 6.1   | 422.9  |
| +40         |        | 8.5   | 420.5  |
| 18-19       |        | 11.6  | 417.4  |
|             |        | 11.95 | 417.04 |
| 1.13        | 418.17 |       |        |
|             |        | 9.79  | 408.38 |

On hub Lot 14-15-21 - Blk 9

408.34

On hub Lot 24-25 Blk 10 = 408.34



## Block #10

18

408.34

Lot 24-25 B/k 10

9.79 418.13

|         |      |        |
|---------|------|--------|
| 1-25    | 7.1  | 411.0  |
| 1-24-25 | 8.5  | 409.6  |
| +15     | 8.6  | 409.5  |
| 1-2-24  | 6.6  | 411.5  |
| +20     | 8.2  | 409.9  |
| 2-23-24 | 5.7  | 412.4  |
| +05     | 7.9  | 410.2  |
| +13     | 4.8  | 413.3  |
| 2-3-23  | 4.4  | 413.7  |
| 3-22-23 | 2.3  | 415.8  |
|         | 0.34 | 417.79 |

11.56 429.35

|         |      |        |
|---------|------|--------|
| 3-4-22  | 8.4  | 421.0  |
| 4-21-22 | 7.0  | 422.4  |
| +22     | 5.9  | 423.5  |
| 4-5-21  | 3.3  | 426.1  |
| 5-20-21 | 2.8  | 426.6  |
| +28     | 3.1  | 426.3  |
| 5-6-20  | 1.9  | 427.5  |
|         | 1.91 | 427.44 |

11.00 438.44

427.45

427.45 = Lot 5-6-20 - B/k 10



438.44

|             |      |        |        |
|-------------|------|--------|--------|
| 6-19-20     |      | 10.5   | 427.9  |
| +20         |      | 8.0    | 430.4  |
| +45         |      | 9.7    | 428.7  |
| 6-7-19      |      | 9.7    | 428.7  |
| 7-18-19     |      | 9.6    | 428.8  |
| 7-8-18      |      | 7.7    | 430.7  |
| 8-17-18     |      | 6.7    | 431.7  |
| +28         |      | 7.0    | 431.4  |
| 8-9-17      |      | 5.5    | 432.9  |
| 9-15-17     |      | 4.7    | 433.7  |
| 15-16-17    |      | 5.2    | 433.2  |
| +27         |      | 3.2    | 435.2  |
| +50         |      | 5.1    | 433.3  |
| 16-17       |      | 5.9    | 432.5  |
| <hr/>       |      |        |        |
| 9-15-17     |      |        |        |
| +21         |      | 2.5    | 435.9  |
| 9-10-14-15  |      | 3.8    | 434.6  |
| +36         |      | 3.1    | 435.3  |
| +56         |      | 1.1    | 437.3  |
| 10-11-13-14 |      | 1.8    | 436.6  |
|             | 5.60 | 443.01 | 1.03   |
| 11-12-13    |      | 2.6    | 440.4  |
| 12-13       |      | 1.9    | 441.1  |
| 11-12       |      | 6.2    | 436.8  |
|             |      | 7.87   | 435.14 |

435.09 - Lot 14-15-B/12 11



## Block 11

20

435.09

on Hub Lot 14-15 B1E 11

7.87

442.96  
443.00

|             |      |       |        |
|-------------|------|-------|--------|
| 14-15       |      | 7.9   | 435.1  |
| +60         |      | 9.4   | 433.6  |
| 13-14-15    |      | 7.4   | 435.6  |
| +20         |      | 8.7   | 434.3  |
| 13-14       |      | 8.0   | 435.0  |
| 13-14-15    |      |       |        |
| +10         |      | 6.9   | 436.1  |
| +45         |      | 10.6  | 432.4  |
| 13-15-16    |      | 10.3  | 432.7  |
| 11-12-13-16 |      | 9.7   | 433.3  |
| +17         |      | 11.2  | 431.8  |
| 11-16-17    |      | 11.0  | 432.0  |
| 11-17       |      | 11.0  | 432.0  |
| 10-17-18    |      | 11.8  | 431.2  |
|             |      | 11.78 | 431.22 |
|             | 3.83 |       | 435.05 |
| 9-10-18     |      | 2.1   | 433.1  |
| +20         |      | 4.0   | 431.1  |
| 9-18-19     |      | 3.3   | 431.8  |
| 8-9-19      |      | 4.3   | 430.8  |
| 8-19-20     |      | 4.8   | 430.3  |
| 7-8-20      |      | 4.1   | 431.0  |

on hub - Lot 10-17-18 - B1E 11



435.05

|         |      |        |
|---------|------|--------|
| 7-20-21 | 5.1  | 430.0  |
| 6-7-21  | 5.3  | 429.8  |
| 6-21-22 | 5.1  | 430.0  |
| 5-6-22  | 5.2  | 429.9  |
| 5-22-23 | 5.8  | 429.3  |
| 4-5-23  | 6.1  | 429.0  |
| 4-23-24 | 6.0  | 429.1  |
| +15     | 5.8  | 429.3  |
| +40     | 3.5  | 431.6  |
| 3-4-24  | 4.5  | 430.6  |
| 3-24-25 | 5.2  | 429.9  |
| 2-3-25  | 4.7  | 430.4  |
| 2-25-26 | 4.5  | 430.6  |
| 1-2-26  | 4.0  | 431.1  |
| 1-26    | 4.6  | 430.5  |
|         | 4.64 | 430.41 |

4.02

4.64

430.47 - Lot 1-26 - B/E 11



Block #12

95

399.20

S.W. Cor Lot 1-Block 9

11.74 410.94

0.67 410.27

11.64 421.91

2-3

3.0 418.9

0.67 421.24

2-3

11.46 432.70

+29

10.3 422.4

+46

10.4 422.3

2-3-4

7.7 425.0

+25

10.4 422.3

+42

11.6 421.1

3-4

14.0 418.7

2-3-4

+31

4.9 427.8

+55

1.9 430.8

1-2-4-5

0.7 432.0

0.64 432.06

On hub Lot 1-2-4-5-Block 12

9.29 441.35

1-24

8.7 432.7

1-23-24

6.7 434.7

1-5-23

6.1 435.3

5-21-23

5.8 435.6



441.35

|           |      |        |
|-----------|------|--------|
| 5-6-22    | 6.7  | 434.7  |
| 6-21-22   | 4.5  | 436.9  |
| 6-7-21    | 4.3  | 437.1  |
| 7-20-21   | 4.2  | 437.2  |
| 7-8-19-20 | 2.7  | 438.7  |
|           | 0.78 | 440.57 |

11.20 451.77

|            |     |       |
|------------|-----|-------|
| 8-18-19    | 9.7 | 442.1 |
| 8-9-18     | 8.7 | 443.1 |
| +15        | 8.0 | 443.8 |
| 9-17-18    | 7.1 | 444.7 |
| 9-10-17    | 4.2 | 447.6 |
| +10        | 3.6 | 448.2 |
| 10-16-17   | 5.1 | 446.7 |
| 10-11-16   | 3.0 | 448.8 |
| 11-15-16   | 3.1 | 448.7 |
| +15        | 4.5 | 447.3 |
| 11-13-15 x | 4.8 | 447.0 |
| 11-12-13   | 4.1 | 447.7 |
| +35        | 3.6 | 448.2 |
| +50        | 2.8 | 449.0 |
| +100       | 5.5 | 446.3 |
| 11-12      | 7.2 | 444.6 |



|          |        |       |        |
|----------|--------|-------|--------|
| 11-13-15 | 451.77 |       |        |
| 13-14-15 |        | 7.4   | 444.4  |
| +27      |        | 10.9  | 440.9  |
| 14-15    |        | 12.5  | 439.3  |
|          |        | 11.69 | 440.08 |
| 0.66     | 440.74 |       |        |
|          |        | 1.48  | 439.26 |

439.29 Lot 1-2 - Bk 15



## Block 13

10.6

|               |      |        |       |        |
|---------------|------|--------|-------|--------|
|               |      | 451.77 |       | 439.29 |
| 1             | 1.48 | 440.77 |       |        |
| 16-17         |      |        | 1.3   | 439.5  |
| 15-16-17      |      |        | 4.1   | 436.7  |
| +37           |      |        | 3.0   | 437.8  |
| +65           |      |        | 1.1   | 439.7  |
| 15-16         |      |        | 1.8   | 439.0  |
| 15-16-17      |      |        |       |        |
| +55           |      |        | 7.8   | 433.0  |
| +75           |      |        | 7.5   | 433.3  |
| 14-15-17-18   |      |        | 8.4   | 432.4  |
|               |      |        | 11.59 | 429.18 |
|               | 1.45 | 430.63 |       |        |
| +28           |      |        | 1.2   | 429.4  |
| 13-14-18-19   |      |        | 6.1   | 424.5  |
| +30           |      |        | 10.4  | 420.2  |
| +42           |      |        | 16.0  | 414.6  |
| 13-19-20      |      |        | 12.0  | 418.6  |
| 12-13-20      |      |        | 9.7   | 420.9  |
| +20           |      |        | 6.7   | 423.9  |
| 12-20-21      |      |        | 6.4   | 424.2  |
| +18           |      |        | 6.6   | 424.0  |
| 4-11-12-21-22 |      |        | 3.45  | 427.18 |
| 3-4-22        |      |        | 6.0   | 424.6  |
|               |      |        | 11.51 | 419.12 |

25

On hub Lot 1-2 Blk 15

On hub



9.9 <sup>12.8</sup>  
78

|          |       |        |        |
|----------|-------|--------|--------|
|          | 0.18  | 419.30 | 419.12 |
| 2-3-22   |       | 5.4    | 413.9  |
| 1-2-22   |       | 17.9   | 401.4  |
| +20      |       | 18.7   | 400.6  |
| 1-2-22   |       | 9.6    | 409.7  |
|          |       |        | 427.18 |
|          | 11.59 | 438.77 |        |
| +15      |       | 11.4   | 427.4  |
| 4-5-11   |       | 8.8    | 430.0  |
| +20      |       | 7.5    | 431.3  |
| 5-10-11  |       | 5.6    | 433.2  |
| 5-6-10   |       | 5.6    | 433.2  |
| +15      |       | 3.9    | 434.9  |
| 6-7-9-10 |       | 2.4    | 436.4  |
|          |       | 1.12   | 437.65 |
|          | 11.18 | 448.83 |        |
| +12      |       | 12.3   | 436.5  |
| +40      |       | 10.5   | 438.3  |
| +55      |       | 11.2   | 437.6  |
| 7-8-9    |       | 10.3   | 438.5  |
| 7-8      |       | 10.5   | 438.3  |
| 7-8-9    |       |        |        |
| +34      |       | 7.0    | 441.8  |
| +50      |       | 7.9    | 440.9  |
| 8-9      |       | 7.6    | 441.2  |
|          |       | 8.77   | 440.06 |

On hub Lot 4-11-12-21-22 - Page 25

8.77  
.06

440.08 On Rock 30' N of SW Cor of Tract



## Block 14

27

|        |      |        |        |
|--------|------|--------|--------|
|        | 8.77 | 448.85 | 440.08 |
| 1-2    |      | 5.9    | 443.0  |
| 1-2-10 |      | 6.4    | 442.5  |
| 1-10   |      | 5.4    | 443.5  |
| 2-3-10 |      | 4.2    | 444.7  |
| +13    |      | 5.7    | 443.2  |
| +30    |      | 4.6    | 444.3  |
| 3-9-10 |      | 5.5    | 443.4  |
| 3-4-9  |      | 3.7    | 445.2  |
| 4-6-9  |      | 4.4    | 444.5  |
| +20    |      | 3.5    | 445.4  |
| +40    |      | 4.9    | 444.0  |
| 6-7-9  |      | 3.9    | 445.0  |
| +30    |      | 3.6    | 445.3  |
| 7-8-9  |      | 4.9    | 444.0  |
| 8-9    |      | 5.8    | 443.1  |
| 4-6-9  |      |        |        |
| +20    |      | 6.1    | 442.8  |
| 4-5-6  |      | 4.1    | 444.8  |
| +10    |      | 3.7    | 445.2  |
| +35    |      | 5.3    | 443.6  |
| +55    |      | 3.7    | 445.2  |
| 5-6    |      | 4.7    | 444.2  |
|        |      | 4.57   | 444.28 |

On Rock 30' N of S.W. Cor of Tract



Block 15

28

|           |      |                  |                                    |
|-----------|------|------------------|------------------------------------|
|           | 9.50 | 453.78<br>457.78 | 444.28<br><del>448.28</del>        |
| 1-13      |      |                  | 445.7<br><del>449.7</del><br>444.3 |
| +25       |      |                  | 9.5<br><del>448.3</del><br>445.5   |
| 1-2-13    |      |                  | 8.3<br><del>449.5</del><br>448.2   |
| +25       |      |                  | 5.6<br><del>446.8</del><br>450.8   |
| +43       |      |                  | 7.0<br><del>447.3</del><br>451.3   |
| 2-3-13    |      |                  | 6.5<br><del>448.0</del><br>452.0   |
| 3-5-13    |      |                  | 5.8<br><del>442.1</del><br>451.1   |
| +25       |      |                  | 6.7<br><del>447.9</del><br>451.9   |
| 3-4-5     |      |                  | 5.9<br><del>450.0</del><br>454.0   |
| +23       |      |                  | 3.8<br><del>448.1</del><br>452.1   |
| +50       |      |                  | 5.7<br><del>450.7</del><br>454.7   |
| 4-5       |      |                  | 3.1                                |
| <hr/>     |      |                  |                                    |
| 3-5-13    |      |                  | 6.1<br><del>447.7</del><br>451.7   |
| +32       |      |                  | 6.1<br><del>449.9</del><br>453.9   |
| +50       |      |                  | 3.9<br><del>449.6</del><br>453.6   |
| 5-6-12-13 |      |                  | 4.2<br><del>448.1</del><br>452.1   |
| +18       |      |                  | 5.7<br><del>449.4</del><br>453.4   |
| +43       |      |                  | 4.4<br><del>447.7</del><br>451.7   |
| 6-7-11-12 |      |                  | 6.1<br><del>449.2</del><br>453.2   |
| +20       |      |                  | 4.6<br><del>448.5</del><br>452.5   |
| +30       |      |                  | 5.3<br><del>450.3</del><br>454.3   |
| +50       |      |                  | 3.5                                |

From Page 27



453.78  
~~457.78~~

7-8-11

4.0

449.8  
~~453.8~~

8-10-11

5.3

448.5  
~~452.5~~

439.62

+10

5.9

447.9  
~~451.9~~

18-9-10

4.0

449.8  
~~453.8~~

+20

5.4

448.4  
~~452.4~~

9-10

5.1

448.7  
~~452.7~~

5.04

448.74  
~~452.74~~

On hub 9-10 - B/k 15 = 448.72

9.94

443.84  
~~447.84~~

4.45

448.29  
~~452.29~~

8.72

439.57  
~~443.57~~

On Hub Lot 10-11 B/k 16 = 439.62



## Block # 16

30

439.62

Lot 10-11 - Blk 16

8.72 448.34

|          |                         |        |
|----------|-------------------------|--------|
| 10-11    | 8.7                     | 439.6  |
| +25      | 9.7                     | 438.6  |
| 9-10-11  | 8.3                     | 440.0  |
| 10-11-12 | 8.4                     | 439.9  |
| 8-9-12   | 7.6                     | 440.7  |
| 8-12-13  | 7.2                     | 441.1  |
| 7-8-13   | 6.8                     | 441.5  |
| 7-13-14  | 6.6                     | 441.7  |
| 6-7-14   | 6.6                     | 441.7  |
| 6-14-15  | 6.4                     | 441.9  |
| +25      | 4.9                     | 443.4  |
| 5-6-15   | 6.6                     | 441.7  |
| 5-15-16  | 6.7                     | 441.6  |
| +32      | 4.4                     | 443.9  |
| 3-5-16   | 6.0                     | 442.3  |
| 2-3-16   | 5.5                     | 443.0  |
| 1-2-16   | 2.0                     | 446.3  |
| 1-16     | <u>Hand level 449.7</u> |        |
| 3-4-5    | 7.5                     | 440.8  |
| +20      | 6.3                     | 442.0  |
| +42      | 9.2                     | 439.1  |
| +67      | 7.6                     | 440.3  |
| 4-5      | 9.4                     | 438.9  |
|          | 10.49                   | 437.85 |

437.84 - Lot 3-4 - Blk 17



Nov 10-26

437.84

On hub Lot 3-4 - B/E 17

|         | 3.44 | 441.28 |     |       |
|---------|------|--------|-----|-------|
| 4-5     |      |        | 0.8 | 440.5 |
| +15     |      |        | 2.7 | 438.6 |
| +41     |      |        | 0.6 | 440.7 |
| +70     |      |        | 4.5 | 436.8 |
| 3-4-5   |      |        | 4.6 | 436.7 |
| 3-5-18  |      |        | 2.0 | 439.3 |
| 2-3-18  |      |        | 4.5 | 436.8 |
| +45     |      |        | 2.6 | 438.7 |
| 1-2-18  |      |        | 4.6 | 436.7 |
| +12     |      |        | 4.5 | 436.8 |
| 1-18    |      |        | 1.7 | 439.6 |
| 3-5-18  |      |        |     |       |
| 5-17-18 |      |        | 3.5 | 437.8 |
| 5-6-17  |      |        | 3.8 | 437.5 |
| +25     |      |        | 4.7 | 436.6 |
| 6-16-17 |      |        | 3.9 | 437.4 |
| 6-7-16  |      |        | 4.5 | 436.8 |
| +30     |      |        | 4.1 | 437.2 |
| 7-15-16 |      |        | 5.6 | 435.7 |
| 7-8-15  |      |        | 5.6 | 435.7 |
| +20     |      |        | 4.6 | 436.7 |
| 8-14-15 |      |        | 7.1 | 434.3 |
| 8-0     |      |        |     |       |



441.28

|          |       |        |
|----------|-------|--------|
| 8-9-14   | 7.5   | 433.8  |
| +19      | 7.4   | 433.9  |
| 9-13-14  | 5.8   | 435.5  |
| 9-10-13  | 8.4   | 432.9  |
| +21      | 7.9   | 433.4  |
| 10-12-13 | 9.5   | 431.8  |
| 10-11-12 | 7.6   | 433.7  |
| +30      | 9.6   | 431.7  |
| 11-12    | 10.4  | 430.9  |
|          | 10.21 | 431.07 |

On hand Lot 11-12 - BIK 17
















A 2600 Blm #35

WATSON, VALLE & GOUGH