

F. B.
857

FIELD BOOK

No. 410

MICROFILMED

DEC 10 1964

Dec. 12/12

Lehild's
Taylor
letter 1

x sect. artic sheet

from date to Harasity

see Book 849 page 45

note - all measurements taken

from east property line

J.P.	4.26	^{H.I.} 35.39	31.13
		<i>So. carb. Juniper</i>	
E line		6.5	28.9
cb		6.6	28.8
1/4		7.0	28.4
29'		5.9	29.5
32'		5.3	30.1
34'	2983	4.3	31.1
39'		4.3	31.1
41'		5.2	30.2
44		6.5	28.9
48		8.6	26.8
1/4		8.6	26.8
cb		8.6	26.8
white		9.4	26.0
	40 1/4		
white		9.1	26.3
cb		8.5	26.9
1/4		8.5	26.9

47'	8.5	26.9
43'	6.4	29.0
41'	5.1	30.3
39'	4.3	31.1
34'	4.3	31.1
32'	5.1	30.3
29'	5.9	29.5
1/4	6.7	28.7
cb	6.6	28.8
E line	6.4	29.0

center 3539

Eline	6.4	29.0
cb	6.5	28.9
1/4	6.6	28.8
29'	5.7	29.7
32'	5.2	30.2
34'	4.3	31.1
39'	4.3	31.1
41'	5.3	30.1
43'	6.1	29.3
47'	8.0	27.4
1/4	8.1	27.3
cb	8.4	27.0
White	9.3	26.1

3539

No. 1/4

White	8.9	26.5
cb	8.0	27.4
1/4	7.7	27.7
47'	7.2	28.2
45'	5.9	29.5
41'	5.2	30.2
39'	4.3	31.1
34'	4.3	31.1
32'	5.2	30.2
1/4	6.3	29.1
cb	6.1	29.3
Eline	5.9	29.5

3539

No. cb.

Eline		5.6	29.8
cb		6.0	29.4
1/4		5.0	30.4
32'		4.6	30.8
34'		4.3	31.1
39'		4.3	31.1
41'		4.8	30.6
1/4		6.5	28.9
cb		7.4	28.0
white		7.8	27.6
white	<i>Northline Juniper</i>	7.0	28.4
cb		6.6	28.8
1/4		5.9	29.5
41'	30.00	5.1	30.3
39'		4.3	31.1
34'		4.3	31.1
32'		4.7	30.7

1/4

5.1 30.3

cb

4.5 30.9

Eline

3.2 32.7

25' No.

Eline

3.1 32.3

cb

3.1 32.3

1/4

4.6 30.8

31.5

5.0 30.4

33.5

4.3 31.1

38.5

4.3 31.1

40.5

5.2 30.2

1/4

6.0 29.4

cb

6.1 29.3


white

6.0 29.4

2539

30' no.

White		5.6	29.8
cb		5.9	29.5
1/4		5.5	29.9
46.5	30.08	4.7	30.7
38.5	switch 2' south	4.3	31.1
33.5	9 feet.	4.3	31.1
31.5		6.1	30.3
1/4		4.0	31.4
cb		3.3	32.1
Eline		2.6	32.8



2539

75' no.

Eline		2.1	33.3
cb		3.3	32.1
1/4		3.9	31.5
31.5		6.2	30.2
33.5	301 ^v	4.3	31.1
34.5	side track rail	4.3	31.1
38.5		4.3	31.1
39.5	side track	4.3	31.1
41.5		4.3	31.1
1/4		5.2	30.2
cb		5.6	29.8
White		5.3	30.1

	35.39	
	100' no.	
White	4.9	30.5
cb	5.2	30.2
1/4	4.9	30.5
4.5.5	4.4	31.0
43'5" side track	4.4	31.0
38.5" side track	4.3	31.1
38' 30.17	4.3	31.1
33'	4.3	31.1
31'	5.1	30.1
26'	4.7	30.7
1/4	3.3	32.1
cb	2.0	33.4
Elise	0.9	34.5

	35.39	
	125' no.	
Elise	1.1	34.3
cb	1.9	33.5
22'	3.0	32.4
1/4	4.4	31.0
31'	5.3	30.1
33'	4.3	31.1
38' 30.21	4.4	31.0
40'	4.5	30.9
41'	4.5	30.9
43'	4.5	30.9
48'	4.5	30.9
50	4.6	30.8
1/4	4.6	30.8
cb	4.9	30.5
White	5.0	30.4

3539

150' no.

Wline	4.6	30.8
cb	5.1	30.3
55'	4.7	30.7
53' side track	4.6	30.8
48' sidetrack	4.5	30.9
46'	4.6	30.8
39.5 30.25	4.8	30.6
37.5	4.4	31.0
32.5	4.4	31.0
30.5	6.3	30.1
1/4	4.8	30.6
22'	3.9	31.5
cb	3.2	32.2
E line	2.0	33.4

3539

175' no.

E line	2.8	32.6
cb	3.6	31.8
20'	4.3	31.1
1/4	5.6	29.8
30.5	6.4	30.0
32.5	4.4	31.0
37.5 30.30	4.5	30.9
39.5	5.2	30.2
49.5	4.8	30.6
51.5 side track	4.6	30.8
56.5	4.6	30.8
58.5	4.8	30.6
cb	4.8	30.6
Wline	4.8	30.6

35.39

200' no.

White		4.9	305
cb		4.8	306
60'		4.9	305
58'	side track	4.8	306
53'	" "	4.8	306
51'		4.9	305
39.5		5.2	302
37.5	30.37	4.6	308
32.5		4.5	309
30.5		5.4	300
1/4		6.0	294
18'		5.0	304
cb		4.1	313
Elise		2.5	329

35.39

225' no.

Elise		3.6	31.8
cb		4.8	306
1/4		6.3	29.1
30'		5.5	29.9
32'		4.5	30.9
37'		4.7	30.7
39'	30.37	5.4	30.0
51'		5.2	30.2
53'		5.0	30.4
58'		4.9	30.5
60'		5.0	30.4
cb		4.8	306
White		4.6	30.8

3539

250' no.

White		4.9	305
cb		4.9	305
60'		5.1	303
58'	Ridetrack	5.1	303
53'	" "	5.1	303
51'		5.2	302
39'		5.5	299
37'	3042	4.7	307
32'		4.6	308
30'		5.4	300
1/4		6.5	289
23'		6.9	285
cb		6.4	290
E line		6.0	294

3539

263' no.

E line		7.0	284
cb		7.6	278
20'		13.0	22.4
22'		7.4	280
1/4		6.2	29.2
28.5		5.6	29.8
31.5	3045	4.6	30.8
36.5		4.7	30.7
38.5		5.6	29.8
51'		5.3	30.1
53'	Ridetrack	5.2	30.2
58'	" "	5.2	30.2
60'		5.3	30.1
cb		5.3	30.1
White		5.0	30.4

35.39

269' no.

White	5.2	30.2
cb	5.4	30.0
60'	5.3	30.1
58'	5.2	30.2
53'	5.2	30.2
51'	5.2	30.2
38.5	5.8	29.6
36.5	4.7	30.7
31.5	4.6	30.8
29.5	5.6	29.8
1/4	6.3	29.1
23'	7.8	27.6
20'	14.3	21.1
E.cb.	18.3	17.1

30.46

35.39

275' no. (end grade track)

E.cb.	19.2	16.2
16'	18.6	16.8
19'	13.0	22.4
22'	8.0	27.4
1/4	6.4	29.0
29.5	5.6	29.8
31.5	4.6	30.8
36.5	4.7	30.7
38.5	5.8	29.6
51'	5.3	30.1
53'	5.3	30.1
58'	5.3	30.1
60'	5.2	30.2
cb	5.1	30.3
White	5.4	30.0

30.47

35.39

So. line Kalnia

W. line	11.0	244 -
cb	11.9	235 -
1/4	11.9	235 -
42 30.50	11.9	235 -
41	14.3	211 -
C	15.3	20.1

No. line Kalnia

W. line	10.3	251 -
cb.	6.5	289 -
1/4	4.9	305 -
38'	5.8	296 -
36.0 30.5	4.8	306
31.0	4.7	307
29.0	5.8	296 -
1/4	7.6	278 -
23'	9.2	267 -

11

35.39

21'	11.4	24.0 -
16'	13.7	21.7 -
cb.	16.6	18.8 -
11'	12.6	22.8 -
E line	13.2	22.2 -
10' east slope	10.9	24.5 -
17' no.		
E line	5.0	30.1
3'	11.0	21.1
cb.	12.2	23.2
16'	10.6	24.8
22'	7.6	27.8
1/4 30.67	6.0	29.4
29'	5.5	29.9
31'	4.7	30.7
36'	4.7	30.7
38'	5.6	29.8
1/4	5.3	30.1
cb.	6.1	29.3
W line	10.0	25.4

3539

25' no.

W line		9.7	25.7
67'		8.8	26.6
cb.		6.2	29.2
1/4		5.5	29.9
38'		5.7	29.7
36'		4.8	30.7
31'	30.75	4.6	30.8
29'		5.5	29.9
1/4		6.3	29.1
16'		7.4	28.0
15'		10.0	25.4
cb.		11.2	24.2
5'		11.0	24.4
E line		5.6	29.8

3539

35' no

11 1/2

E line		5.5	29.9
10'		6.4	29.0
cb.		10.7	24.7
21'		9.7	25.7
22'		7.9	27.5
1/4	30.85	6.4	29.0
29'		5.5	29.9
31'		4.6	30.8
36'		4.7	30.7
38'		5.7	29.7
1/4		5.7	29.7
cb.		6.0	29.4
W line		6.6	28.8

35,39

50' no.

u White

cb

1/4

38'

36'

31'

29' 31⁰⁰

1/4

19'

cb

E line

J.P.

6.6 28.8

6.2 29.2

5.8 29.6

6.1 29.3

4.7 30.7

4.6 30.8

5.4 30.0

5.7 29.7

7.0 28.4

6.7 28.7

5.7 30.3

4.89 30.50

J.P.

HI
0.63 23.09 12.93 22.46

269' no. of samples

30' east slope
E line

10.0 13.1
9.7 13.4

275' no.

30' east slope
E line

10.7 12.4
10.6 12.5

No. line Kalina

30' east slope
E line

10.6 12.5
12.8 10.3

10'

13.0 10.1

cb

11.6 11.5

18'

7.2 15.9

No. cb.

cb

11.5 11.6

11'

14.5 8.6

3'

14.0 9.1

E line

13.0 10.1

30' east slope bottom of ditch

13.2 9.9

12

E

23.09

20 1/4

25' east slope
E line7.3 13.8
12.0 11.1

4'

13.1 10.0

7'

15.4 7.7

cb.

14.3 8.8

center

cb.

12.6 10.5

7'

11.5 11.6

3'

9.7 13.4

E line

8.7 14.4

20' east slope

5.8 17.3

20 1/4

20' east slope
E line3.6 19.5
9.9 13.2

cb.

11.2 11.9

1/4

10.1 13.0

C

9.7 13.4

4 1/2

9.7 13.4

1/4

7.6 15.5

cb.

7.9 15.2

+ 68

8.4 14.7

W line

7.7 15.4

25' west slope

6.3 16.8

23.09

13

20. cb.

White

0.0 23.1

cb.

1.0 22.1

1/4

0.6 22.5

1/8

2.4 20.7

C

3.2 19.9

1/4

3.8 19.3

15'

5.8 17.3

cb

7.4 15.7

5'

5.7 17.4

E line

5.3 17.8

15' east slope
J.P.K.I. 0.0 23.1
5.56 20.02 8.63 14.46

So. line Kalua

E 1/4

2.6 17.4

20.02

SO cb

E 1/4	5.4	14.6
C	5.5	14.5
1/4	3.0	17.0
61'	3.0	17.0
cb	4.1	15.9
65'	6.3	14.7
W. line	0.3	19.7

30' west slope
White

SO 1/4

30' west slope	1.9	18.1
White	2.1	17.9
65' top edge of culvert	8.6	11.4
cb.	11.2	8.8
1/4	13.0	7.0
45'	9.8	10.2
C	9.2	10.8
E 1/4	10.0	10.0

Dec 12/12


L Childs
Taylor
alt 14

20.02

Center

E 1/4	12.9	7.1
C	13.0	7.0
1/4	9.7	10.3
cb.	8.5	11.5
67'	8.4	11.6
White	4.6	15.4
35' west slope	6.6	13.4

X rect.



culvert

Dec. 13/12 } L. L. Childs
 Taylor
 Utter 15

41.79

J.R.	HI.			100' No.		
	11.29	41.79	30.50			
	75' North of Kaluaia				White	12.9 28.9
E line		10.9	30.9		cb	12.7 29.1
cb.		11.9	29.9		1/4	12.2 29.6
15'		12.9	28.9		41'	12.3 29.5
23'		12.6	29.2		38.5	11.9 29.9
1/4		11.8	30.0		36.5	10.9 30.9
29' 31.25		11.7	30.1		31.5 31.50	10.8 31.0
31'		10.8	31.0		29.5	11.6 30.2
36'		10.9	30.9		1/4	11.4 30.4
38'		12.0	29.8		22'	12.0 29.8
41'		12.4	29.4		cb.	11.3 30.5
46'		11.9	29.9		E line	10.8 31.0
1/4		12.2	29.6			
cb		12.7	29.1			
White		12.7	29.1			

41.79

300' no.

White	11.8	30.0
67'	10.6	31.2
cb.	11.2	30.6
1/4	11.1	30.7
46'	10.6	31.2
44'	9.9	31.9
41'	11.0	30.8
39.5'	11.0	30.8
37.5' ^{32.50}	10.2	31.6
32.5'	10.1	31.7
30.5'	10.8	31.0
28'	9.5	32.3
1/4	8.1	33.7
cb.	6.1	35.7
Elise	6.6	36.2

41.79

225' no.

Elise	4.6	37.2
cb	4.4	37.4
16'	5.4	36.4
19'	6.9	34.9
1/4	7.4	34.4
30.5'	10.5	31.3
32.5'	9.8	32.0
37.5'	9.9	31.9
39.5'	10.8	31.0
44'	9.6	32.2
1/4	10.5	31.3
cb	11.0	30.8
White	10.8	31.0

41.79

250 no.

White	10.1	31.7
cb	10.5	31.3
1/4	9.9	31.9
44'	9.6	32.2
40'	10.5	31.3
38	9.7	32.1
33'	9.6	32.2
31' 3300	10.3	31.5
27'	7.2	34.6
1/4	6.6	35.2
cb	3.5	38.3
Elise	2.8	39.0

41.79

275' no.

Elise	2.8	39.0
cb	3.0	38.8
1/4	6.5	35.3
28'	9.6	32.2
31.5	9.8	32.0
33'	9.2	32.6
38'	9.4	32.4
40'	10.2	31.6
44'	9.2	32.6
1/4	9.4	32.4
cb	10.0	31.8
White	9.5	32.3

18

41.79

300' no. (so. line of Laurel.)

white	10.1	317
cb.	9.8	320
1/4	9.1	327
44'	9.1	327
43'	9.8	320
40.5	9.9	319
39.5	9.1	327
33.5 33.50	9.0	328
31.5	9.6	322
26'	7.6	342
1/4	5.6	362
22'	4.4	374
cb.	2.2	396
E line	1.9	399

19

41.79

No. cb

E line	7.8	40.0
cb.	2.5	39.3
23'	5.4	36.4
1/4	6.2	35.6
30'	9.3	32.5
31.5	9.4	32.4
33.5	8.8	33.0
38.5	8.9	32.9
40.5	9.7	32.1
45'	9.1	32.7
1/4	9.2	32.6
cb	9.5	32.3
white	9.8	32.0

41.79

20. 1/4

white

ob.

1/4

45'

41'

39'

34'

32'

27'

1/4

ob.

E line

9.7 32.1

9.5 32.3

9.1 32.7

9.0 32.8

9.5 32.3

8.7 33.1

8.6 33.2

9.2 32.6

7.4 34.4

5.6 36.2

2.1 39.7

1.5 40.3

E line

ob.

1/4

27'

32'

34'

39'

41'

46'

1/4

ob

white

1.7 40.1

2.0 39.8

5.9 35.9

7.0 34.8

9.0 32.8

8.5 33.3

8.6 33.2

9.3 32.5

8.8 33.0

9.0 32.8

9.5 32.3

9.9 31.9

20

41.79

center

	41.79	
	no. 1/4	
white	9.9	31.9
cb	9.5	32.3
1/4	9.0	32.8
46'	8.5	33.3
41'	8.9	32.9
39'	8.4	33.4
34'	8.3	33.5
32'	8.6	33.2
1/4	6.1	35.7
16'	2.5	39.3
cb	1.9	39.9
Elm	2.0	39.8

	41.79	
	no. cb.	
Elm	2.0	39.8
cb	2.5	39.3
17'	3.4	38.4
19'	5.1	36.7
1/4	7.0	34.8
32'	8.1	33.7
34'	8.2	33.6
39'	8.2	33.6
41'	8.6	33.2
1/4	8.8	33.0
cb	9.4	32.4
white	9.9	31.9

41.79

north line Laurel.

White	10.4	31.4
cb	9.4	32.4
1/4	8.9	32.9
41.5	8.4	33.4
39.5	8.1	33.7
34.5 ^{34.50}	8.0	33.8
32.5	8.1	33.7
1/4	7.2	34.6
17'	5.5	36.3
cb	3.2	38.6
E line	2.5	39.3

41.79

25' no.

E line	2.0	39.8
cb.	3.2	38.6
1/4	7.9	33.9
32.5	8.6	33.3
34.5	7.7	34.1
39.5	7.7	34.1
41.5	8.6	33.2
1/4	9.0	32.8
cb	9.8	32.0
White	10.7	31.1
10' west slope.	11.4	30.4

41.79

50' no.

10' west slope

white

cb

1/4

41.5

89.5 35⁰⁰

34.5

32.5

1/4

20'

14'

cb

E line

12.0 29.8

11.1 30.7

10.2 31.6

9.1 32.7

8.4 33.4

7.4 34.4

7.4 34.4

8.3 33.5

7.6 34.2

6.5 35.3

2.9 38.9

2.6 39.2

1.9 39.9

E line

cb

16'

21'

1/4

82.5

34.5

39.5

41.5

1/4

58'

cb

white

10' west slope

Dec. 18/12

41.79

75' no.

1.8 40.0

3.5 38.3

4.3 37.5

6.3 35.5

7.5 34.3

8.0 33.8

7.1 34.7

7.1 34.7

8.1 33.7

9.2 32.6

9.5 32.3

10.9 30.9

11.8 30.0

12.9 28.9

Kilbuds
Taylors
Allen

Dec. 14/12
 Childs
 Taylor
 Allen

41.79

45.71

100' no.

125 no.

10' west slope

13.1 28.7

E line

7.2 38.5

Whip

12.5 29.3

cb.

9.2 36.5

cb.

11.4 30.4

1/4

10.2 35.5

57'

10.4 31.4

29'

9.9 35.6

54'

8.9 32.9

31'
33'

11.1 34.6
11.2 34.5

1/4

8.0 33.8

35' ✓

10.4 35.3

42'

35.50

7.7 34.1

40' ✓

10.4 35.3

40'

6.8 35.0

42'

11.3 34.4

35'

6.7 35.1

45'

11.3 34.4

33'

7.6 34.2

27'

5.9 35.9

1034

1/4

6.6 35.2

cb.

5.1 36.7

E line

2.0 39.8

T.P.

10.86 45.71 6.94 34.85

45.71

150' no.

45'		11.0	34.7
42'		11.1	34.6
40'		10.1	35.6
35'		10.1	35.6
33'		11.0	35.7
30'	36°	10.3	35.4
1/4		10.6	35.1
cb		10.0	35.7
6'		8.1	37.6
E line		7.0	38.7
	175' no.		
E line		7.4	38.3
7'		8.2	37.5
cb.		9.4	36.3
1/4		11.1	34.6
29'		10.0	35.7
31'		10.4	35.3
33'		10.3	35.4

45.71

200' no.

35'		9.5	36.7
40'		9.5	36.7
42'		10.5	35.2
46'		10.8	34.9
	200' no.		
46'		10.3	35.4
42.5'		10.1	35.6
40.5'		9.2	36.5
35.5'		9.1	36.6
33.5-36.47		10.0	35.7
30'		9.9	35.8
1/4		11.0	34.7
15'		9.6	36.1
cb.		8.4	37.3
		7.0	38.7

4571

225' no.

E line	6.9	38.8
9'	8.2	37.5
cb.	9.4	36.3
22'	11.0	34.7
1/4	10.2	35.5
29'	9.3	36.4
33.5	9.5	36.2
35.5	8.7	37.0
40.5	8.7	37.0
42.5	9.6	36.1
46'	9.8	35.9
46'	9.5	36.2
42.5	9.2	36.5
40.5 36.97	8.3	37.4
35.5	8.3	37.4
33.5	9.1	36.6
30'	9.3	36.4

250' no.

4571

1/4

15'	9.8	35.9
cb.	9.9	35.8
6'	9.0	36.7
E line	7.6	38.1
	7.0	38.7
	7.4	38.3
	8.9	36.8
	9.7	36.0
	9.4	36.3
	8.9	36.8
	8.7	37.0
	8.6	37.1
	7.7	38.0
	7.8	37.9
	8.7	37.0
	9.0	36.7

275' no.

E line

5'

cb.

19'

1/4

31'

37.20

33.5

35.5

40.5

42.5

47'

45.71

300' no. (So. line of maple)

46'	8.6	37.1
43'	8.3	37.4
41'	7.3	38.4
36'	7.3	38.4
34'	8.0	37.7
30'	7.9	37.8
1/4	9.5	36.2
21'	10.8	34.9
cb.	10.9	34.8
6'	9.1	36.6
E line	7.2	38.5
So. cb.		
E line	6.6	39.1
3'	8.5	37.2
6'	10.4	35.3
cb.	11.0	34.7
19'	11.7	34.0
23'	11.3	34.4

37.40

27

45.71

1/4	10.2	35.2
30'	8.1	37.6
34'	7.9	37.8
36'	7.0	38.7
41'	7.1	38.6
43'	8.0	37.7
46'	8.5	37.7
So. 1/4		
46'	8.2	37.5
43'	7.8	37.9
41'	6.8	38.9
36'	6.8	38.9
34'	7.6	38.1
29'	8.0	37.7
1/4	9.5	36.2
22'	11.0	34.7
cb.	10.2	35.5
6'	10.1	35.6
3'	7.9	37.8
E line	6.7	39.0

45.71

Center

E line

3'

8'

cb.

21'

1/4

29'

34'

36'

41'

43'

47'

no. 1/4

47'

43'

41'

36'

34'

6.4

7.6

10.1

10.4

10.8

9.0

7.5

7.3

6.5

6.5

7.6

8.0

7.7

7.3

6.2

6.3

7.1

39.3

38.1

35.6

35.3

34.9

36.7

38.2

38.4

39.2

39.2

38.1

37.7

38.0

38.4

39.5

39.4

38.6

31'

1/4

23'

cb.

7'

3'

E line

E line

2'

6'

cb.

21'

1/4

29'

34'

36'

41'

43'

47'

45.71

7.2

8.6

10.4

10.3

9.8

7.6

6.0

no. cb.

5.7

8.0

9.8

10.3

10.3

9.0

7.1

6.9

6.0

6.0

6.9

7.9

38.5

37.1

35.3

35.4

35.9

38.1

39.7

40.0

37.7

35.9

35.4

35.4

36.7

38.6

38.8

39.7

39.7

38.8

37.8

4571

no. line of maple.

47'	7.1	38.6
43'	6.7	39.0
41'	5.7	40.0
36'	5.7	40.0
34'	6.6	39.1
29'	6.8	38.9
1/4	8.7	37.0
22'	10.1	35.6
cb.	10.1	35.6
7'	9.2	36.5
3'	7.2	38.5
E line	5.5	40.2
	25' no.	
E line	4.8	40.9
3'	6.5	39.2
8'	8.4	37.3
cb.	9.6	36.1
21	9.8	35.9

38.20

4571

29

1/4	7.7	38.0
29'	6.1	39.6
34'	6.5	39.6
36'	5.2	40.5
41'	5.2	40.5
43'	6.2	39.5
47'	6.5	39.2
	50' no.	
47'	5.9	39.8
43'	5.6	40.1
41'	4.7	41.0
36'	4.7	41.0
34'	5.5	40.2
29'	5.7	40.0
1/4	7.1	38.6
22'	9.1	36.6
13'	9.2	36.5
cb	8.1	37.6
6'	6.4	39.3
E line	4.0	41.7

39.17

	4571		
	75' no.		
E line		1.5	44.2
cb.		7.1	38.6
16'		8.6	37.1
21'		9.0	36.7
1/4		6.4	39.3
29'		5.2	40.5
34'		5.0	40.7
36'		4.2	41.5
41'		4.2	41.5
43'		5.1	40.6
46'		5.3	40.4
	100' no.		
47'		4.9	40.8
43'		4.6	41.1
41'		3.7	42.0
36'	40.13	3.7	42.0
34'		4.6	41.1
27'		5.3	40.4

	4571	30
1/4		7.9 37.8
17'		7.5 38.2
cb.		5.0 40.7
E line		1.3 44.4
	125' no.	
E line		0.8 44.9
cb.		4.6 41.1
17'		6.2 39.5
1/4		7.2 38.5
30'		4.3 41.4
34'		4.0 41.7
36'		3.1 42.6
41'		3.1 42.6
43'		4.1 41.6
46'		4.5 41.2

45.71

150' no.

45'		3.7	42.0
43'		3.5	42.2
41'		2.6	42.1
36'		2.5	43.2
34'	41'	3.4	42.3
30'		3.7	42.0
1/4		6.7	39.0
cb		4.6	41.1
3'		2.6	43.1
E line		0.6	45.7
	175' no.		
E line		0.6	45.7
2'		2.6	43.1
cb.		4.9	40.8
21'		6.0	39.7
1/4		4.7	41.0
29'		3.0	42.7
34'		2.8	42.9

45.71

200' no.

36'		2.0	43.7
41'		2.1	43.6
43'		3.0	42.7
45'		3.5	42.2
	200' no.		
45'		2.9	42.8
43'		2.4	43.3
41'		1.6	44.1
36'		1.5	44.2
34'	42.06	2.4	43.3
30'		2.8	42.9
1/4		4.8	40.9
cb		5.2	40.5
7'		3.4	42.3
E line		1.5	44.2

	45.71	
	225' no.	
E line	2.2	43.5
cb.	4.5	41.2
22'	5.2	40.5
1/4	3.6	42.1
29'	2.2	43.5
34'	1.9	43.8
36'	1.1	44.6
41'	1.1	44.6
43'	2.0	43.7
46'	2.5	43.2
	250' no.	
46'	1.8	43.9
43'	1.4	44.3
41'	0.5	45.2
36'	0.6	45.1
34'	1.4	44.3
28'	1.8	43.9
1/4	3.1	42.6

43.03

	45.71	32
22'	4.5	41.2
cb.	4.0	41.7
6'	2.3	43.1
E line	0.4	45.3
J.P.	3.52	49.17
	275' no.	
	2.1	47.1
	3.9	45.3
	5.1	44.1
	7.1	42.8
	6.0	43.2
	4.4	44.8
	4.4	44.8
	3.6	45.6
	3.6	45.6
	4.5	44.7
	4.9	44.3
	7.1	42.1
	11.1	38.1

49.17

cb.	11.2	38.0
67'	11.5	37.7
72'	13.4	35.8
W line	13.8	35.4
15' west slope.	16.5	32.7
300' West (20. line mtney)		
15' west slope	15.1	34.1
White	12.7	36.5
71'	11.4	37.8
66'	10.0	39.2
cb.	9.8	39.4
55'	9.7	39.5
1/4	6.9	42.3
46' ^{44⁰⁰}	4.1	45.1
43'	3.8	45.4
41'	3.0	46.2
36'	3.0	46.2
34'	3.8	45.4
30'	3.9	45.3

49.17

1/4	6.1	43.1
17'	5.2	44.0
cb.	2.6	46.6
5'	1.5	47.7
E line	0.2	49.0
S.P.	1.20	47.97

39,55

<u>part</u>	H.I.					
	4.70	39.55	34.85		175' no.	
		125' no.	Lamel.	W ¹ / ₄		7.2 32.4
W ¹ / ₄			7.2	32.4	58'	9.5 30.1
51'			8.0	31.6	cb'	11.2 28.4
56'			9.5	30.1	white	11.7 27.9
cb.			10.2	29.4	15' west slope.	13.6 26.0
white			10.8	28.8		
15' west slope			12.8	26.8	200' no.	
		150' no.			15' west slope	14.0 25.6
15' west slope			13.5	26.1	white	12.2 27.4
white			11.3	28.3	cb.	11.7 27.9
cb.			10.8	28.8	59'	10.8 28.8
61'			9.9	29.7	W ¹ / ₄	7.8 31.8
53'			8.6	31.0		
W ¹ / ₄			8.3	31.3	225' no.	
					W ¹ / ₄	6.1 33.5
					58'	10.1 29.5
					61'	11.7 27.9
					cb	12.1 27.5
					white	12.6 27.0
					15' west slope	14.6 25.0

39.55

250' no.

65' west slope	15.7	23.9
W line	13.1	26.5
cb.	12.1	27.5
58'	11.0	28.6
W 1/4	5.8	33.8

275' no.

W 1/4	5.5	34.1
59	10.8	28.8
60.	11.9	27.7
cb.	12.2	27.4
White	13.1	26.5
20' west slope.	15.8	23.8

39.55

300' no of so. line maple)

20' west slope	15.7	23.9
white	12.3	27.6
cb.	11.8	27.8
60	10.9	28.7
W 1/4	5.0	34.6

20. cb.

W 1/4	4.5	35.1
57'	9.7	29.9
cb.	10.9	28.7
white top culvert.	12.2	27.4
20' west slope. bottom of ditch	20.7	18.9
	20' 1/4	
20' west slope	15.8	23.8
white	12.3	27.3
cb.	11.6	28.0
59'	10.2	29.4
W 1/4	4.8	34.8

39.55			
center			
w 1/4	4.5	35.1	
59'	9.5	30.1	
61'	11.4	28.2	
cb.	11.9	27.7	
white	12.6	27.0	
20' west slope	15.0	24.6	
no 1/4			
20' west slope	15.2	24.4	
white	12.9	26.7	
cb.	11.7	27.9	
61'	9.5	30.1	
w 1/4	4.2	35.4	

39.55			
no. cb.			
w 1/4	3.7	35.9	
60	8.0	31.6	
cb.	11.6	28.0	
white	12.4	27.2	
20' west slope.	14.8	24.8	
no. line maple.			
20' west slope.	14.8	24.8	
white	12.1	27.5	
64'	11.4	28.2	
cb.	9.8	29.8	
w 1/4	2.8	36.8	
25' no.			
w 1/4	2.3	37.3	
61'	7.0	30.6	
cb.	10.6	29.0	
white	11.8	27.8	
20' west slope.	15.1	24.5	

39.55

50' no.

20' west slope.	15.7	239
white	11.5	28.1
cb.	10.5	29.1
62'	8.7	30.9
w 1/4	1.5	38.1

75' no.

w 1/4	1.9	37.7
60'	8.0	31.6
61'	9.7	29.9
cb.	10.0	29.6
white	11.2	28.4
15' west slope.	14.8	24.8

39.55

100' no.

15' west slope	14.6	25.0
white	11.0	28.6
70'	9.3	30.3
cb	9.1	30.5
60'	7.3	32.3
w 1/4	1.2	38.4

125' no.

w 1/4	1.6	38.0
59'	5.8	33.8
60'	7.8	31.8
cb.	8.2	31.4
71'	8.7	30.9
white	10.0	29.6
15' west slope.	13.8	25.8

39.55
150' No.

15' west slope	13.5	26.1
White	9.5	30.1
70'	7.6	32.0
cb.	7.3	32.3
59'	5.9	33.7
W ¹ / ₄	0.2	39.4

175' No.

W ¹ / ₄	0.0	39.6
57'	3.5	36.1
59'	6.2	33.4
cb.	6.6	33.0
69'	6.9	32.7
White	8.7	30.9
15' west slope.	12.4	29.2

Dec. 14/12) Childs
Tanger
Allen

39.55

200' North

15' west slope.	11.2	28.4
White	8.0	31.6
69'	5.9	33.7
cb.	5.7	33.9
58'	5.3	34.3
56'	3.5	36.1
J.P.	9.58	43.41
5.72	33.83	

W ¹ / ₄	4.0	39.4
-------------------------------	-----	------

225' No.

W ¹ / ₄	3.7	39.7
55'	6.1	37.3
56'	8.1	35.3
cb.	8.5	34.9
68'	8.5	34.9
White	11.0	32.4
15' west slope.	14.8	28.6

43.41

250' na.

15' west slope.	13.3	30.1
White	9.7	33.7
67'	7.1	36.3
cb.	7.2	36.2
57'	7.0	36.4
55'	5.8	37.6
W 1/4	3.5	39.9

J.P.

15' west slope

White

67'

cb

55'

54'

W 1/4

W 1/4

54'

55'

cb

67'

White

15' west slope.

Dec. 17/12 Helilds
Taylor 39
Weller

So. cb. nutmeg
H.I.

0.73 48.70

47.97

14.0 34.7

11.2 37.5

8.8 39.9

8.7 40.0

8.7 40.0

7.4 41.3

4.4 44.3

So 1/4

3.5 45.2

6.4 42.3

7.7 41.0

8.2 40.5

8.3 40.4

10.5 38.2

13.4 35.3

	Center	48.70	
15' west slope.		12.8	35.9
White		10.4	38.3
67'		8.0	40.7
cb.		7.7	41.0
55'		7.7	41.0
54'		6.3	42.4
W ¹ / ₄		4.2	44.5
	no. 1/4		
W ¹ / ₄		3.1	45.6
55'		5.5	43.2
56'		6.9	41.8
cb.		7.5	41.2
67'		7.6	41.1
White		9.8	38.9
15' west slope		12.1	36.6

	48.70	
no. cb.		
15' west slope	11.6	37.1
White	9.5	39.2
67'	7.3	41.4
cb.	7.2	41.5
55'	6.7	42.0
54'	5.8	42.9
W ¹ / ₄	3.4	45.3
	no. line mtng.	
W ¹ / ₄	2.9	45.8
54'	5.6	43.1
55'	6.5	42.2
cb.	7.1	41.6
67'	7.1	41.6
White	8.7	40.0
15' west slope.	11.1	37.6

48.70

25' no.

10' west slope	9.2	39.5
white	7.4	41.3
68'	6.2	42.5
cb.	6.3	42.4
56'	5.7	43.0
55'	4.9	43.8
w 1/4	3.0	45.7

50' no.

w 1/4	2.2	46.5
54'	3.9	44.8
53'	4.7	44.0
cb.	5.2	43.5
white	6.5	42.2
10' west slope	8.1	40.6

48.70

75' no.

10' west slope	7.2	41.5
white	5.7	43.0
cb.	4.1	44.6
54'	3.6	45.1
53'	2.7	46.0
w 1/4	2.1	46.6

100' north

w 1/4	1.5	47.2
cb.	2.6	46.5
white	4.6	44.1
10' west slope	6.2	42.5

125' no.

10' west	5.3	43.4
white	3.3	45.4
cb.	1.5	47.2
w 1/4	1.0	47.7

	H.I.				55.91	
J.P.	7.94	55.91	47.97	29'	10.0	45.9
	So. cb.	Mutney		34'	10.0	45.9
46'		10.5	45.4	36'	9.3	46.6
43'		10.3	45.6	41'	9.3	46.6
41'		9.6	46.3	43'	10.1	45.8
36"		9.6	46.3	47'	10.2	45.7
34'		10.3	45.6			
29'		10.7	45.2	47'	10.1	45.8
1/4		12.6	43.3	43'	9.9	46.0
16'		11.4	44.5	41'	9.1	46.8
cb.		9.2	46.7	36'	9.0	46.9
6'		7.8	48.1	34'	9.7	46.2
Eline		6.1	49.8	27'	10.2	45.7
	So 1/4			1/4	11.9	44.0
Eline		5.1	50.8	21'	10.0	45.9
cb.		7.1	48.8	14'	8.2	47.7
15'		9.3	46.6	cb.	7.2	48.7
19'		11.1	44.8	10'	5.7	50.2
1/4		12.5	43.4	Eline	4.2	51.7

Center

5591

No. 1/4

E line	4.1	57.8
cb.	5.8	50.1
14'	8.3	47.6
22'	11.1	44.8
23'	10.1	45.8
1/4	9.9	46.0
30'	9.4	46.5
34'	9.4	46.5
36'	8.7	47.2
41'	8.8	47.1
43'	9.6	46.3
47'	9.9	46.0
No. cb.		
47'	9.6	46.3
43'	9.4	46.5
41'	8.6	47.3
36'	8.5	47.4
34'	9.3	46.6

5591

1/4	9.6	46.3
22'	10.9	45.0
16'	9.2	46.7
15'	8.0	47.9
cb.	6.7	49.2
11'	5.2	50.7
E line	3.5	52.4
North line survey		
E line	3.5	52.4
cb.	5.1	50.8
13'	6.2	49.7
16'	7.9	48.0
1/4 ^{45.60}	9.5	46.5
29'	8.9	47.0
34'	8.9	47.0
36'	8.2	47.7
41'	8.3	47.6
43'	9.1	46.8
47'	9.3	46.6

	5591	
	25' no.	
46'	8.9	47.0
43'	8.6	47.3
41'	7.8	48.1
36'	7.7	48.2
34'	8.4	47.5
29'	8.3	47.6
1/4	8.8	47.1
16'	7.6	48.3
cb.	6.0	49.9
11'	4.6	51.3
E line	3.3	52.6
	50' no.	
E line	2.5	53.4
cb.	4.7	51.2
13' ^{46.6}	6.2	49.7
1/4 ^{46.5}	7.9	48.0
34'	7.8	48.1
36'	7.1	48.8

	5591	
	41'	7.3
	43'	8.2
	48'	8.6
	75' no.	
	46'	8.1
	43'	7.7
	41'	6.8
	36'	6.5
	34'	7.4
	1/4	7.1
	14'	5.5
	cb.	4.5
	E line	2.3
		48.6
		47.7
		47.3
		47.8
		48.2
		49.1
		49.4
		48.5
		48.8
		50.4
		51.4
		53.6

	55.91	
100' no.		
eline	0.7	55.2
cb.	2.1	538
16'	2.9	530
17'	3.9	520
1/4	6.1	498
34'	6.7	49.2
36'	6.0	49.9
41'	6.3	49.6
43'	7.3	48.6
48'	7.4	48.5

	125' no.	
146'	7.1	48.8
43'	6.7	49.2
41'	5.8	50.1
36'	5.5	50.4
34'	6.4	49.5
29'	4.8	51.1

	55.91	
1/4		5.3 50.6
15'		1.8 54.1
cb.		1.3 54.6
eline		-0.3 56.2
J.P.	10.56	H.I. 62.26 4.21 51.70
	150' no.	
eline		4.7 57.6
cb.		6.1 56.2
1/4		9.3 53.0
29'		9.9 52.4
33'		12.2 50.1
35'		12.1 50.2
37'		11.3 51.0
42'	48.7	11.6 50.7
44'		12.7 49.6
47'		12.6 49.7
1/4		13.2 49.1
cb		13.8 48.5
white		16.0 46.3

62.26

175' no.

White	14.9	47.4
70'	14.0	48.3
cb.	13.0	49.3
1/4	12.1	50.2
44.5	12.3	50.0
42.5	11.2	51.1
37.5	10.9	51.4
35.5	11.6	50.7
32'	11.8	50.5
30'	9.2	53.1
1/4	8.8	53.5
20'	7.6	54.7
18'	6.5	56.8
cb	4.5	57.8
E line	3.2	59.1

62.26

200' no.

E line	2.4	59.9
cb.	3.6	58.7
20'	6.3	56.0
1/4	8.1	54.2
32'	11.4	50.9
36' ⁴⁹⁷⁶	11.2	51.1
38'	10.4	51.9
43'	10.8	51.5
45'	11.7	50.6
48'	11.1	51.2
1/4	11.2	51.1
cb.	12.0	50.3
White	13.8	48.5

6226

228.76 No. (sect. A B₁₅₆)

White	12.2	50.1
cb.	10.7	51.6
1/4	10.4	51.9
48.5	11.5	50.8
46.5	10.4	51.9
41.5	10.0	52.3
39.5 50.20	10.7	51.6
C	11.5	50.8
33'	9.9	52.4
1/4	8.4	53.9
24	7.0	55.3
20'	4.5	57.8
cb.	2.9	59.4
E line	1.5	60.8

6226

So. line Olive

E line	1.0	61.3
cb.	2.8	59.5
20'	3.7	58.6
1/4	6.7	55.6
27'	8.2	54.1
33'	9.7	52.6
36'	11.0	51.3
C 50 ↓ 10	11.3	51.0
40'	10.6	51.7
42'	9.9	52.4
47'	10.2	52.1
49'	11.2	51.1
1/4	11.0	51.3
52'	10.3	52.0
cb.	10.6	51.7
White	12.2	50.1

6226

20. cb.

white	11.3	51.0
cb.	10.2	52.1
54'	9.9	52.4
1/4	11.2	51.1
49 west rail	10.1	52.2
44'	9.7	52.6
42'	10.4	51.9
39'	11.0	51.3
c	11.0	51.3
36	9.6	52.7
27'	7.9	54.5
26	7.0	55.3
1/4	6.2	56.1
23'	5.1	57.2
17'	3.2	59.1
cb.	2.8	59.5
E line	0.8	61.5

6226

20. 1/4

48

white	0.2	62.1
cb.	2.4	59.9
23'	4.3	58.0
1/4	4.9	57.4
35'	9.5	52.8
c	10.8	51.5
43'	10.3	52.0
45'	9.5	52.8
50'	9.9	52.4
52'	10.8	51.5
57'	9.4	52.9
cb.	9.8	52.5
white	10.8	51.5

	center				no. 1/9		
White		10.5	57.8	Eline		0.9	61.4
cb.		9.4	529	cb.		3.4	58.9
58'		9.4	529	1/4		6.0	56.3
53.5		10.8	57.5	30'		8.0	54.3
51.5		9.6	527	C		9.8	52.5
46.5		9.3	530	43'		9.6	52.7
44.5		10.1	522	45'		9.1	53.2
42'		10.7	57.6	50'		9.4	52.9
C		9.5	528	52'		10.2	52.1
31'		7.7	54.6	57'		9.0	53.3
29'		6.6	55.7	cb.		9.4	52.9
1/4		5.8	56.5	White		10.3	52.0
21'		4.1	58.2				
cb.		2.7	59.6				
7'		1.2	61.1				
Eline		0.0	62.3				

6226

No. cb.

White	10.2	52.1
cb.	9.1	53.2
55'	8.9	53.4
54	10.2	52.1
49'	9.2	53.1
44.0	8.9	53.4
42'0	9.5	52.6
C	10.3	52.0
32'	8.9	53.4
1/4	6.3	56.0
cb.	3.8	58.5
4'	2.7	59.6
Elive	1.8	60.5

6226

No. line @ live

Elive	1.9	60.4
cb.	3.2	59.1
19'	3.9	58.4
1/4	5.8	56.5
36'	10.0	52.3
C	9.5	52.8
40.5 ^{57.00}	9.4	52.9
42.5	8.6	53.7
47.5	9.0	53.3
49.5	10.1	52.2
1/4	9.4	52.9
63'	8.8	53.5
cb.	9.4	52.9
White	10.3	52.0

6226
sect C 10.

White	10.3	520
cb.	9.5	528
52'	8.8	535
1/4	9.7	526
48'	9.9	524
46'	8.9	534
41' 52' ¹⁰	8.6	537
39'	9.3	530
c	9.6	527
31'	8.9	534
27'	8.0	543
1/4	6.0	563
21'	5.2	571
20'	4.5	578
17'	3.4	589
cb.	3.1	592
Elise	1.4	609

6226
200' so. of Palms.

Elise	1.8	605
cb.	4.0	583
19'	4.8	575
1/4	8.0	543
32'	9.2	531
36' 52' ⁵⁰	8.6	537
38'	8.0	543
43'	8.3	540
45'	9.4	529
1/4	8.5	538
cb.	8.9	534
White	10.6	517

	6226	
	175'	20. Palm
White	11.1	51.2
71'	9.4	52.9
cb.	8.6	53.7
1/4	7.9	54.4
49'	8.2	54.1
43.5	8.9	53.4
41.5	7.8	54.5
36.5	7.5	54.8
34.5	8.2	54.1
29'	7.9	54.4
1/4	7.1	55.2
20'	5.6	56.7
cb.	3.9	58.4
Elm	2.6	59.7

	6226	
	150'	20. Palm
Elm	2.2	60.1
cb.	3.3	59.0
20'	5.6	56.7
1/4	7.3	55.0
31'	8.2	54.1
33.5	7.6	54.7
35.5 ^{53.25}	7.0	55.3
40.5	7.3	55.0
42.5	8.3	54.0
48'	7.4	54.9
1/4	7.7	54.6
cb.	8.3	54.0
70'	8.8	53.5
White	10.0	52.3

6226
125' *So. palm*

White	8.9	53.4
cb.	7.3	55.0
1/4	6.9	55.4
48'	6.9	55.4
45'	8.0	54.3
42'	7.8	54.5
40'	6.8	55.5
35'	6.5	55.8
33'	7.3	56.0
1/4	7.2	55.1
20'	5.2	57.1
cb.	4.1	58.2
5'	2.8	59.5
4'	1.8	60.5
E line	1.3	61.0

6226
100' *So. palm*

E line	2.0	60.3
cb.	3.2	59.1
20'	3.9	58.4
22'	5.9	56.4
1/4	6.4	55.9
33'	6.9	55.4
35' 54 ⁰⁰	6.0	56.3
40'	6.3	56.0
42'	7.3	55.0
47'	5.8	56.5
1/4	6.0	56.3
cb.	6.2	56.1
69'	6.2	56.1
white	9.2	53.1

6226

75' 20. of palm

White

	7.2	55.1
70'	5.5	56.8
66'	5.4	56.9
1/4	5.2	57.1
47	6.0	56.3
42	6.8	55.5
40'	5.9	56.4
35'	5.6	56.7
33'	6.4	55.9
29'	6.2	56.1
27'	3.9	58.4
1/4	4.6	57.7
19'	3.7	58.6
66'	2.5	59.8
Elive	0.6	61.7

5 P.

9.97 ^{H.I.} 66.94 5.29 56.97

50' 20. of palm

Elive

4'

66'

1/4

28'

29'

33' 54.75

35'

40'

42'

44'

47'

1/4

55'

66'

White

4.1 62.8

6.0 60.9

7.5 59.4

7.6 59.3

7.6 59.3

11.0 55.9

10.4 56.4

9.7 57.2

9.9 57.0

10.8 56.1

11.2 55.7

9.1 57.8

8.9 58.0

8.5 58.4

8.9 58.0

9.2 57.7

6694

25' 20. of palm.

White	7.6	593
70'	8.5	584
cb.	8.4	585
56'	7.9	590
55'	8.8	581
1/4	8.7	582
47'	8.7	582
45'	11.0	559
42'	10.5	564
40'	9.5	574
35'	9.4	575
33'	10.2	567
30'	10.9	560
28'	8.8	581
1/4	7.1	598
15'	7.3	596
cb.	7.0	599
Elvis	5.9	610

55

6694

20. line of palm.

Elvis	5.0	619
cb.	4.1	628
1/4	4.6	623
28'	10.8	561
33'	10.0	569
35'	9.2	577
40'	9.2	577
42' ⁵⁵⁵⁰	10.2	567
44'	10.7	562
45'	8.8	581
1/4	8.6	583
55'	8.4	585
57'	7.0	599
cb.	7.4	595
White	7.4	595
T.P.	9.12	57.82

Dec. 19/12

Childs
Fayson
51
Wren

6948

20 1/4

J.P.	11.66	K.I. 69.48	57.82				
	So. Co. Palm.			E line		1.9	67.6
W. line			10.3	cb.		2.7	66.8
cb.			9.8	1/4		6.0	64.5
57'			9.4	30'		13.1	56.4
55'			11.1	33'		12.3	57.2
1/4			11.4	35		11.5	58.0
45'			11.3	40'		11.5	58.0
44'	5550		13.2	42'		12.4	57.1
42'			12.5	44'		13.1	56.4
40'			11.6	46'		11.1	58.4
35			11.6	1/4		11.1	58.4
33'			12.6	54'		11.0	58.5
30'			13.3	56'		9.2	60.3
1/4			6.4	cb.		9.5	60.0
cb.			4.1	W line		10.1	59.4
E line			4.6				

69.48

Center

White	10.1	59.4
cb.	9.3	60.1
55'	9.1	60.4
54'	10.3	59.2
1/4	10.8	58.7
45'	10.8	58.7
44'	13.1	56.4
42'	12.3	57.2
40	11.4	58.1
35	11.4	58.1
33'	12.3	57.2
30'	12.9	56.7
29'	10.2	59.3
1/4	5.5	64.0
19'	3.1	66.4
cb	2.3	67.2
E line	1.7	67.8

69.48

No. 1/4

E line	1.9	67.6
cb.	2.8	66.7
24'	3.7	65.8
1/4	5.0	64.5
30	12.9	56.6
33'	12.4	57.1
35	11.4	58.1
40	11.4	58.1
42'	12.3	57.2
44'	13.1	56.4
46'	10.8	58.7
1/4	10.6	58.9
53'	9.7	59.8
55'	8.9	60.6
cb	9.4	60.1
White	10.1	59.4

69.48

No. cb.

White	10.0	59.5
cb.	9.1	60.4
55'	8.6	60.9
53'	9.7	59.9
1/4	9.9	59.6
47'	10.1	59.4
45'	13.1	56.4
42'	12.3	57.2
40	11.4	58.1
35'	11.4	58.1
33'	12.2	57.3
30'	13.0	56.5
1/4	4.3	65.2
cb	2.6	66.9
Elm	1.7	67.8

69.48

No. line palm.

Elm	1.5	68.0
cb.	2.1	67.4
18'	3.5	66.0
24'	3.9	65.6
1/4	5.1	64.4
30'	12.9	56.6
33'	12.3	57.2
35'	11.4	58.1
40	11.4	58.1
42'	12.1	57.4
44'	12.9	56.6
47'	10.4	59.1
1/4	9.9	59.6
55'	8.7	60.8
cb	8.9	60.6
White	10.0	59.5

56.00

69.48
25' no.

White	9.9	59.6
69'	9.2	60.3
cb	8.6	60.9
55'	8.2	61.3
53'	9.4	60.1
1/4	10.2	59.3
46'	9.9	59.6
44'	12.9	56.6
42'	12.1	57.4
40	11.4	58.1
35'	11.4	58.1
33'	12.3	57.2
31'	12.4	57.1
1/4	7.7	61.8
23'	3.8	65.7
cb	2.1	67.4
Elvie	0.6	68.9

69.48
50' no.

60

Elvie	0.5	69.0
cb.	2.1	67.4
22'	3.6	65.9
1/4	6.6	62.9
28'	9.3	60.2
29' 56.17	12.5	57.0
33'	12.3	57.2
35'	11.4	58.1
40'	11.4	58.1
42'	12.2	57.3
44'	12.7	56.8
47'	9.8	59.7
1/4	9.2	60.3
55'	8.3	61.2
cb.	8.6	60.9
68'	8.6	60.9
White	10.2	59.3

69.48

75' no.

White

10.7 58.8

68'

8.9 60.6

ob.

8.8 60.7

56'

8.8 60.7

54'

9.6 59.9

1/4

9.6 59.9

46'

9.9 59.6

44'

12.7 56.8

42'

12.2 57.3

40

11.4 58.1

35

11.4 58.1

33'

12.7 59.3

31'

12.5 59.0

28"

10.6 58.9

1/4

5.9 63.6

22'

3.7 65.8

ob

1.2 68.3

Elio

0.2 69.2

69.48

100' no.

Elio

0.7 68.8

ob.

1.9 67.6

22'

4.4 65.1

1/4

5.8 63.7

29'

11.9 57.6

32'

12.5 57.0

33'

12.3 57.2

35

11.4 58.1

40'

11.4 58.1

42'

12.1 57.4

44'

12.5 57.0

48'

8.9 60.6

1/4

9.3 60.2

ob.

9.4 60.1

67'

9.6 59.9

71'

11.2 58.3

White

11.5 58.0

69.48
125' no.

White	12.1	57.4
68'	11.5	58.0
66'	10.3	59.2
cb.	10.2	59.3
1/4	9.8	59.7
46'	9.9	59.6
44'	12.3	57.2
42'	12.2	57.3
40	11.4	58.1
35	11.4	58.1
33'	12.3	57.2
31'	12.4	57.1
29'	11.1	58.4
1/4	5.9	63.6
cb.	3.0	66.5
E line	1.5	68.0

69.48
150' no.

E line	2.5	67.0
cb.	4.2	65.3
22'	5.9	63.6
1/4	7.5	62.0
29'	11.1	58.4
31'	12.4	57.1
33' ^{50.50}	12.2	57.3
35	11.4	58.1
40'	11.4	58.1
42'	12.1	57.4
43'	12.3	57.2
46	10.1	59.4
1/4	9.9	59.6
cb	10.7	58.8
White	12.1	57.4

69.48

175' no.

White	11.9	57.6
cb.	10.8	58.7
1/4	10.1	59.4
45'	10.6	58.9
43'	12.1	57.4
42'	12.1	57.4
40'	11.4	58.1
35'	11.4	58.1
33'	12.1	57.4
30'	12.3	57.2
28'	10.3	59.2
1/4	8.8	60.7
17'	6.6	62.9
cb.	5.4	64.1
Elise	3.8	65.7

69.48

200' no.

Elise	4.1	65.4
cb.	5.5	64.0
1/4	7.9	61.6
27'	10.3	59.2
30'	12.4	57.1
33'	12.1	57.4
35' 16 ⁶⁷	11.4	58.1
40'	11.4	58.1
42'	12.2	57.3
44'	11.9	57.6
46'	10.2	59.3
1/4	10.2	59.3
cb.	10.8	58.7
White	11.9	57.6

69.48
225' no.

white	11.5	58.0
cb.	10.3	59.2
1/4	10.1	59.4
46'	10.1	59.4
44'	12.2	57.3
42'	12.1	57.4
40'	11.4	58.1
35	11.4	58.1
33'	12.2	57.3
31'	12.3	57.2
29'	10.1	59.4
1/4	8.4	61.1
19'	7.2	62.3
cb.	6.0	63.5
Elise	4.6	64.9

69.48
250' no.

64

Elise	4.6	64.9
cb.	5.7	63.8
1/4	8.0	61.5
30	11.9	57.6
33'	12.3	57.2
35	11.4	58.1
40 568 ^{1/2}	11.4	58.1
42'	12.2	57.3
43'	12.0	57.5
46'	9.8	59.7
1/4	10.2	59.3
cb.	10.5	59.0
white	11.6	57.9

6948

275' No.

White	11.6	57.9
cb	10.8	58.7
1/4	10.3	59.2
46'	10.0	59.5
44'	12.1	57.4
42'	12.2	57.3
40	11.4	58.1
35	11.4	58.1
33'	12.2	57.3
31'	12.3	57.2
1/4	8.3	61.2
21'	6.9	62.6
cb.	6.0	63.5
Blue	4.7	64.8

65

J.P.

	HI		
5.42	68.17	6.73	62.75

B

Soil line of Quince

Blue	3.9	64.3
cb.	5.1	63.1
1/4	6.7	61.5
27'	8.0	60.2
31'	10.9	57.3
33'	10.8	57.4
35	10.1	58.1
40	10.1	58.1
42'	10.8	57.4
43'	10.7	57.5
46'	8.8	59.4
1/4	9.2	59.0
cb.	9.8	58.4
White	10.5	57.7

57°

68.17

20 cb.

white	10.3	57.9
cb	10.0	58.2
1/4	9.2	59.0
47'	9.2	59.0
43'	10.7	57.5
42'	10.7	57.5
40	10.1	58.1
35	10.1	58.1
33'	10.9	57.3
30'	11.1	57.1
27'	9.2	59.0
1/4	8.3	59.9
20'	6.9	61.3
cb	4.9	63.3
Elmo	3.9	64.3

68.17

20 1/4

Elmo	3.5	64.7
cb.	5.0	63.2
1/4	7.1	61.1
28'	9.0	59.2
30	11.0	57.2
33'	10.8	57.4
35'	10.1	58.1
40	10.1	58.1
42'	10.8	57.4
43'	10.7	57.5
45'	8.7	59.5
1/4	9.1	59.1
cb	9.8	58.4
white	10.3	57.9

66

68.17

Center

White	10.4	57.8
cb	9.8	58.4
1/4	8.8	59.4
46'	8.3	59.9
44'	10.6	57.6
42'	10.7	57.5
40	10.1	58.1
35	10.1	58.1
33'	10.9	57.3
30'	10.7	57.5
1/4	7.1	61.1
cb	5.0	63.2
Eline	3.7	64.5

67

68.17

no. 1/4

Eline	3.8	64.4
cb.	6.2	63.0
1/4	7.1	61.1
28'	9.3	58.9
31'	10.8	57.4
33	10.8	57.4
35	10.1	58.1
40	10.1	58.1
42'	10.8	57.4
44'	10.7	57.5
46'	7.9	60.3
1/4	8.5	59.7
cb	9.3	58.9
White	10.2	58.0

68.17

No. cb.

White	10.2	58.0
cb	9.0	59.2
1/4	8.2	60.0
46'	7.9	60.3
44'	10.9	57.3
42'	10.8	57.4
40	10.1	58.1
35	10.1	58.1
33'	10.7	57.5
31'	10.2	58.0
1/4	8.2	60.0
49'	6.3	61.9
cb	5.2	63.0
Cylind	3.9	64.3

68

68.17

No. line of Quince

Eline	3.6	64.6
cb	4.6	63.6
1/4	6.1	62.1
29'	9.3	58.9
30'	10.8	57.4
33'	10.9	57.3
35	10.1	58.1
40	10.1	58.1
42'	10.8	57.4
43'	10.9	57.3
46'	8.1	60.1
1/4	8.3	59.9
cb	8.8	59.4
66'	9.8	58.4
White	9.8	58.4

6817

25' no.

White	9.9	58.3
65'	9.7	58.5
cb'	8.6	59.6
1/4	8.4	59.8
46'	18.4	59.8
43'	10.9	57.3
42'	10.8	57.4
40'	10.1	58.1
35'	10.1	58.1
33'	10.8	57.4
30'	10.7	57.5
1/4	5.3	62.9
cb	4.0	64.2
Elise	3.6	64.6

6817

50' no.

Elise	2.9	65.3
cb.	3.8	64.4
1/4	5.1	63.1
30'	10.9	57.3
33'	10.8	57.4
35'	10.1	58.1
40' JB 8	10.1	58.1
42'	10.8	57.4
43'	10.9	57.3
47'	7.8	60.4
1/4	8.4	59.8
cb	8.6	59.6
68'	8.8	59.4
70'	10.0	58.2
White	9.7	58.5

69

6817				6817			
75' no.				100' no.			
White	9.8	58.4	E line	2.4	65.8		
68'	10.1	58.1	cb.	3.5	64.7		
cb	8.6	59.6	1/4	4.2	64.0		
1/4	8.5	59.7	30'	10.8	57.4		
46'	8.2	60.0	33'	10.8	57.4		
43'	10.8	57.4	35'	10.1	58.1		
42'	10.8	57.4	40' ^{56.67}	10.1	58.1		
40'	10.1	58.1	42'	10.8	57.4		
35	10.1	58.1	44'	10.8	57.4		
33'	10.8	57.4	46'	8.2	60.0		
30'	10.6	57.6	1/4	8.4	59.8		
1/4	4.6	63.6	cb.	8.8	59.4		
cb	3.5	64.7	68	9.9	58.3		
E line	2.3	65.9	White	9.9	58.3		

68.17

125' no.

White	9.8	58.4
70'	8.2	60.0
cb.	8.0	60.2
53'	7.8	60.4
1/4	8.3	59.9
46'	8.2	60.0
44'	10.6	57.6
42'	10.8	57.4
40'	10.1	58.1
35'	10.1	58.1
33'	10.7	57.5
30'	10.3	57.9
1/4	4.1	64.1
cb.	3.5	64.7
Eline	2.5	65.7

68.17

150' no.

Eline	2.0	66.2
cb	3.4	64.8
1/4	4.5	63.7
30'	10.8	57.4
33	10.7	57.5
35	10.1	58.1
40 ^{56.50}	10.1	58.1
42'	10.8	57.4
43'	10.8	57.4
45'	8.6	59.6
1/4	8.3	59.9
52'	7.7	60.5
cb.	8.0	60.2
White	8.7	59.5

6817

175 no.

White	9.0	59.2
cb.	8.3	59.9
53'	7.8	60.4
1/4	8.3	59.9
46'	8.6	59.6
44'	10.8	57.4
42'	10.8	57.4
40	10.1	58.1
35	10.1	58.1
33'	10.7	57.5
30'	10.6	57.6
27'	6.0	62.2
1/4	4.1	64.1
cb	2.8	65.4
E line	1.9	66.3

6817

200' no.

E line	2.2	66.0
cb.	3.2	65.0
1/4	4.7	63.5
30'	10.8	57.4
33'	10.7	57.5
35	10.1	58.1
40	10.1	58.1
42'	10.8	57.4
44'	10.2	58.0
47'	8.7	59.5
1/4	8.5	59.7
53'	8.0	60.2
cb.	8.7	59.5
White	9.2	59.0

5633

6817

225' no.

White	9.7	58.5
cb.	8.8	59.4
5'3'	8.4	59.8
4/4	8.8	59.4
46'	8.4	59.8
44'	10.9	57.3
42'	10.9	57.3
40'	10.1	58.1
35'	10.1	58.1
33'	10.8	57.4
29'	10.6	57.6
1/4	5.7	62.5
cb.	3.3	64.9
Eline	2.6	65.6

6817

250' no.

Eline	3.2	65.0
cb.	3.8	64.4
23'	6.1	62.1
1/4	8.0	60.2
30'	10.5	57.7
33'	10.8	57.4
35' 56' 17	10.1	58.1
40'	10.1	58.1
42'	10.9	57.3
43'	10.9	57.3
46'	8.3	59.9
1/4	8.7	59.5
cb.	9.2	59.0
White	9.8	58.4

6817

275' no.

White	10.2	58.0
cb.	9.2	59.0
1/4	8.7	59.5
46'	8.2	60.0
44'	11.0	57.2
42'	10.9	57.3
40'	10.1	58.1
35'	10.1	58.1
33'	10.9	57.3
30'	10.1	58.1
1/4	6.0	62.2
cb	3.6	64.6
E line	2.6	65.6

6817

So. line of Redwoods

E line	2.6	65.6
cb.	4.2	64.0
1/4	5.9	62.3
30'	10.9	57.3
33'	10.8	57.4
35'	10.0	58.2
40'	10.0	58.2
42'	10.9	57.3
43'	10.9	57.3
46'	8.3	59.9
1/4	9.3	58.9
cb	9.5	58.7
White	10.6	57.6

1600

6817

So. cb.

White	10.3	57.9
cb	9.4	58.4
1/4	9.1	58.1
46'	8.5	59.7
44	11.0	57.2
42'	10.8	57.4
40	10.0	58.2
35	10.0	58.2
33'	10.8	57.4
30'	10.7	57.5
1/4	5.0	63.2
19'	4.5	63.7
cb	4.0	64.2
E hie	2.8	65.4

6817

20 1/4

E hie	2.4	65.8
cb	3.8	64.4
1/4	4.9	63.3
29'	11.0	57.2
33'	10.9	57.3
35	10.0	58.2
40	10.0	58.2
42'	10.9	57.3
43'	10.9	57.3
47'	8.4	59.8
1/4	9.2	59.0
cb	9.6	58.6
White	10.2	58.0

75

68.17
Center

White	10.8	57.4
cb	9.6	58.6
1/4	9.4	58.8
47'	8.6	59.6
44'	11.1	57.1
42'	10.9	57.3
40'	10.0	58.2
35	10.0	58.2
33'	10.9	57.3
30'	10.9	57.3
1/4	4.6	63.6
22'	3.6	64.6
cb	3.6	64.6
Elms	2.3	65.9

68.17
no 1/4

Elms	2.6	65.6
cb	3.8	64.4
23'	4.2	64.0
1/4	5.8	62.4
28'	9.3	58.9
30'	10.8	57.4
33'	10.8	57.4
35	10.0	58.2
40	10.0	58.2
42'	10.8	57.4
43'	10.8	57.4
46'	8.8	59.4
48'	8.1	60.1
1/4	9.3	58.9
cb	10.0	58.2
White	10.8	57.4

68.17
no. lb.

White	10.9	57.3
cb.	9.9	58.3
1/4	9.0	59.2
48'	7.7	60.5
44'	11.1	57.1
42'	10.7	57.5
40	10.0	58.2
35	10.0	58.2
33	10.8	57.4
30'	10.8	57.4
1/4	5.3	62.9
19'	4.4	63.8
cb	4.2	64.0
E line	3.2	65.0

68.17

77

no. line of Redwood

E line	2.5	65.7
cb.	3.9	64.3
1/4	5.2	63.0
28'	9.6	58.6
30'	10.8	57.4
33'	10.8	57.4
35' ^{55.50}	10.0	58.2
40	10.0	58.2
42'	10.9	57.3
43'	10.9	57.3
46'	8.1	60.1
48'	7.5	60.7
1/4	9.0	59.2
cb	10.0	58.2
White	11.0	57.2

68.17
25' no.

White	11.0	57.2
cb.	10.2	58.0
1/4	9.9	58.3
47'	8.2	60.0
44'	11.5	56.7
42'	10.9	57.3
40	10.0	58.2
35'	10.0	58.2
33'	10.8	57.4
30'	11.0	57.2
1/4	5.3	62.9
cb	4.7	63.5
Elise	2.8	65.4

68.17
50' no

78

Elise	3.4	64.8
cb	4.6	63.6
1/4	5.1	63.1
27'	6.9	61.3
30'	11.1	57.1
33'	11.1	57.1
35' 55/5	10.1	58.1
40'	10.1	58.1
42'	11.5	56.7
43'	11.5	56.7
45'	9.1	59.1
46'	8.8	59.4
1/4	10.0	58.2
cb	10.2	58.0
White	11.0	57.2

6817
75' no.

White	11.4	56.8
cb	10.7	57.5
1/4	10.4	57.8
48'	9.3	58.9
45'	9.0	59.2
43'	11.2	57.0
42'	11.2	57.0
40	10.3	57.9
35	10.3	57.9
33'	11.1	57.1
31'	11.2	57.0
1/4	5.5	62.7
22'	4.2	64.0
19'	4.9	63.3
cb	4.5	63.7
Eline	2.9	65.3

79
68.17
100' no.

Eline	3.4	64.8
cb	4.5	63.7
1/4	5.7	62.5
31'	11.6	56.6
33	11.3	56.9
35	10.5	57.7
40 ^{st. 80}	10.5	57.7
42'	11.4	56.8
43'	11.4	56.8
46'	9.1	59.1
1/4	10.6	57.6
cb	11.4	56.8
White	12.0	56.2
J.P.	11.02	57.15

Book 858

50f

10.52
10.5
4.8
15.3

34
32

8.9
5.4
16.3
6.4
5.4
11.8

7.5
33
42

