

F.B.  
858

---

LEVEL BOOK.

No. 410

---

MICROFILMED

DEC 15 1964

Dec. 20/12 } Childs  
                  } Taylor  
                  } Allen

X section Arctic

Street from Gate to

Harasity See Book 857

all measurements from  
last line.

57.15

716

H.I.  
7.16 64.31 57.15

125' no. of Redwood.

Westline

70'

cb

1/4

49'

45'

44'

42'

40

35

33

30

27'

1/4

cb.

Elvis

9.2 55.1

8.3 56.0

8.0 56.3

7.2 57.1

6.1 58.2

5.0 59.3

8.0 56.3

7.8 56.5

7.0 57.3

7.0 57.3

7.7 56.6

7.7 56.6

2.5 61.8

1.5 62.8

1.5 62.8

0.2 64.1

64.31

150' no.

Elvis

cb.

1/4

29'

33'

30'

40

42'

43'

45'

1/4

cb.

70'

Elvis

2.0 62.3

3.0 61.3

4.2 60.1

7.7 56.6

8.1 56.2

7.3 57.0

7.3 57.0

8.3 56.0

8.4 55.9

6.2 58.1

8.2 56.1

9.0 53.3

9.5 54.8

10.7 53.6

64.31

175' no.

White	12.4	51.9
72'	11.0	53.3
cb	10.5	53.8
1/4	9.5	54.8
49	8.2	56.1
46	7.4	56.9
44'	8.5	53.8
42'	8.6	55.7
40	7.8	56.5
35	7.8	56.5
33'	8.4	55.9
29'	8.2	56.1
1/4	6.4	57.9
cb	6.2	59.1
E line	3.3	61.0

64.31

200' no.

E line	6.1	58.2
cb.	7.5	56.8
1/4	8.7	55.6
33	8.9	55.4
35	8.3	56.0
40	8.3	56.0
42' 5405	9.2	55.7
44'	9.2	55.7
1/4	11.1	53.2
57'	12.4	51.9
cb.	12.5	51.8
white	13.6	50.7
15' west slope	14.1	50.2

6431

225' no.

15' west slope

White

cb

35'

1/4

46'

42'

40'

35'

33'

1/4

22

cb

E line

15.3 49.0

15.1 49.2

14.5 49.8

13.7 50.6

12.5 51.8

10.0 54.3

9.7 54.6

8.8 55.5

8.8 55.5

9.6 54.7

9.9 54.4

10.9 53.4

10.4 53.9

9.6 54.7

10' east slope

E line

cb.

1/4

33'

35

40

42'

46'

1/4

56'

cb

White

15' west slope

J.P.

64,31

250' no.

12.2 52.1

12.7 51.6

12.6 51.7

11.7 52.6

10.4 53.9

9.3 55.0

9.3 55.0

10.2 54.1

10.6 53.7

13.6 50.7

15.9 48.4

16.4 47.9

16.4 47.9

16.4 47.9

3.59 <sup>H.J.</sup> 56.60 11.30 53.01

56.60

275' no.

15' west slope	9.6	49.0
W line	9.9	46.7
cb.	9.7	46.9
56'	8.6	48.0
1/4	5.9	50.7
46'	3.3	53.3
42'	2.9	53.7
40	2.0	54.6
35	2.0	54.6
33'	2.9	53.7
1/4	3.4	53.2
19'	5.5	51.1
cb	5.9	50.7
E line	4.9	51.7
10' east slope	4.0	52.6

5

5660

50' line of spruce

10' east slope	4.0	52.6
E line	4.8	51.8
cb.	5.6	51.0
19'	5.5	51.1
1/4	3.7	52.9
33'	3.3	53.3
35 53 <sup>20</sup>	2.4	54.2
40	2.4	54.2
42'	3.4	53.2
47'	4.0	52.6
1/4	5.5	51.1
57'	8.8	47.8
cb.	9.7	46.9
W line slope	10.0	46.6
15' west slope	10.2	46.4

5660

20. cb.

15' west slope	10.2	46.4
White	10.2	46.4
cb	9.6	47.0
56'	8.7	47.9
1/4	6.2	50.4
47	4.0	52.6
42"	3.6	53.0
40	2.7	53.9
35	2.7	53.9
33'	3.6	53.0
1/4	4.5	52.1
22'	5.6	51.0
cb	5.5	51.1
E line	5.2	51.4
10' east slope	4.2	52.4

5660

20 1/4

10' east slope	4.5	52.1
E line	5.2	51.4
cb.	6.1	50.5
20'	6.2	50.4
1/4	4.7	51.9
33	3.9	52.7
35	3.0	53.6
40	3.0	53.6
42'	4.0	52.6
44'	4.2	52.4
1/4	7.0	49.6
57'	9.2	47.4
cb	9.8	46.8
White	10.3	46.3
15' west slope	10.3	46.3



5660

Center

5660

No. 14

15' west slope

10.4 46.2

10' east slope

4.2 52.40

Wline

10.5 46.1

Eline

5.0 51.6

cb.

9.6 47.0

cb.

6.1 50.5

56'

9.2 47.4

21'

6.7 49.9

1/4

7.3 49.3

1/4

5.7 50.9

45'

4.3 52.3

29'

4.3 52.3

42'

4.1 52.5

33'

4.2 52.4

40'

3.1 53.5

85'

3.4 53.2

35'

3.1 53.5

40'

3.4 53.2

33'

4.0 52.6

42'

4.2 52.4

1/4

5.0 51.6

45'

4.5 52.1

21'

5.8 50.8

1/4

7.9 48.7

cb.

5.9 50.7

55'

9.1 47.5

Eline

5.6 51.0

cb

9.5 47.1

10' east slope

4.8 51.8

Wline

10.2 46.4

15' west slope.

10.3 46.3

5660

no. cb.

15' west slope	10.4	462
White	10.3	463
cb.	9.8	468
53'	8.5	481
1/4	8.0	486
44'	4.6	520
42'	4.3	523
40	3.6	530
35	3.6	530
33'	4.4	522
29'	4.6	520
1/4	5.8	508
22'	6.5	501
cb	5.3	513
Elm	4.1	525
10' east slope.	3.3	533

5660

no. line spruce

Elm	2.7	539
cb.	3.3	533
1/4	5.2	514
29'	4.6	520
33'	4.5	521
35	3.8	528
40	3.8	528
42'	4.6	520
44'	5.0	516
1/4	7.6	490
62'	7.9	487
cb.	8.6	480
White	9.9	467
15' west slope.	10.4	462

5180

56.60

25' no.

White

65'

cb.

59'

1/4

45'

42'

40

35

33'

29'

1/4

cb.

E line

9.0

47.6

7.9

48.7

6.6

50.0

5.9

50.7

5.9

50.7

5.0

51.6

5.0

51.6

4.2

52.4

4.2

52.4

5.0

51.6

4.8

51.8

3.0

53.8

1.8

54.8

1.5

55.1

56.60

50' no.

E line

cb.

1/4

28'

31'

33'

35

40

42'

48'

1/4

58'

cb.

65'

White

1.6

55.0

2.2

54.4

3.4

53.2

4.2

52.4

5.3

51.3

5.3

51.3

4.6

52.0

4.6

52.0

5.4

51.2

5.5

51.1

6.1

50.5

6.0

50.6

6.9

49.7

7.7

48.9

9.0

47.6

5660  
75' no.

White	9.7	469
65'	8.5	48.1
cb.	7.6	49.0
57'	7.1	49.5
1/4	7.0	49.6
46'	5.8	50.8
42'	5.8	50.8
40'	5.0	51.6
35'	5.0	51.6
33'	5.7	50.9
29'	5.5	51.1
1/4	3.8	52.8
cb.	2.5	54.1
Elms	1.9	54.7

5660  
100' no.

Elms	2.6	54.0
cb.	3.1	53.5
1/4	4.1	52.5
29'	5.9	50.7
33'	6.1	50.5
35' 49 <sup>82</sup>	5.3	57.3
40	5.3	51.3
42'	6.1	50.5
45'	6.1	50.5
1/4	7.5	49.1
60'	8.0	48.6
cb.	9.1	47.5
White	9.7	46.9

5660

135' no.

White	9.8	46.8
cb.	9.6	47.0
60'	8.4	48.2
1/4	7.8	48.8
46'	7.2	49.4
42'	6.5	50.1
40	5.6	51.0
35	5.6	51.0
33'	6.4	50.2
29'	6.5	50.1
1/4	4.5	52.1
cb	3.3	53.3
Eline	2.7	53.9

5660

150' no.

Eline	2.4	54.2
cb.	3.3	53.3
1/4	4.5	52.1
29'	6.5	50.1
33'	6.7	49.9
35	6.0	50.6
40	6.0	50.6
42'	7.0	49.6
1/4	7.9	48.7
57'	8.5	48.1
cb.	9.7	46.9
White	9.4	47.2

5660

175' no.

White	9.1	47.5
cb.	9.3	47.3
56'	8.4	48.2
1/4	7.9	48.7
42'	7.2	49.4
40	6.3	50.3
35	6.3	50.3
33'	7.1	49.5
30'	7.0	49.6
27'	5.2	51.4
1/4	4.9	51.7
21'	3.5	53.1
cb	3.0	53.6
E line	2.2	54.4

12

5660

200' no.

E line	1.9	54.7
cb.	2.9	53.7
22'	4.2	52.4
1/4	5.5	51.1
29'	7.2	49.4
33'	7.4	49.2
35	6.6	50.0
40 479 ↓	6.6	50.0
42'	7.5	49.1
1/4	8.2	48.4
54'	9.0	47.6
cb.	9.4	47.2
White	9.4	47.2

56.60

225' no.

White	9.8	46.8	Elmo
cb.	9.7	46.9	cb.
53'	9.2	47.4	1/4
1/4	8.5	48.1	29'
47'	7.7	48.9	33'
42'	7.7	48.9	35'
40	6.9	49.7	40
35	6.9	49.7	42'
33'	7.6	49.0	49'
30'	7.2	49.4	1/4
1/4	5.7	50.9	cb.
16'	3.9	52.7	White
cb.	3.0	53.6	
Elmo	1.7	54.9	

56.60

250' no.

2.5	54.1
3.6	53.0
6.0	50.6
7.5	49.1
7.8	48.8
7.3	49.3
7.3	49.3
8.1	48.5
8.7	47.9
9.6	47.0
10.1	46.5
10.2	46.4

56.60  
275' no.

White	11.1	45.5
cb.	10.7	45.9
52'	10.0	46.6
1/4	9.2	47.4
42'	8.7	47.9
40	7.7	48.9
35	7.7	48.9
33'	8.4	48.2
30'	7.9	48.7
1/4	6.7	49.9
cb.	4.0	52.6
6'	3.7	52.9
Elms	4.0	52.6

56.60  
So. line Sassafras.

14

Elms	4.1	52.5
cb.	5.7	50.9
1/4	6.9	49.7
29'	8.3	48.3
33'	8.6	48.0
35	8.0	48.6
40 46°	8.0	48.6
42'	9.1	47.5
50'	9.6	47.0
1/4	10.4	46.2
cb.	11.1	45.5
White	11.8	44.8
J.P.	7.11. 64.58	9.13 47.47



54.58

A0. cb.

White	9.8	44.8
cb.	9.1	45.5
52'	8.4	46.2
1/4	7.7	46.9
42'	7.2	47.4
40	6.1	48.5
35	6.1	48.5
33'	6.6	48.0
29'	6.3	48.3
1/4	5.8	48.8
cb	4.1	50.5
E line	2.1	52.5

54.58

A0 1/4

E line	2.8	51.8
cb.	3.8	50.8
1/4	5.6	49.0
29'	6.8	47.8
33'	6.5	48.1
35	6.3	48.3
40	6.4	48.2
42'	6.9	47.7
49'	8.1	46.5
1/4	7.8	46.8
52'	8.5	46.1
cb	9.3	45.3
White	10.1	44.5

54.58

Center

White	10.0	44.6
db.	9.5	45.1
1/4	8.5	46.1
42'	7.6	47.0
40	6.7	47.9
35	6.6	48.0
33'	7.2	47.4
29'	5.7	48.9
1/4	3.3	51.3
db	3.0	51.6
Elise	1.9	52.7

54.58

no. 14

Elise	2.2	52.4
db.	3.3	51.3
1/4	3.6	51.0
27'	5.7	48.9
31'	7.4	47.2
33'	7.5	47.1
35	6.8	47.8
40	6.9	47.7
42'	7.8	46.8
1/4	8.7	45.9
db	9.6	45.0
White	10.1	44.5

16

5458

no. cb.

White	10.0	44.6
cb.	9.8	44.8
53'	9.5	45.1
1/4	8.7	45.9
42'	8.1	46.5
40	7.1	47.5
35	7.0	47.6
33'	7.7	46.9
30'	7.3	47.3
1/4	4.6	50.0
cb	3.5	51.1
Elive	2.7	51.9

17

5458

no. line of Sassafras.

Elive	3.1	51.5
cb.	3.9	50.7
1/4	5.0	49.6
29'	7.5	47.1
33	8.1	46.5
35	7.2	47.4
40	7.3	47.3
42'	8.1	46.5
1/4	8.5	46.1
52'	9.3	45.3
cb	9.8	44.8
73'	9.8	44.8
White	10.8	43.8

4480

5458

25' no.

White	12.1	42.5
74'	10.0	44.6
cb.	10.3	44.3
53'	9.8	44.8
1/4	8.6	46.0
47'	7.4	47.2
43'	8.3	46.3
42'	8.5	46.1
40	7.9	46.7
35	7.8	46.8
33'	8.4	46.2
30'	8.3	46.3
1/4	5.3	49.3
cb.	4.5	50.1
Eline	3.6	51.0

18

5458

50' no.

Eline	5.0	49.6
cb.	5.6	49.0
1/4	6.8	47.8
27'	7.7	46.9
31	8.7	45.9
33'	8.8	45.8
35	8.2	46.4
40	8.3	46.3
42'	9.2	45.2
46'	9.8	44.8
1/4	11.4	43.2
cb.	11.7	42.9
73	11.5	43.1
White	14.2	40.4

5458

75' no.

White	15.8	38.8
73'	13.2	41.4
cb.	12.8	41.8
1/4	12.6	42.0
45'	9.7	44.9
42'	9.5	45.1
40	8.7	45.9
35'	8.6	46.0
33'	9.4	45.2
30'	8.8	45.8
1/4	8.0	46.6
cb	6.9	47.7
E line	6.7	47.9

5458

100' no.

E line	7.1	47.5
cb.	7.8	46.8
1/4	8.6	46.0
29'	9.1	45.5
33'	9.8	44.8
35'	9.0	45.6
40 <del>4870</del>	9.1	45.5
42'	10.0	44.6
45'	10.7	43.9
49'	12.7	41.9
1/4	13.6	41.0
cb.	13.8	40.8
72'	14.4	40.2
White	15.7	38.9

54.58

125' no.

White	16.6	38.0
72'	15.7	38.9
cb.	14.5	40.1
1/4	14.0	40.6
46'	12.3	42.3
43'	10.5	44.1
42'	10.3	44.3
40	9.4	45.2
35	9.3	45.3
33'	10.1	44.5
29'	9.5	45.1
1/4	9.3	45.3
cb.	8.7	45.9
Elvise	7.4	47.2

20

54.58

150' no.

Elvise	7.9	46.7
cb.	8.9	45.7
1/4	9.7	44.9
28'	9.9	44.7
30'	10.5	44.1
33'	10.6	44.0
35	9.7	44.9
40	9.8	44.8
42'	10.7	43.9
J.P.	190 <sup>H.I.</sup> 46.38	10.10 44.48
44'	3.5	42.9
49'	6.3	40.1
1/4	6.7	39.7
cb.	7.0	39.4
White	8.2	38.2
10' west slope.	9.4	37.0

4638

175' no.

10' west slope	10.2	36.2
White	8.8	37.6
70'	8.1	38.3
cb.	7.5	38.9
1/4	7.2	39.2
48'	6.8	39.6
45'	4.4	42.0
42'	3.0	43.4
40	2.0	44.4
35	2.0	44.6
33'	2.8	43.6
29'	2.2	44.2
1/4	2.2	44.2
cb	1.2	45.2
Elvise	-0.2	46.6

21

4638

200' no.

Elvise	0.5	45.9
cb.	1.7	44.7
1/4	3.0	43.4
29'	2.9	43.5
33'	3.1	43.3
35	2.3	44.1
40	2.3	44.1
42' 42' 600	3.2	43.2
45'	4.7	41.7
49'	7.7	38.7
1/4	7.9	38.5
cb	8.2	38.2
White	8.8	37.6
10' west slope.	10.7	35.7

4638

225' no.

10' west slope	11.6	34.8
w line	10.2	36.2
72'	9.5	36.9
cb.	9.0	37.4
1/4	8.7	37.7
48'	8.1	38.3
44'	3.8	42.6
42'	3.6	42.8
40	2.7	43.7
35	2.7	43.7
33'	3.5	42.9
1/4	3.4	43.0
cb.	1.9	44.5
Elive	0.6	45.8

4638

250' no.

Elive	1.7	44.7
cb.	3.0	43.4
20'	4.6	41.8
1/4	4.6	41.8
30'	4.3	42.1
33'	4.0	42.4
35'	3.1	43.3
40	3.1	43.3
42'	4.0	42.4
43'	4.4	42.2
1/4	9.9	36.5
cb.	10.0	36.4
w line	10.5	35.9
10' west slope.	11.7	34.7

22



4638

275' no.

10' west slope

12.5 33.9

E line

White

11.3 35.7

9'

cb.

10.9 35.5

cb.

1/4

10.3 36.1

23'

43'

4.8 41.6

1/4

42'

4.4 42.0

33'

40'

3.5 42.9

35'

35'

3.5 42.9

40'

33'

4.2 42.2

42'

28'

4.5 41.9

43'

1/4

5.0 41.4

1/4

19'

5.4 41.0

53'

cb.

3.8 42.6

cb.

E line

2.3 44.1

70'

white

15' west slope

4638

So. line of Thom

3.3 43.1

4.4 42.0

5.3 41.1

5.6 40.8

5.3 41.1

4.8 41.6

3.9 42.5

3.9 42.5

4.8 41.6

5.6 40.8

10.1 36.3

11.5 34.9

12.2 34.2

12.0 34.4

11.6 34.8

14.0 32.4

46.38

So cb.

15' west slope

14.2 32.2

E line

3.2 43.2

W line

13.0 33.4

cb.

4.7 41.7

cb.

12.6 33.8

14'

5.6 40.8

54'

12.1 34.3

21'

6.3 40.1

1/4

9.8 36.6

1/4

5.3 41.1

44'

5.9 40.5

33'

5.1 41.3

42'

5.1 41.3

35'

4.3 42.1

40

4.2 42.2

40

4.3 42.1

35

4.2 42.2

42'

5.3 41.1

33'

5.0 41.4

45'

5.8 40.6

1/4

5.4 41.0

1/4

9.5 36.9

20'

6.1 40.3

57'

13.1 33.3

14'

5.8 40.6

cb.

13.5 32.9

cb

4.6 41.8

W line

13.5 32.9

E line

3.3 43.1

15' west slope.

14.9 31.5

46.38

20 1/4

4638

Center

15' west slope

15.3 31.1

E line

3.8 42.6

Whine

14.6 31.8

7'

4.8 41.6

cb.

13.8 32.6

cb.

6.4 40.0

58'

13.4 33.0

21'

6.4 40.0

1/4

19.5 36.9

1/4

5.6 40.8

44'

5.5 40.9

33'

5.5 40.9

42'

5.3 41.3

35'

4.6 41.8

40

4.4 42.0

40

4.6 41.8

35

4.4 42.0

42'

5.5 40.9

33'

5.2 41.2

44'

5.9 40.5

28'

5.4 41.0

1/4

10.1 36.3

1/4

6.0 40.4

58'

13.2 33.2

cb.

5.6 40.8

cb.

14.2 32.2

7'

4.5 41.9

Whine

15.0 31.4

E line

3.6 42.8

15' west slope

15.6 30.8

46.38

no. cb.

15' west slope

16.0 304

E line

4.7 41.7

white

15.3 31.1

9'

5.2 41.2

cb.

14.0 324

cb.

6.8 39.6

60'

13.5 329

1/4

5.8 40.6

57'

12.2 342

33'

5.9 40.5

1/4

9.3 37.1

35

5.0 41.4

45'

6.2 402

40

4.9 41.5

42'

5.7 407

42' #100

5.9 40.5

40

4.8 41.6

46'

6.3 40.1

35

4.8 41.6

1/4

9.6 36.8

33'

5.7 407

57'

11.9 34.5

1/4

5.5 409

60'

13.6 32.8

20'

6.5 39.9

cb.

14.0 32.4

14'

6.8 39.6

70'

14.7 31.7

cb.

6.6 39.8

white

16.0 30.4

9'

5.5 40.9

15' west slope

16.5 29.9

E line

4.2 422

46.38

25' no.

15' west slope

17.4 29.0

Eline

White

14.7 31.7

8

70'

13.7 32.7

cb.

cb.

13.5 32.9

21'

58'

13.0 33.4

1/4

57'

12.2 34.2

33'

1/4

9.2 37.2

35'

45'

6.3 40.1

40' 4083

42'

6.0 40.6

42'

40

3.2 41.2

45'

35

5.2 41.2

1/4

33'

6.0 40.4

57'

1/4

6.1 40.3

58'

19'

7.1 39.3

cb.

cb.

7.6 38.8

White

9'

6.0 40.4

15' west slope.

Eline

4.7 41.7

46.38

50' no.

5.2 41.2

6.1 40.3

8.0 38.4

8.5 37.9

7.2 39.2

6.3 40.3

5.4 41.0

5.4 41.0

6.3 40.1

7.0 39.6

10.5 35.9

12.5 33.9

13.2 33.2

13.7 32.7

14.3 32.1

17.5 28.9

4638

75' no.

15' west slope

white

cb.

5'8"

1/4

45'

42

40'

35

33'

1/4

15

cb.

9'

Eline

15.5 30.9

14.4 32.0

13.5 32.9

12.5 33.9

9.9 36.5

6.9 39.5

6.6 39.8

5.6 40.8

5.6 40.8

6.5 39.9

6.6 39.8

8.4 38.0

7.6 38.8

6.6 39.8

5.2 41.2

Eline

cb.

20'

1/4

33'

35

40 40<sup>66</sup>

42'

45'

1/4

56

cb.

white

10' west slope

Dec. 20/12

4638

100' no.

5.0

7.4

8.6

6.5

6.8

5.8

5.8

6.6

6.9

10.0

12.4

13.2

14.1

15.0

41.4

39.0

37.8

39.9

39.6

40.6

40.6

39.8

39.5

36.4

34.0

33.2

32.3

31.4

Schilke  
Taylor  
Allen

4638

125' no.

10' west slope	15.0	31.4	E line
W line	14.0	32.4	"
cb.	13.0	33.4	20'
58'	12.6	33.8	1/4
56'	11.9	34.5	30'
1/4	10.2	36.2	33'
44'	7.1	39.3	35
42'	6.8	39.6	40
40	5.9	40.5	42'
35	5.9	40.5	45'
33'	6.9	39.5	1/4
29'	7.0	39.4	56'
1/4	7.8	38.6	cb.
20'	8.4	38.0	W line
cb.	6.4	40.0	10' west slope.
E line	5.0	41.4	

Dec 21/12

4638

150' no.

Lehilds  
Taylors  
letters

4.5	41.9
6.3	40.1
7.8	38.6
7.2	39.2
7.0	39.4
6.8	39.6
6.0	40.4
6.0	40.4
6.9	39.5
7.4	39.0
10.3	36.1
12.0	34.4
12.6	33.8
13.1	33.3
13.9	32.5

4638

175' no.

10' west slope

13.6 328

E line

4.1 423

White

12.6 338

cb.

5.3 41.1

cb.

11.9 345

18'

7.3 39.1

55

11.1 353

1/4

7.1 39.3

1/4

9.6 368

30'

6.7 39.7

45'

7.2 39.2

33'

6.9 39.5

42'

6.9 39.5

35 40<sup>33</sup>

6.1 40.3

40

6.1 40.3

40

6.1 40.3

35

6.1 40.3

42'

7.0 39.4

33'

6.9 39.5

45'

7.6 38.8

1/4

7.1 39.3

1/4

10.1 36.3

20'

7.5 38.9

cb

11.0 35.4

16'

6.3 40.1

White

12.6 33.8

cb.

5.8 40.6

10' west slope.

13.7 32.7

E line

4.2 42.2



46.38

295' no.

10' west slope	13.0	33.4
white	11.7	34.7
cb.	10.7	35.7
1/4	10.0	36.4
45'	7.4	39.0
42'	7.0	39.4
40	6.1	40.3
35	6.1	40.3
33'	7.0	39.4
1/4	6.7	39.7
15'	6.4	41.0
cb	5.1	41.0
E line	3.2	43.2

46.38

250' no.

E line	3.1	43.3
cb.	4.6	41.8
21'	6.1	40.3
1/4	6.4	40.0
33'	6.9	39.5
35	6.1	40.3
40	6.1	40.3
42'	7.2	39.7
45'	7.9	38.5
1/4	9.6	36.8
cb	10.2	36.2
white	11.5	34.9
10' west slope.	12.4	34.0

46.38

275' no.

White	10.3	36.1
cb.	9.1	37.3
1/4	8.9	37.5
45'	7.7	38.7
42'	7.1	39.3
40	6.1	40.3
35	6.1	40.3
33'	6.9	39.5
1/4	5.8	40.6
19'	4.6	41.8
cb.	4.3	42.1
E line	2.9	43.5

32

46.38

SO. line of upas.

E line	2.2	44.2
cb.	2.7	43.7
18'	3.3	43.1
1/4	5.7	40.7
29'	5.9	40.5
33'	7.0	39.4
35 40°	6.1	40.3
40	6.1	40.3
42'	7.0	39.4
1/4	7.1	39.3
cb.	8.2	38.2
White	8.5	37.9
J.P.	7.96	47.93
	H.I.	6.41
		39.97

47.93

20 cb.

White	10.1	37.8
cb.	9.0	38.9
55'	8.2	39.7
1/4	8.6	39.3
42'	8.6	39.3
40	7.7	40.2
35	7.7	40.2
33'	8.5	39.4
31'	8.0	39.9
27'	7.0	40.9
1/4	7.2	40.7
20'	6.1	41.8
15'	3.7	44.2
cb	3.3	44.6
Eline	2.4	45.5

47.93

20 1/4

Eline	2.0	45.9
cb.	3.3	44.6
15'	3.3	44.6
23'	6.1	41.8
1/4	6.6	41.3
29'	7.0	40.9
31'	8.4	39.5
33'	8.4	39.5
35'	7.7	40.2
40	7.7	40.2
42'	8.5	39.4
1/4	8.7	39.2
56	7.6	40.3
cb.	8.4	39.5
White	9.7	38.2

47.93

center

W line	8.3	39.6
cb.	7.7	40.2
59'	7.4	40.5
1/4	8.5	39.4
42'	8.6	39.3
40	7.7	40.2
35	7.7	40.2
33'	8.4	39.5
30'	7.8	40.1
1/4	6.4	41.5
16'	6.2	41.7
14'	3.3	44.6
cb.	3.1	44.8
W line	2.1	45.8

34

47.93

no. 14

#

W line	2.0	45.9
cb.	2.8	45.1
19'	3.9	44.0
1/4	6.5	41.4
30'	7.8	40.1
31'	8.5	39.4
33'	8.5	39.4
35	7.7	40.2
40	7.7	40.2
42'	8.5	39.4
1/4	8.3	39.6
57'	7.6	40.3
cb.	7.3	40.6
W line	8.5	39.4

47.93

720. cb.

White	8.4	39.5
cb.	7.3	40.6
60'	6.9	41.0
1/4	8.3	39.6
42'	8.5	39.4
40	7.7	40.2
35	7.7	40.2
33'	8.5	39.4
30'	7.8	40.1
1/4	6.0	41.9
15'	2.9	45.0
cb.	2.3	45.6
E line	1.6	46.3

47.93

720. line of upus.

E line	1.6	46.3
cb.	2.6	45.3
15'	2.9	45.0
1/4	6.0	41.9
29'	7.3	40.6
31'	8.3	39.6
33' <sup>39.5</sup>	8.4	39.5
35'	7.7	40.2
40	7.7	40.2
42'	8.5	39.4
1/4	8.7	39.2
58'	7.1	40.8
cb	7.9	40.0
White	8.6	39.3

35

47.93

25' no.

White	9.4	38.5
cb.	8.4	39.5
57'	7.9	40.0
1/4	9.0	38.9
42'	8.6	39.3
40	7.8	40.1
35	7.8	40.1
33'	8.5	39.4
1/4	7.6	40.3
15'	3.4	44.5
cb.	2.9	45.0
Elise	1.9	46.0

47.93

50' no.

Elise	3.1	44.8
cb.	4.3	43.6
15'	4.5	43.4
1/4	7.7	40.2
30'	8.1	39.8
33'	8.6	39.3
35	7.8	40.1
40'	7.8	40.1
42'	7.8	40.1
1/4	9.5	38.8
55'	8.3	39.6
cb	9.2	38.7
White	10.0	37.9

47.93

75' no.

White	11.0	36.9
cb	9.8	38.1
55'	9.0	38.9
1/4	9.0	38.9
42'	8.8	39.1
40	7.8	40.1
35	7.8	40.1
33'	8.7	39.2
1/4	8.3	39.6
16'	4.9	43.0
cb	4.8	43.1
E line	3.3	44.6

47.93

100' no.

87

E line	4.4	43.5
cb	5.0	42.9
15'	5.3	42.6
1/4	8.3	39.6
33'	8.7	39.2
35	7.9	40.0
40	7.9	40.0
42'	8.8	39.1
1/4	9.4	38.5
cb	10.4	37.5
White	11.4	36.5

47.93

125' no.

wline	11.6	363
cb.	10.4	375
1/4	10.3	376
45'	9.2	387
42'	8.9	390
40	7.9	400
35	7.9	400
33'	8.8	391
1/4	8.4	395
15	7.0	4096
cb	6.8	411
Eline	6.1	418

47.93

150' no.

Eline	7.5	404
cb.	8.4	395
18'	8.4	395
1/4	10.3	376
30'	8.7	392
33'	8.9	390
35	8.0	399
40	8.0	399
42'	8.8	391
45'	9.5	384
48	10.9	370
1/4	11.2	367
cb	11.6	363
wline	12.6	353



47.93  
175' no.

White	13.0	34.9
cb.	12.4	35.5
1/4	12.0	35.9
48'	11.4	36.5
44'	9.0	38.9
42'	8.9	39.0
40'	8.0	39.9
35	8.0	39.9
33'	8.9	39.0
29'	9.2	38.7
1/4	11.4	36.5
17'	9.3	38.6
cb.	9.3	38.6
E line	8.2	39.7

E line	8.2	39.7
cb.	9.4	38.5
17'	10.1	37.8
22'	11.8	36.1
1/4	10.8	37.1
30'	9.1	38.8
33'	8.9	39.0
35	8.1	39.8
40	8.1	39.8
42'	9.0	38.9
45'	9.7	38.2
49'	12.2	35.7
1/4	12.5	35.4
cb.	13.2	34.7

White

10' west slope.

J.P.

Dec. 21/92  
47.93  
200' no.

Childs  
Taylor  
Allen

8.2	39.7
9.4	38.5
10.1	37.8
11.8	36.1
10.8	37.1
9.1	38.8
8.9	39.0
8.1	39.8
8.1	39.8
9.0	38.9
9.7	38.2
12.2	35.7
12.5	35.4
13.2	34.7
13.9	34.0
14.7	33.2

5.90 H.F. 45.43 8.40 39.53

45.43

225' no.

10' west slope	72.5	32.9	Elm
White	11.7	33.7	cb
cb	10.5	34.9	86'
1/4	9.9	35.5	1/4
44'	7.0	38.4	28'
42'	6.5	38.9	33'
40'	5.6	39.8	35
35' <sup>39.50</sup>	5.6	39.8	40 <sup>39.52</sup>
33'	6.5	38.9	42'
28'	7.0	38.4	45'
1/4	7.9	37.5	1/4
20'	7.7	37.7	cb
15'	6.3	39.1	White
cb	6.4	39.0	10' west slope
Elm	4.9	40.5	

Dec. 23/12

Childs  
Taylor  
letter 40

45.43

250' no.

4.2	41.2
5.4	40.0
5.7	39.7
7.6	37.8
6.5	38.9
6.5	38.9
5.6	39.8
5.6	39.8
6.4	39.0
6.8	38.6
9.5	35.9
10.4	35.0
11.7	33.7
13.0	32.4

45.43

275' no.

10' west slope	14.3	31.1
white	13.2	32.2
cb.	10.6	34.8
1/4	9.5	35.9
45'	6.7	38.7
42'	6.4	39.0
40	5.6	39.8
35' $39'6''$	5.6	39.8
33'	6.6	38.8
29'	6.7	38.7
1/4	7.5	37.9
20'	5.8	39.6
cb	4.9	40.5
E line	3.6	41.8

45.43

41

So. line of Vine

E line	2.8	42.6
cb.	4.3	41.1
19'	5.3	40.1
1/4	7.4	38.0
28'	6.4	39.0
33' $39'0''$	6.5	38.9
35'	5.6	39.8
40	5.6	39.8
42'	6.4	39.0
45'	6.6	38.8
1/4	10.4	35.0
cb.	12.0	33.4
white	13.4	32.0
10' west slope.	14.1	31.3

45.43

20. cb.

10' west slope

white

cb.

53'

1/4

46'

42'

40

35'

33'

28'

1/4

20'

cb.

Elise

13.6 31.8

12.9 32.5

12.2 33.2

10.7 34.7

9.3 36.1

6.8 38.6

6.6 38.8

5.7 39.7

5.6 39.8

6.5 38.9

6.2 39.2

6.8 38.6

5.6 39.8

3.7 41.7

2.8 42.6

45.43

20 1/4

Elise

cb.

15'

1/4

33'

35

40

42'

1/4

53'

cb.

white

10' west slope.

2.4 43.0

3.7 41.7

4.3 41.1

6.9 38.5

6.6 38.8

5.6 39.8

5.7 39.7

6.5 38.9

9.6 35.8

10.8 34.6

11.8 33.6

12.6 32.8

13.0 32.4

45.43

center

18' west slope

12.2 33.2

White

12.1 33.3

cb.

11.3 34.1

53'

10.9 34.5

1/4

9.3 36.1

45'

6.6 38.8

42'

6.5 38.9

40

5.7 39.7

35

5.6 39.8

33'

6.6 38.8

29'

6.6 38.8

1/4

7.5 37.9

17'

5.7 39.7

cb.

3.9 41.5

7'

2.6 42.8

E line

2.2 43.2

45.43

No. 1/4

E line

2.5 42.9

7'

3.2 42.2

cb.

4.8 40.6

18'

6.2 39.2

1/4

7.8 37.6

29'

6.7 38.7

33'

6.5 38.9

35'

5.7 39.7

40

5.7 39.7

42'

6.6 38.8

45'

6.9 38.5

1/4

10.4 35.0

53'

10.9 34.5

cb.

11.5 33.9

White

11.4 34.0

10' west slope.

11.7 33.7

45.43

no. cb.

10' west slope	11.3	34.1
White	10.7	34.7
cb.	10.3	35.1
54'	10.4	35.0
1/4	9.8	35.6
45'	7.0	38.4
42'	6.6	38.8
40	5.7	39.7
35	5.7	39.7
33'	6.6	38.8
28'	6.9	38.5
1/4	8.1	37.3
16'	6.7	38.7
cb.	5.7	39.7
6'	4.0	41.4
Elvie	3.1	42.3

45.43

no. line of Vane

Elvie	34	42.0
7'	4.3	41.1
cb.	5.7	39.7
20'	6.4	39.0
1/4	7.3	38.1
30'	6.5	38.9
33' 39°00'	6.5	38.9
35	5.7	39.7
40	5.7	39.7
42'	6.5	38.9
45'	6.7	38.7
1/4	9.1	36.3
57'	9.8	35.6
cb.	9.7	35.7
White	10.0	35.4
10' west slope.	10.4	35.0

45.43

25' no.

White	9.1	36.3
cb.	8.8	36.6
1/4	8.0	37.4
45'	6.6	38.8
42'	6.5	38.9
40	5.7	39.7
35	5.7	39.7
33'	6.5	38.9
29'	6.4	39.0
1/4	6.8	38.6
15'	5.9	39.5
cb.	5.9	39.5
7'	4.9	40.5
Eline	4.2	41.2

45.43

50' no.

Eline	4.0	41.4
7'	4.3	41.1
cb	4.7	40.7
15'	4.8	40.6
1/4	6.8	38.6
30'	6.5	38.9
33'	6.4	39.0
35	5.7	39.7
40	5.7	39.7
42'	6.5	38.9
45'	6.8	38.6
1/4	8.2	37.2
53'	7.4	38.0
cb	8.0	37.4
White	8.0	36.9

45

45.43

75' no.

White	8.5	36.9
cb.	7.5	37.9
54'	7.5	37.9
1/4	6.9	38.5
42'	6.5	38.9
40	5.7	39.7
35	5.7	39.7
33'	6.4	39.0
27'	6.7	38.7
1/4	6.3	39.1
14'	4.4	41.0
cb.	4.0	41.4
10'	3.4	42.0
Elvis	3.4	42.0

45.43

100' no.

Elvis	3.5	41.9
7'	3.4	42.0
cb.	4.7	40.7
1/4	6.8	38.6
29'	6.2	39.2
33' <del>39</del> <sup>33</sup>	6.4	39.0
35	5.6	39.8
40	5.6	39.8
42'	6.5	38.9
46'	6.2	39.2
1/4	6.5	38.9
cb	7.7	37.7
White	8.8	36.6



45.43

125' no.

White	9.5	35.9
cb.	8.4	37.0
54	8.2	37.2
1/4	6.9	38.5
46'	6.2	39.2
42'	6.3	39.1
40	6.6	39.9
35	5.5	39.9
33'	6.3	39.1
30'	6.4	39.0
1/4	7.1	38.3
21'	5.7	39.7
cb.	5.3	40.1
8'	4.4	41.0
Elise	4.4	41.0

45.43

150' no.

Elise	5.6	39.8
7'	5.2	40.2
cb.	6.3	39.1
23'	7.7	37.7
1/4	7.9	37.5
29'	6.4	39.0
33'	6.2	39.2
35	5.4	40.0
40	5.4	40.0
42'	6.3	39.1
46'	6.3	39.1
1/4	7.9	37.5
54'	9.1	36.3
cb.	9.5	35.9
White	10.0	35.4

46

45.43

175' no.

White	10.5	34.9
cb.	9.6	35.8
57'	9.4	36.0
54'	10.1	35.3
1/4	8.8	36.6
46'	6.3	39.1
42'	6.2	39.2
40	5.3	40.1
35	5.3	40.1
33'	6.2	39.2
29'	6.3	39.1
1/4	7.7	37.7
16'	7.0	38.4
cb.	7.1	38.3
Elise	6.6	38.8

45.43

200' no.

48

Elise	6.8	38.6
cb.	7.2	38.2
18'	7.7	37.7
23'	7.8	37.6
1/4	7.1	38.3
29'	6.2	39.2
33'	6.0	39.4
35	5.2	40.2
40	5.2	40.2
42'	6.2	39.2
47'	6.5	38.9
1/4	9.0	36.4
55'	10.6	34.8
61'	10.0	35.4
cb.	10.2	35.2
White	10.6	34.8

45.43

225' no.

White	10.3	35.1
cb.	10.0	35.4
57'	10.7	34.7
1/4	8.9	36.5
47'	6.3	39.1
42'	6.1	39.3
40	5.1	40.3
35	5.1	40.3
33'	5.9	39.5
29'	6.1	39.3
1/4	7.3	38.1
21'	7.8	37.6
14'	7.8	37.6
cb.	7.4	38.0
Elvis	7.3	38.1

45.43

250' no.

Elvis	7.4	38.0
cb.	7.7	37.7
20'	8.0	37.4
1/4	6.9	38.5
26'	6.2	39.2
33.5	5.7	39.7
35.5	4.8	40.6
40.5	5.0	40.4
42.5	5.9	39.5
47	6.3	39.1
1/4	8.4	37.0
54'	10.3	35.1
cb.	9.8	35.6
White	10.2	35.2

49

45.43

275' no.

White	9.9	355
cb.	9.8	356
56'	9.7	357
1/4	8.9	365
45'	6.3	391
42.5	6.0	394
40.5	4.8	406
35.5	4.6	408
33.5	5.4	400
29'	5.6	398
1/4	7.5	379
16'	7.4	380
cb.	7.1	383
Elise	7.4	380

4543

50


So. line of Willow

Elise	6.7	387
10'	6.6	388
cb.	7.0	384
21'	6.9	385
1/4	6.6	388
29'	5.1	403
33.5	5.1	403
35.5	4.4	410
40.5	4.6	408
42.5	5.5	399
46'	6.1	393
1/4	8.6	368
54'	9.3	361
59'	8.9	365
cb.	9.6	358
White	9.5	359
JR	3.13	H.I. 44.72
		384 41.59

44.72

51

Chalmers,



So. cb.

White	8.5	36.2
cb.	8.6	36.1
60	8.4	36.3
59'	8.0	36.7
56'	8.5	36.2
54'	8.3	36.2
1/4	6.9	37.8
45'	4.9	39.8
43'	4.7	40.0
41'	3.8	40.9
36'	3.5	41.2
34	4.4	40.3
29'	4.4	40.3
27'	5.4	39.3
1/4	5.3	39.4
16'	6.0	38.7
cb	5.4	39.3
Elive	5.7	39.0

44.72

SO 1/4.

Eline	5.2	39.5
cb.	5.4	39.3
15'	5.6	39.1
18'	5.6	39.1
1/4	5.2	39.5
30'	4.0	40.7
34'	4.0	40.7
36'	3.4	41.3
41'	3.6	41.1
43'	4.5	40.2
46'	4.9	39.8
1/4	7.6	37.1
60'	7.8	36.9
cb.	8.2	36.5
White	8.1	36.6

44.72

Center.

White	7.9	36.8
cb.	8.1	36.6
53'	7.5	37.2
1/4	6.4	38.3
47'	4.8	39.9
43'	4.4	40.3
41'	3.5	41.2
36'	3.3	41.5
34'	3.9	40.8
30'	4.0	40.7
28'	4.8	39.9
1/4	4.7	40.0
cb	4.7	40.0
Eline	4.8	39.9

4472

no 1/4

Eline	4.6	40.1
cb.	4.8	39.9
94	4.9	39.8
36'	4.0	40.7
34.5	3.9	40.8
36.5	3.1	41.6
41.5	3.3	41.4
43.5	4.2	40.5
47'	4.5	40.2
1/4	6.1	38.6
53'	6.8	37.9
cb.	7.6	37.1
White	7.6	37.1

4472

no cb.

White	7.6	37.1
cb.	7.4	37.3
55'	7.1	37.6
1/4	5.2	39.5
48'	4.2	40.5
43.5	4.1	40.6
41.5	3.2	41.5
36.5	2.9	41.8
34.5	3.6	41.1
29'	3.4	41.3
1/4	4.5	40.2
cb	4.4	40.3
Eline	3.9	40.8

44.7v

no. line of Willard

Eline	3.4	41.3
cb.	4.1	40.6
1/4	4.1	40.6
31'	3.2	41.5
35.0	3.4	41.3
37.0	2.7	42.0
42.0	3.0	41.7
44'	3.9	40.8
48'	4.0	40.7
1/4	4.9	39.8
54'	6.2	38.5
cb.	7.2	37.5
White	7.2	37.5

40<sup>50</sup>

44.7v

54

25' no.

White	6.5	38.2
cb.	6.3	38.4
56'	6.4	38.3
1/4	3.9	40.8
48'	3.3	41.4
46'	3.5	41.2
44	2.6	42.1
39'	2.3	42.4
37'	3.0	41.7
30'	2.4	42.3
1/4	3.3	41.4
cb	3.3	41.4
Eline	3.2	41.5



44.72  
50' 210.

E line	2.4	42.3
cb.	2.8	41.9
1/4	2.9	41.8
34'	1.8	42.9
38.5	2.4	42.3
40.5	1.9	42.8
45.5	2.2	42.5
47.5	3.0	41.7
49'	2.4	42.3
1/4	2.8	41.9
57'	5.6	39.1
cb	6.0	38.7
white	6.0	38.7

44.72  
75' 210.

25 55

white	4.9	39.8
cb.	4.9	39.8
58'	4.2	40.5
54'	2.4	42.3
1/4	2.6	42.1
50	2.6	42.1
48	1.7	43.0
43'	1.5	43.2
41'	2.2	42.5
c	1.5	43.2
29'	2.6	42.1
1/4	3.1	41.6
cb	2.0	42.7
E line	1.6	43.1

44.72

100' no.

Eline		0.9	43.8
cb		1.3	43.4
1/4		1.1	43.6
34'		2.2	42.5
C		1.0	43.7
43.5		1.7	43.0
45.5	1300	1.0	43.7
50.5		1.3	43.4
52.5		2.2	42.5
55'		2.1	42.6
60'		3.4	41.3
cb		3.9	40.8
white		4.6	40.1
S.P.	8.55	<sup>HI</sup> <u>52.25</u>	1.02 43.70

52.25

56

125' no.

white	11.4	40.9
cb	10.8	41.5
58'	9.6	42.7
54.5	9.2	43.1
52.5	8.2	44.1
47.5	8.1	44.2
45.5	8.7	43.6
42'	8.2	44.1
C	8.3	44.0
1/4	7.8	44.5
cb	8.1	44.2
Eline	7.3	45.0

5225

150' no.

Elms	7.0	45.3
cb.	7.5	44.8
1/4	7.6	44.7
c	7.7	44.6
43	7.6	44.7
49.5 <i>44.5</i>	8.2	44.1
51.5	7.6	44.7
56.5	7.8	44.5
58.5	8.4	43.9
cb.	8.8	43.5
White	11.6	40.7

5225

175' no.

51

White	11.0	41.3
71	11.0	41.3
68'	10.0	42.3
cb.	8.4	43.9
62.5	8.2	44.1
60.5	7.4	44.9
55.5	7.1	45.2
53.5	7.8	44.5
1/4	7.8	44.5
* 48	7.2	45.1
c	7.2	45.1
1/4	7.0	45.3
cb	6.8	45.5
7'	5.9	46.4
Elms	5.4	46.9

5225  
200' no.

eline	4.8	47.5
cb.	5.5	46.8
17'	6.1	46.2
22'	6.8	45.5
1/4	6.6	45.7
c	6.9	45.9
1/4	7.0	45.3
57.5	7.6	44.7
59.5	6.7	45.6
64.5	6.9	45.4
66.5	7.9	44.5
71'	8.0	44.3
white	8.9	43.4

45.50

5225  
225' no.

white	7.6	44.7
	7.6	44.7
	6.7	45.6
	6.4	45.9
	7.2	45.1
	6.8	45.5
	6.9	45.4
c	6.3	46.0
1/4	5.9	46.4
cb.	5.4	46.9
eline	4.6	47.7

52.25

243' no.

E line	3.9	48.4
cb.	5.0	47.3
1/4	5.2	47.1
C	5.9	46.4
1/4 <del>Ab<sup>58</sup></del>	5.9	46.4
58'	7.0	45.3
cb.	7.0	45.3
66'	7.0	45.3
68.0	6.2	46.1
73'	6.5	45.8
W line = 2' west of west rail	7.5	44.8

Dec 23/12

Childs  
Sayers  
Allen

52.25

284.75 no.

W line = 2' east of east rail	6.6	45.7
73'	6.5	45.8
69'	3.9	48.4
cb.	4.9	47.4
1/4 <del>47<sup>62</sup></del>	5.0	47.3
C	4.1	48.2
1/4	3.7	48.6
cb.	3.1	49.2
E line	2.0	50.3

52.25

So. line of Chalvers.

Eline		2.1	50.2	White
cb.		2.5	49.8	cb.
1/4		2.6	49.7	1/4
C		3.3	49.0	44'
1/4		4.5	47.8	C
cb.	1800	5.2	47.1	1/4
72'		4.2	48.1	cb
White		5.1	47.2	Eline
J.P.	13.02	<u>58.95</u>	6.32	45.93

Dec. 24/12 } Childs  
58.95 } Taylor 60  
 Otter

So. cb.

11.5	47.5
11.2	47.8
10.8	48.2
9.5	49.5
9.1	49.9
8.8	50.2
8.7	50.3
7.4	51.6

5895

no 1/4

Eline	6.8	52.2
cb	7.8	51.2
1/4	8.1	50.9
C	9.0	50.0
1/4	9.9	49.1
cb.	10.6	48.4
white	11.5	47.5

center

white	11.2	47.8
cb.	10.1	48.9
1/4	9.2	49.8
C	8.3	50.7
1/4	7.7	51.3
cb.	7.1	51.9
Eline	6.3	52.7

61

5895

no 1/4

Eline	6.1	52.9
cb	6.8	52.2
1/4	7.7	51.3
C	8.6	50.4
1/4	9.3	49.7
cb.	10.2	48.8
white	11.1	47.9

10' no. of No. 1/4

white	11.9	47.1
cb.	11.2	47.8
1/4	9.4	49.6
C	8.5	50.5
1/4	7.4	51.6
cb.	7.1	51.9
Eline	6.2	52.8

5895

no. cb.

Eline	5.0	54.0
cb.	6.7	52.3
21'	6.6	52.4
1/4	5.8	53.2
C	6.1	52.9
1/4	7.5	51.5
cb	8.5	50.5
White	8.0	51.0

no. line of balancers.

White	5.5	53.5
cb	5.7	53.3
1/4	5.7	53.3
C	5.0	54.0
1/4	5.1	53.9
18'	6.0	53.0
cb	5.5	53.5
Eline	4.3	54.7

5895

25' no.

Eline	3.3	55.7
cb.	4.7	54.3
1/4	4.5	54.5
C	4.8	54.2
1/4	4.7	54.3
cb	4.7	54.3
White	4.7	54.3

50' no.

White	4.6	54.4
cb	4.6	54.4
1/4	4.7	54.3
C	4.3	54.7
1/4	4.2	54.8
cb	3.9	55.1
Eline	2.7	56.3



58.95

75' no.

Eline	1.5	57.5
cb	3.0	56.0
1/4	3.9	55.1
C	3.9	55.1
1/4	4.4	54.6
cb.	4.4	54.6
White	4.5	54.5

100' no.

White	3.4	55.6
cb	3.6	55.4
1/4	3.3	55.7
C	2.7	56.3
1/4	2.8	56.2
cb	2.5	56.5
Eline	1.3	57.7

58.95

125' no.

Eline	0.3	58.7
cb	1.6	57.4
1/4	2.0	57.0
C	2.3	56.7
1/4	2.7	56.3
cb	2.7	56.3
White	3.1	55.9

H.I.

10.39 66.42 292 56.03

150' no.

White	10.7	55.7
cb	10.1	56.3
1/4	9.9	56.5
C	9.3	57.1
1/4	8.8	57.6
cb	8.1	58.3
Eline	6.5	59.9

66.4v

175' no.

Eline	6.2	60.2
cb	7.2	59.2
1/4	7.8	58.6
C	8.4	58.0
1/4	9.2	57.2
cb	9.9	56.5
White	10.9	55.9

200' no.

White	9.7	56.7
cb	9.4	57.0
1/4	8.3	58.1
C	7.8	58.6
1/4	6.8	59.6
cb	5.8	60.6
Eline	5.0	61.4

66.4v

225' no.

Eline	4.1	62.3
cb	5.3	61.1
1/4	6.0	60.4
C	6.9	59.5
1/4	7.6	58.8
cb	8.3	58.1
White	9.0	57.4

250' no.

White	7.3	59.1
cb	7.2	59.2
1/4	6.4	60.0
C	6.2	60.2
1/4	4.7	61.7
cb	3.7	62.7
Eline	2.6	63.8

66.4v

275' no.

Eline	1.9	64.5
cb	2.9	63.5
1/4	4.0	62.4
C	5.0	61.4
1/4	5.6	60.8
cb	6.4	60.0
White	6.3	60.1

298' no.

White	6.5	59.9
cb	5.4	61.0
59'	5.3	61.1
57'	6.2	60.2
1/4	5.9	60.5
C	4.9	61.5
26	4.5	61.9
1/4	3.2	63.2
cb	2.2	64.2
Eline	0.6	65.8

66.4v

SO. line of window

Eline	3.8	62.6
cb	4.5	61.9
1/4	5.0	61.4
C	5.2	61.2
1/4	6.0	60.4
cb	6.2	60.2
White	6.4	60.0

SO. cb.

White	6.7	59.7
cb	7.0	59.4
1/4	6.2	60.2
C	5.7	60.7
1/4	5.4	61.0
cb	4.8	61.6
Eline	4.4	62.0

66.42

no. 1/4

Eline	4.4	62.0
cb	4.7	61.7
1/4	5.0	61.4
c	5.2	61.2
1/4	5.7	60.7
cb	6.2	60.2
White	7.1	59.3

center

White	6.5	59.9
cb	5.9	60.5
1/4	5.5	60.9
c	5.1	61.3
1/4	4.8	61.6
cb	4.4	62.0
Eline	3.9	62.5

66.42

no 1/4

Eline	3.8	62.6
cb	4.3	62.1
1/4	4.7	61.7
c	5.1	61.3
1/4	5.5	60.9
cb	5.9	60.5
White	6.4	60.0

no. 66.

White	6.6	59.8
cb	6.1	60.3
1/4	5.6	60.8
c	5.6	60.8
1/4	4.9	61.5
cb	4.8	61.6
Eline	3.7	62.7

6641

No. line of under

E line	2.7	63.7
cb	3.8	62.6
1/4	3.7	62.7
C	4.2	62.2
1/4	5.0	61.4
cb	5.2	61.2
white	5.3	61.1
	25' no.	
white	4.4	62.0
cb	3.2	63.2
1/4	3.0	63.4
C	3.0	63.4
1/4	2.5	63.9
cb	2.4	64.0
7'	1.4	65.0
E line	0.6	65.8

6642

50' no.

E line	-0.5	66.9
6'	0.6	65.8
cb	2.0	64.4
1/4	2.6	63.8
C	2.9	63.5
1/4	2.7	63.7
cb	3.1	63.3
white	4.1	62.3
	75' no.	
white	3.7	62.7
cb	3.0	63.4
1/4	2.6	63.8
C	2.9	63.5
1/4	2.1	64.3
cb	1.9	64.5
5'	0.6	65.8
E line	0.0	66.4

66.42

100' no.

Eline	0.1	66.3
4'	0.9	65.5
cb	2.1	64.3
1/4	2.3	64.1
c	2.8	63.6
1/4	2.7	63.7
cb	3.1	63.3
white	3.6	62.8

125' no.

white	3.7	62.7
cb	2.7	63.7
1/4	2.0	64.4
c	2.5	63.9
1/4	2.1	64.3
cb	1.4	65.0
Eline	0.1	66.3

66.42

150' no.

Eline	0.0	66.4
cb	1.6	64.8
1/4	1.9	64.5
c	2.3	64.1
1/4	2.2	64.2
cb	2.3	64.1
white	3.5	62.9

175' no.

white	3.5	62.9
cb	2.9	63.5
1/4	2.4	64.0
c	2.5	63.9
1/4	1.9	64.5
cb	1.0	65.4
Eline	-0.4	66.8

66.4v

200' no.

Eline	0.2	66.2
cb	1.7	64.7
1/4	2.2	64.2
c	2.7	63.7
1/4	2.4	64.0
cb	2.9	63.5
white	3.6	62.8

225' no.

white	3.5	62.9
cb.	2.5	63.9
1/4	2.5	63.9
c	2.5	63.9
1/4	2.0	64.4
cb	1.4	65.0
Eline	0.5	65.9

66.4v

250' no.

Eline	0.0	66.4
cb	1.5	64.9
1/4	1.9	64.5
c	2.3	64.1
1/4	2.2	64.2
cb	2.7	63.7
white	3.2	63.2

275' no.

white	2.5	63.9
cb	2.2	64.2
1/4	2.4	64.0
c	2.2	64.2
1/4	1.8	64.6
cb	1.5	64.9
Eline	0.4	66.0

66.42

Southern of Harasity

Elio	1.1	65.3
ob	1.7	64.7
1/4	2.3	64.1
c	2.9	63.5
1/4	3.2	63.7
ob	3.6	62.8
Wlio	3.4	63.0

T.P.

BM. Arctic + Harasity 63.43

Dec. 24/12 } Schilds  
Tayen  
Allen



1X blight  
10 Zety  
13 Show

X Sec of Landis St (60')

Continued from Book 860

11.05 30246 46 291.41 TP for Book 860

E line of Arnold - 265' W 6

S	72	295.3
W	68	295.7
"	67	295.8
E	71	295.4
"	65	296.0
W	64	295.9
"	59	296.6

225' W 6 Villa Tenac

"	47	297.8
"	48	297.7
"	54	297.1
E	56	296.9
"	58	296.7
"	60	296.5
S	57	296.8

TP 11.32 31342 0.36 302.10

31342

Landis  
71

200 W of Villa Tenac

S	152	298.2
W	151	298.3
"	151	298.3
E	152	298.2
"	154	298.0
W	151	298.3
"	149	298.5

175' W 6 N 7

"	141	299.3
E	140	299.4
"	142	299.2
E	143	299.1
"	145	298.9
W	148	298.6
S	148	298.6

30246  
30  
302.10  
11.32  
31342

3134v

150 w of Villa Tenac

S		129	300.5
W		130	300.4
4		131	300.3
6		134	300.0
4		132	300.2
W		130	300.4
N		129	300.5
	125 w of	Villa Tenac	
N		114	302.0
W		115	301.9
4		117	301.7
6		110	302.4
4		113	302.1
W		114	302.0
S		114	302.0

3134v

Sandis  
72

165 w of Villa Tenac

S		100	303.4
W		100	303.4
4		103	303.1
6		103	303.1
4		102	303.2
W		102	303.2
N		104	303.0
	75 w of	Villa Tenac	
N		81	305.3
W		81	305.3
4		83	305.1
6		86	304.8
4		87	304.7
W		86	304.8
S		84	305.0

31342

50 W of Villa Tenaca

S	61	307,3
bl	63	307,1
y	65	306,9
b	66	306,8
y	61	307,3
ll	65	306,9
n	62	307,2

25 W of N-7-

n	22	311,2
ll	24	311,0
y	28	310,6
b	29	310,5
y	30	310,4
bl	33	310,1
S	40	309,4

31342

W of Villa Tenaca (65)

S	10	312,4
ll	05	312,9
y	03	313,1
b	03	313,1
y	00	313,4
ll	00	313,4
n	40,3	313,7

TP

1183 325,35 00 313,42

E of Villa Tenaca = 265 W of Crego

n	49	320,4
ll	47	320,6
y	58	319,5
l	61	319,2
y	59	319,4
ll	65	318,8
S	61	319,2

Sancho

78

31342  
1183  
325,35

32525

225 W of Oregon St

S	31	3222
U	33	3220
4	32	3221
b	29	3224
4	28	3245
U	27	3226
n	26	3227

32525  
 71  
 32454  
 1120  
 33614

TP 160' 33614 871 32454

200' W of Oregon

n	106	3255
U	106	3255
4	107	3254
b	112	3249
4	114	3247
U	114	3247
S	110	3251

33614

125 W of Oregon St

S	97	3264
U	97	3264
4	97	3264
b	93	3268
4	86	3275
U	82	3279
n	84	3277

150 W of Oregon

n	73	3288
U	70	3291
4	66	3295
b	73	3288
4	76	3285
U	74	3287
S	74	3287

Sandis

74

33614

34291

Sanders

75

125' W of Oregon

75' W of Oregon

S 57 330.9  
 H 52 330.9  
 4 49 331.2  
 6 50 331.1  
 4 49 331.2  
 H 46 331.5  
 N 49 331.2

S 80 334.9  
 H 82 334.7  
 4 84 334.5  
 6 82 334.7  
 4 74 333.5  
 H 75 335.4  
 N 74 335.5

100' W of Oregon

50' W of Oregon

N 35 332.6  
 H 33 332.8  
 4 32 332.9  
 6 27 333.4  
 4 27 333.4  
 H 26 333.5  
 S 30 333.1

33614  
 330.9  
 342.91

N 60 336.9  
 H 41 336.8  
 4 60 336.9  
 6 59 337.0  
 4 60 336.9  
 H 62 336.7  
 S 62 336.7

TP 710 34291 033 33581

34291

78

25' W of Crag

S 54 337.5

N 50 337.9

4 47 338.2

6 48 338.1

4 49 338.0

6 50 337.9

n 50 337.9

W of Crag (65') (Graded)

n (46) 348.3  
(43) 348.6

48 348.1

49 348.0

47 348.2

43 348.6

(40) 348.9  
(35) 348.9

40 348.9

(32) 347.7

330 337.46


34291  
- 1.54  
337.54

SW ch

is only 75 ft  
 100 -

E of Grape St (80)  
 E of California to E of Atlantic

1.21	45.23	1141	4402	Sw India Grape
0.13	33.95	1141	3392	
0.04	22.96	1103	2292	



- Grape St -

22.96

E of California St (100')

27	20.3
32	19.8
36	19.4
37	19.3
41	19.9
37	19.3
39	20.0

E of California

43	18.7
40	19.0
36	19.4
39	19.1
38	19.2
40	19.0
30	20.0

2' E of Rail = same Ell

2296

E Rail of E Track =

SL = 21' w of E L = 2' E Rail 380 19.2

RL = 20.5' w of E L = 2' E Rail 39 19.1

E Rail of lower Track =

RL = 16' w of E of lower = 2' E Rail 40 19.0

SL = 15.8' w of lower = 2' E Rail 38 19.2

E R of Main line

SL = 5' E of lower = 2' E Rail 39 19.1

RL = 2.7' E of lower = 2' E Rail 40 19.0

23.0

2' w of Main line =

S 50 18.0

H 50 18.0

4 50 18.0

6 52 17.8

4 52 17.8

H 52 17.8

n 51 17.9

lower + 15

SL 53

H 57

2296

23.0

78

(1/2) W of California

n 90 14.0

H. Modern lowest here 93 13.7

4 72 15.8

6 66 16.4

4 54 17.6

H 40 19.0

S 35 19.5

W of California

S 20 21.0

H 23 20.7

" 28 20.2

4 30 20.0

4 56 17.4

4 82 14.8

H 93 13.7

2 107 12.3



2296

23.0

W side of California

n	112	11.8
bl	98	13.2
y	75	15.5
b	53	17.7
y	32	19.8
bl	36	19.4
S	33	19.7

25' W of Calif

S	50	18.0
ll	50	18.0
y	53	17.7
b	58	17.2
y	66	16.4
ll	87	14.3
n	108	12.2

2296

79

140' W of Calif

n	104	12.6
ll	80	15.0
y	66	16.4
l	63	16.7
y	62	16.8
ll	55	17.5
S	55	17.5

50' W of Calif

S	130	10.0
ll	128	10.2
y	125	10.5
l	125	10.5
y	130	10.0
ll	132	9.8
n	133	9.7

2296

60 W of Colif

2	132	9.8
4	132	9.8
7	129	10.1
6	127	10.3
4	128	10.2
4	127	10.3
S	127	10.3

75 W of Colif

S	86	14.4
	89	14.1
	84	14.6
	88	14.2
	93	13.7
	98	13.2
	101	12.9

2296

100 W of Colif

2	121	10.9
4	116	11.4
4	109	12.1
6	108	12.2
4	108	12.2
4	105	12.5
S	104	12.6

125 W of Colif

S	124	10.6
4	126	10.4
4	123	10.7
6	120	11.0
4	128	10.2
4	125	9.8
2	133	9.7

TP 606

10.30

1272 10.24

2296  
1272  
10.24  
6  
10.30

10.30

	7.50	w f	balif	
n			18	8.5
u			18	8.5
y			17	8.6
b			16	8.7
v			13	9.0
u			14	8.9
S			14	8.9

175 w f balif

S			34	6.9
u			35	6.8
y			39	6.4
b			36	6.7
y			35	6.8
u			33	7.0
n			33	7.0

10.30

200 w = E S Atlantic

n	60	-	4.3
u	58	-	4.5
y	52	-	5.0
b	52	-	5.1
y	53	-	5.0
u	55	-	4.8
S	55	-	4.8

507

4.477	4.577
4.396	4.296
<u>8.873</u>	<u>8.873</u>

290	2000	(.09)	33840	4296
	<u>1740</u>		<u>173</u>	
	2600		340,13	33840
	<u>2610</u>			<u>4.88</u>

339.0  
 339.34  
 339.69

343.25 H.I.  
 339.34  
3.91  
 339.64  
3.56

