#807 – #2



Distances from Side Stakes for Cross-Sectioning

Slope 1 to 1. Roadway of Any Width

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0.00	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80	0.90	0
1	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90	1
2	2.00	2.10	2.20	2.30	2.40	2.50	2.60	2.70	2.80	2.90	2
3	3.00	3.10	3.20	3.30	3.40	3.50	3.60	3.70	3.80	3.90	3
4	4.00	4.10	4.20	4.30	4.40	4.50	4.60	4.70	4.80	4.90	4
5	5.00	5.10	5.20	5.30	5.40	5.50	5.60	5.70	5.80	5.90	5
6	6.00	6.10	6.20	6.30	6.40	6.50	6.60	6.70	6.80	6.90	6
7	7.00	7.10	7.20	7.30	7.40	7.50	7.60	7.70	7.80	7.90	7
8	8.00	8.10	8.20	8.30	8.40	8.50	8.60	8.70	8.80	8.90	8
9	9.00	9.10	9.20	9.30	9.40	9.50	9.60	9.70	9.80	9.90	9
10	10.00	10.10	10.20	10.30	10.40	10.50	10.60	10.70	10.80	10.90	10
11	11.00	11.10	11.20	11.30	11.40	11.50	11.60	11.70	11.80	11.90	11
12	12.00	12.10	12.20	12.30	12.40	12.50	12.60	12.70	12.80	12.90	12
13	13.00	13.10	13.20	13.30	13.40	13.50	13.60	13.70	13.80	13.90	13
14	14.00	14.10	14.20	14.30	14.40	14.50	14.60	14.70	14.80	14.90	14
15	15.00	15.10	15.20	15.30	15.40	15.50	15.60	15.70	15.80	15.90	15
16	16.00	16.10	16.20	16.30	16.40	16.50	16.60	16.70	16.80	16.90	16
17	17.00	17.10	17.20	17.30	17.40	17.50	17.60	17.70	17.80	17.90	17
18	18.00	18.10	18.20	18.30	18.40	18.50	18.60	18.70	18.80	18.90	18
19	19.00	19.10	19.20	19.30	19.40	19.50	19.60	19.70	19.80	19.90	19
20	20.00	20.10	20.20	20.30	20.40	20.50	20.60	20.70	20.80	20.90	20
21	21.00	21.10	21.20	21.30	21.40	21.50	21.60	21.70	21.80	21.90	21
22	22.00	22.10	22.20	22.30	22.40	22.50	22.60	22.70	22.80	22.90	22
23	23.00	23.10	23.20	23.30	23.40	23.50	23.60	23.70	23.80	23.90	23
24	24.00	24.10	24.20	24.30	24.40	24.50	24.60	24.70	24.80	24.90	24
25	25.00	25.10	25.20	25.30	25.40	25.50	25.60	25.70	25.80	25.90	25
26	26.00	26.10	26.20	26.30	26.40	26.50	26.60	26.70	26.80	26.90	26
27	27.00	27.10	27.20	27.30	27.40	27.50	27.60	27.70	27.80	27.90	27
28	28.00	28.10	28.20	28.30	28.40	28.50	28.60	28.70	28.80	28.90	28
29	29.00	29.10	29.20	29.30	29.40	29.50	29.60	29.70	29.80	29.90	29
30	30.00	30.10	30.20	30.30	30.40	30.50	30.60	30.70	30.80	30.90	30
31	31.00	31.10	31.20	31.30	31.40	31.50	31.60	31.70	31.80	31.90	31
32	32.00	32.10	32.20	32.30	32.40	32.50	32.60	32.70	32.80	32.90	32
33	33.00	33.10	33.20	33.30	33.40	33.50	33.60	33.70	33.80	33.90	33
34	34.00	34.10	34.20	34.30	34.40	34.50	34.60	34.70	34.80	34.90	34
35	35.00	35.10	35.20	35.30	35.40	35.50	35.60	35.70	35.80	35.90	35
36	36.00	36.10	36.20	36.30	36.40	36.50	36.60	36.70	36.80	36.90	36
37	37.00	37.10	37.20	37.30	37.40	37.50	37.60	37.70	37.80	37.90	37
38	38.00	38.10	38.20	38.30	38.40	38.50	38.60	38.70	38.80	38.90	38
39	39.00	39.10	39.20	39.30	39.40	39.50	39.60	39.70	39.80	39.90	39
40	40.00	40.10	40.20	40.30	40.40	40.50	40.60	40.70	40.80	40.90	40
41	41.00	41.10	41.20	41.30	41.40	41.50	41.60	41.70	41.80	41.90	41
42	42.00	42.10	42.20	42.30	42.40	42.50	42.60	42.70	42.80	42.90	42
43	43.00	43.10	43.20	43.30	43.40	43.50	43.60	43.70	43.80	43.90	43
44	44.00	44.10	44.20	44.30	44.40	44.50	44.60	44.70	44.80	44.90	44
45	45.00	45.10	45.20	45.30	45.40	45.50	45.60	45.70	45.80	45.90	45
46	46.00	46.10	46.20	46.30	46.40	46.50	46.60	46.70	46.80	46.90	46
47	47.00	47.10	47.20	47.30	47.40	47.50	47.60	47.70	47.80	47.90	47
48	48.00	48.10	48.20	48.30	48.40	48.50	48.60	48.70	48.80	48.90	48
49	49.00	49.10	49.20	49.30	49.40	49.50	49.60	49.70	49.80	49.90	49
50	50.00	50.10	50.20	50.30	50.40	50.50	50.60	50.70	50.80	50.90	50

Distance of slope stake from side or shoulder stake for any width roadway, slope 1 to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body of table in same row and column gives distance from side stake to slope stake. If ground is not level estimate the difference in elevation between the side stake and slope stake, lower target by this amount if cut, elevate if fill. Add this amount to cut or fill and find distance in table. Set up rod at this point, and line of sight should cut target. If it does not make the slight adjustment necessary.

2,73

457.40

MICROFILMED

JAN 16 1965

TABLE XIII—CORRECTIONS FOR TANGENTS AND EXTERNALS

These corrections are to be added to the approximate values, found by dividing the tangent, or external, for a 1° curve (Table VIII) by the degree of curve, in order to obtain the true tangents, or externals. Intermediate values may be obtained by interpolation.

FOR TANGENTS ADD

Central Angle	Degree of Curve													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	03	.06	09	13	16	19	.22	.25	.28	.31	34	38	42	.46
15°	04	10	14	19	24	.29	.34	.39	45	.51	.53	58	.63	.68
20°	06	.13	19	.26	.32	.39	.45	.51	.58	.65	.72	79	.84	.90
25°	.08	16	24	.33	40	49	.58	67	.75	.83	90	.99	1.06	1.14
30°	10	19	.29	39	49	.59	.69	79	.89	.99	1.09	1.20	1.29	1.39
35°	11	22	.34	47	.58	.69	.70	.81	.92	1.04	1.29	1.42	1.54	1.66
40°	13	.26	.40	.53	.67	.80	.93	1.06	1.20	1.34	1.49	1.64	1.79	1.94
45°	15	.30	44	60	76	91	1.06	1.21	1.37	1.52	1.70	1.87	2.04	2.21
50°	17	.34	.51	.68	.85	1.02	1.19	1.36	1.54	1.72	1.91	2.10	2.29	2.48
55°	19	38	.57	76	.95	1.14	1.32	1.52	1.72	1.92	2.14	2.35	2.56	2.77
60°	21	42	.63	.84	1.05	1.27	1.49	1.71	1.94	2.17	2.38	2.60	2.83	3.07
65°	23	46	.69	.93	1.16	1 40	1.64	1.88	2.13	2.38	2.63	2.88	3.13	3.39
70°	25	.51	76	1.02	1.28	1.54	1.80	2.06	2.33	2.60	2.88	3.16	3.44	3.72
75°	.27	.56	.83	1.12	1.40	1.69	1.98	2.27	2.57	2.87	3.16	3.47	3.78	4.09
80°	30	.61	91	1.22	1.53	1.84	2.15	2.46	2 78	3.10	3.44	3.78	4.12	4.46
85°	33	66	1.00	1.33	1.68	2.02	2.36	2 70	3.05	3.40	3.77	4.14	4.55	4 89
90°	36	.72	1.09	1.45	1.83	2.20	2.57	2.94	3.32	3.70	4.10	4.50	4.91	5.32
95°	39	79	1.19	1.55	2.00	2.40	2.80	3.20	3.61	4.02	4.40	4.98	5.38	5.83
100°	43	.86	1.30	1.74	2.18	2.62	3.06	3.50	3.95	4.40	4.88	5.37	5.85	6.34
110°	51	1.03	1.56	2.08	2.61	3.14	3.67	4.21	4 76	5.31	5 86	6.43	7 01	7 60
120°	62	1.25	1 93	2.52	3.16	3.81	4 45	5.11	5.77	6 44	7 12	7.80	8.50	9 22

FOR EXTERNALS ADD

Central Angle	Degree of Curve													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	.001	.003	.004	.006	.007	.008	.009	.011	.012	.014	.015	.017	.018	.020
15°	.003	.007	.010	.014	.018	.023	.027	.029	.032	.035	.039	.043	.047	.051
20°	.006	.011	.017	.022	.028	.034	.038	.045	.051	.057	.063	.070	.076	.083
25°	.009	.018	.027	036	.046	.056	.065	.074	.083	.093	.106	120	127	135
30°	.013	.025	.038	.051	.065	.078	.090	.103	.116	.129	.149	.170	.179	.188
35°	.018	.035	.054	.072	.086	.109	.131	.153	.175	.197	.213	.230	.247	.264
40°	.023	.046	.070	.093	.117	.141	.172	.203	.234	.265	.277	.290	.315	.341
45°	.030	.060	.093	.119	.153	.184	.216	.254	.289	.325	.351	.378	.411	.445
50°	.037	.075	.116	.151	.189	.227	.266	.305	.345	.384	.425	.467	.508	.550
55°	.046	.093	.142	.188	.236	.283	.332	.381	.420	.479	.530	.582	.641	.700
60°	.056	.112	.168	.225	.283	.340	.398	.457	.516	.575	.636	.697	.774	.851
65°	.067	.135	.204	.273	.343	.412	.483	.554	.625	.697	.711	.845	.922	1.01
70°	.080	.159	.240	.321	.403	.485	.568	.652	.735	.819	.906	.994	1.08	1.17
75°	.095	.182	.286	.383	.480	.578	.678	.777	.877	.977	1.07	1.18	1.29	1.39
80°	.110	.220	.332	.445	.558	.671	.787	.903	1.02	1.13	1.25	1.38	1.50	1.62
85°	.128	.259	.391	.524	.657	.790	.926	1.06	1.20	1.34	1.47	1.62	1.76	1.91
90°	.149	.299	.450	.603	.756	.910	1.07	1.22	1.38	1.54	1.70	1.87	2.03	2.20
95°	.174	.350	.522	.706	.985	1.06	1.25	1.43	1.62	1.80	1.99	2.18	2.38	2.58
100°	.200	.401	.604	.809	1.01	1.22	1.43	1.64	1.85	2.06	2.28	2.50	2.73	2.96
110°	.268	.536	.806	1.08	1.35	1.63	1.91	2.20	2.48	2.76	3.05	3.35	3.66	3.96
120°	.360	.721	1.08	1.45	1.82	2.19	2.57	2.95	3.33	3.72	4.11	4.50	4.91	5.32

Relocation Midway Drive - at Bridge - Pg. 7 alice ✓

6" P.L. Alley - Park to Orange - 46th - Clarmonte 10-11 ✓

6" P.L. Tourmaline St - Cass - Mission Blvd 12-15 ✓

6" P.L. Alley Myrtle - Dwight - 44th - Highland 14 ✓

Meter Boxes - Tourmaline St. Bayard - Mission Blvd 15-16 ✓

" " Dwight - Myrtle - 44 - Highland 17 ✓

" " Commonwealth - Juniper - Ivy 18 ✓

" " 19

20

21

Meter Boxes - Yosemite - La Playa - Meeresland 22-23 ✓

6" C.I.P. - Felspar - Haynes - Ingraham 24 ✓

~~K.M. P.L. #2~~ Void 25-26

6" P.L. Langley - K - Island 28-29 ✓

Alley Monroe - 40, 1500 - 36th - 37th 30-34 ✓

" 36th - Cherokee - Madison - No. End 35-37 ✓

6" P.L. Xover - Reed & Dawes 38 ✓

K.M. P.L. #2 - Ties to K.pg P.L.p. 39 ✓

Meter Boxes Haynes - Roosevelt - Fortuna 40-42 ✓

X Over Alley at Haynes 44 ✓

Meter Boxes & P.Ls. So. Garnet St Pg. 8 45-47 ✓

			King	Shipman	Adams	West
		hr.				
Profile Tunnel ½ - #6 - Dulzura Conduit	48-53 ✓					
P.L. grades - 10th - Orinda - Avan - Cantyda	54 ✓	2-15	Kearney Mesa	8	8	8	
Barrett Dam Bldg - Stone Quarry - Grades	57-58 ✓	2-16	" "	8	8	8	
Meter Boxes - Alley Polk - Orange - Chamoune ¾	59-60 ✓	2-17	La Jolla Res.	8	8	8	
8" P.L. Juniper - Laurel on Commonwealth - Ivy	61-62 ✓	2-18	Kearney Mesa	8	8	8	
6" P.L. " - Ivy - Wesland - also Pentucket	63-64 ✓	2-21	" "	8	8	8	
6" C.I.P. Maple - Montclair - Heller - Vancouver - Heller	65-67 ✓	2-22	—	-	-	-	
Meter Boxes - Pentucket - Juniper - Ivy	68 ✓	2-23	El Capitan	8	8	8	
" " Felspar - Haynes - Ingraham	69 ✓	2-24	Kearney Mesa	8	8	8	
" " Wesland Juniper - Ivy	70 ✓	2-25	K. Mesa	8	8	8	
Lowering 6" - 63rd Montezuma No.	71 ✓	2-28		8	8	0	8
Meter Boxes - Maple - Hallett - Montclair	72 ✓	3-1	Bonita Reline	8	8		8
6" P.L. Polk - Uni - Menlo 47	73 ✓	3-2	Montezuma P.P.	"	"		"
Meter Boxes " " "	alice - ✓ 74-75	3-3	K.M.	"	"		"
		3-4	K.M.	"	"		"
		3-7	KM	"	"		"
		3-8	KM	"	"		"
		3-9	KM	"	"		"
		3-10	" "	"	"		"
		3-11	" "	"	"		"

		King	Shipman	West
3-14	K.M.	8	8	8
3-15	K.M.			
3-16	"			
3-17	"			
3-18	K.M.			
3-21 Mon	K.M.			
3-22	La-Res	4	4	4
	K.M.	4	4	4
3-23	K.M.			
3-24	K.M.	4	4	4
	~~La Jolla Res~~	4	4	4
3-25	Mission Bay Res	8	8	8
3-28 Mon	K.M	"	"	"
3-29	K.M	"	"	"
3-30	K.M	"	"	"
3-31	K.M	"	"	"
4-1 Fri	Mission St-2-587-5	8	8	8
4-4 Mon	Juniper St-4787	8	8	8
4-5	K.M			
4-6	K.M.			
4-7	K.M			

		Km	Shipman	West
4-8	K.M.	8	8	8
4-11	Novara	8	8	8
4-12	Bay View Res	8	8	8
4-13	K.M.	8	8	8
4-14	" "	8	8	8
4-15	" "	8	—	—
4-18	" "	0	—	—
4-19	" "	—	—	—
4-20	" "	—	—	—
4-21	" "	—	—	—
4-22	" "	—	—	—
4-25 M&N	K.M.	—	—	—
4-26	Alvarado Res	—	—	—
4-27	" Bay View Res	4	4	4
4-28	" " "	8		
4-29	K.M.			
May 5-2	K.M.			
5-3	" "			

		King	West	Shipman	Payne
5-4	K.M.				
5-5	K.M.				
5-6	K.M.				
5-9	K.M.				
5-10	Bay View Res & K.M.	4	4	4	4
5-11	K.M.				
5-12	" "				
5-13	" "				
5-16 M&M	" " Prof. 338	8	8	8	
5-17	" " "	8	8	8	8
5-18	Alvarado Canyon 31" Brine	8	8	88	8
5-19	K.M. P.L.	—	—	—	—
5-20	" "				
5-23 M	Bay View Res				
24	" " "				
25	San Vicente	8	8	8	8
26	" "	8	8	8	8
27	Catalina	8	8	8	8

		Kingon Voc.	Shipman	West	Comm. Payne
May-31	Murray La Ku chesTerTon	D	8	8	8
June 1	Linda Vista Chesterton		8	8	8
June 2	Linda Vista Chesterton		8	8	8
June 3	Linda Vista		8	8	8
June 6	chesTerTon		8	8	8
June 7	KM		8	8	8 8
8	KM.		8	8	8 8
9	KM		8	8	8
13	KM		8	8	8
14	KM.		8	8	
15	Quince		8	8	
16	KM		8	8	
17	~~KM~~ Elec.		8	8	
18					
19					
June 20	Quince St. Acacia ~~C235~~		8 4	8 4	8 4
21	K.M. Z-St. ~~C235~~		4 4	4 4	4 4
22	K.M.		8	8	8
23	K.M.		8	8	8

		King	Shipman	West
	W.O. - 2-633-5 Ocean Beach			
June 24	Z-Alley BK 70	8	8	8
" 27	Evans St. P.L. 2-645-5	8	8	8
" 28	K. M.	8	8	8
" 29	Km Dulzura	4	4	4
" 30	K.M.	4	4	4
July 1	"			
2	—			
3	—			
4	—			
5	33rd St - 2-513-5 K.M.	4	4	
6	K.M.	8	8	
7	Roselawn	8	8	
8	Bristol	8	8	
9	—			
10	—			
11	" "	8	8	
12	" "	8	8	
13	" "	4	8	
14	Km 4 Bdwy	8	8	

Clyde West. off

" " with Beatty

H 2-492-5

15
16 —
17 —
18 Bonita
19 "
20 K. M.
21 - Hodges
22 "
23 —
24 —
25 - Langley
26
27
28
29
30
31

Relocation
Midway Drive
Near Highway Sta 38+40

King
Shipman
West.

12-29-49

7



Ohalla Sta April 6th 50

	+		−		
B.M.	5.43	348.35			342.92
	11.32	~~374.13~~ 337.43	22	346.13	
	12.12	369.02	0.55	356.90	
	12.12	381.82	.32	368.70	
			2.25	372.57	ON Set
T.P.	11.40	388.42	4.80	377.02	
				11.72	376.70
	4.55	381.57		377.02	
	3.85	369.97	15.45	366.12	
	11.25	365.17	16.05	353.92	
	1.60	351.92	14.85	350.32	
	2.10	338.42	15.60	336.32	
	2.10	~~336.47~~ 335.62	14.05	324.37	
	10.30	~~335.27~~ 335.72	1.05	~~335.32~~ 333.57	
	11.25	344.37	2.15	333.12	333.47
		344.72	1.90	~~342.82~~ 342.82	

N. E. Cor. G.V. Box

April 1

JBM on R

9

381.82
.07
381.8
372.4
375.1

381.8
381.8
381.8
381.8

381.6
.75
6.6

5.92
1.25
65.17
11.6

3.70

338.4
37.5
.9

338.4
38.5
37.4

0.9 = 37.5
3.4 = 35.0
5.9 = 32.5
6.4 30.
10.9 = 27.5
13.4 25
15.9 22.5

352
20.50
4.5 = 47.5
7.0 = 45.0
9.5 42.5
12.0 40.0
14.5 37.5
22

360
60
300

55
10.2
45
54
1.12
1.15

Alley 6" P.L. - Polk - Orange
Between - Chamomile - 4659
8033-L-Sheet 4

B.M.	5.15	359.09			353.94
5+50			5.0	354.1	353.4
5+00			5.0	354.1	353.4
4+50			5.4	353.7	353.2
4+00			5.9	353.2	352.5
3+50			7.0	352.1	351.5
3+00			8.0	351.1	350.6
2+50			8.7	350.4	349.8
T.P.	3.75	353.62	8.72	350.37	

King West

10-10-50

10

N.W.B.P. Orange 4465
Cut
4.4
4.4
4.2
4.4
4.3
4.2
4.3

6" P.L. Alley Orange-Polk Between 46 St & Chamarac

King West 10-10-50 11

353.62

2+00			3.8	3498	449.3	4.2
1+50			4.7	3489	348.7	3.9
1+00			4.4	3492	348.4	4.5
0+50			5.0	3486	348.4	3.9
0+00			5.0	3486	348.4	3.9
CL			4.85	348.77	348.83	Top Curb

Tourmaline St Oct 18, 50
Cass

	+	H.I.			
	3.67	114.07			
0+50			3.7	110.4	109.0
1+00			5.1	109.0	107.4
1+50			6.7	107.4	105.8
2+00			8.3	105.8	104.3
2+50			9.5	104.6	103.6
3+00	0.57		10.50	103.57	101.0
3+50		104.14	2.9	101.2	99.4
3+79.20			3.4	100.7 Bay and St	98.7 5
0+00			4.1	100.0	97.7
FH ℄			4.5	99.6	97.5
FH (5)			4.5	99.6	97.5
0+50			5.8	98.3	96.9
1+00			6.9	97.2	96.2
1+50			7.9	96.2	95.4
2+00			8.7	95.4	94.6
2+50			9.5	94.6	93.8

King
West
Baker

12

S.E.B.P. 110.40 Tourmaline & Cass

5.4	
5.6	
5.6	
5.5	105.5
6.0	104.0
6.4	1.5
5.8	
6.0	
6.3	
~~6.1~~ 2.1	
6.1 2.1	
5.4	
5.0	
4.8	
4.8	
4.8	

Tourmaline st
Cass - Mission Blvd

10-18-50

King
Baker
West

12

10+14

TP 3+00	1.74	95.96	9.92	94.22	93.0	5.2
3+50			2.4	93.6	92.2	5.4
4+00			3.2	92.8	91.4	5.4
4+50			4.0	92.0	90.7	5.3
5+00			4.8	91.2	89.9	5.3
5+50			6.0	90.0	88.1	5.8
6+00			7.2	88.8	87.4	5.3
6+50			8.3	87.7	87.6	4.1
			8.03	87.93		
N.E Curb Tourmaline			7.2	88.84	Mission Blvd	

Alley Myrtle Dwight
44th - Highland

11-1-50
King
West

W.O
22-248-62

B.M	4.55	341.18			336.63
0+22			4.4	336.6	335.8
1+00			2.3	338.9	338.0
1+15			2.4	338.8	338.3
1+64			1.1	340.1	339.3
T.P.	6.30	346.32	1.16	340.02	
~~1+89~~ 2+32			5.6	340.7	339.6
2+32			5.8	340.5	340.0
2+77			5.6	340.7	340.1
4+18			4.3	342.0	341.8
4+84			3.4	342.9	341.8
5+27			2.5	343.8	342.9
			1.93	344.44	

Auger Borings
Bayard - Mission Blvd
Fountain Ave

King
West

11-2-50

T.B.M. 3+00	6.96	101.18			94.22	
0+35 S			2.4	98.6	97.2	C 1 4
0+44 S			3.0	98.2	96.7	C 1 5
0+73 S			3.7	97.5	96.6	C 0 9
1+20 S			4.7	96.5	95.8	C 0 7
1+71 S			5.6	95.4	95.0	C 0 6
2+21 S			6.0	95.2	94.2	C 1 9
2+70 S			6.7	94.5	93.6	C 0 9
3+19 S			7.2	94.0	92.8	C 1 2
3+71 S			7.7	93.5	92.0	C 1 5
4+22 S			8.4	92.4	91.1	C 1 5
4+72 S			9.3	91.9	90.1	C 1 9
5+19 S			10.0	91.2	89.7	C 1 3
5+70 S			10.8	90.4	88.8	C 1 6
6+40			11.8	89.4	87.7	C 1 7

Meter Boxes
Tourmaline
Mission Blvd — Bayard.

10.1.18

5+25	N.		8.6	92.2	90.4	C 1 8
4+72	N		7.9	93.3	91.2	C 2 1
4+33	N		7.5	93.7	91.8	C 1 9
3+85	N		6.5	94.7	92.5	C 2 3
3+30	N		6.5	94.7	93.3	C 1 4
2+83	N		5.9	95.3	94.0	C 1 3
2+18	N		4.9	96.3	95.0	C 1 3
1+65	N		4.0	97.2	95.8	C 1 4
1+32	N		4.2	97.0	96.3	C 0 7
0+65	N		2.5	~~98.7~~ 97.9	~~97.3~~	~~C 1 4~~ C 0.8
0+42	N		1.9	~~99~~ ~~98.3~~	~~97.7~~ 98.5	~~C 2 6~~ 1.8

King 11-2-18
West.

2.2

15

11-2-50
Knight
West

Meter Boxes
West side Alley - Dwight to Myrtle
44th - Highland

	5.37	34200			33463	
0+35			3.9	38.1	36.2	C 1 9
0+75			3.4	38.6	37.3	C 1 3
T.P.	5.95	34583	2.12	33988		
1+~~25~~ 37			5.7	40.1	38.7	C 1 4
1+64			5.2	40.6	39.3	C 1 3
2+25			4.9	40.9	39.9	C 1 0
2+83			4.5	41.3	40.2	C 1 1
3+40			5.0	40.8	40.4	C 0 4
3+82			4.3	41.5	40.6	C 0 9
4+25			4.1	41.7	41.2	C 0 5
4+98			2.7	43.1	42.6	C 0 5
5+39			1.7	44.1	43.8	C 0 3
5+50			1.7	44.1	44.0	C 0 1
CK.			2.00	43.83		

Meter Boxes
Common Weed 4
Juni. per-Ivy

King 11-22-50
Bakerit
West

B.M.	1.02	267.45			266.43	S.W.B.P. Juni. per & Common Weed 4
0+70 W			1.0	266.5	265.5	C 1.0
1+72 W			3.1	264.4	263.2	C 1.2
2+23 W			3.8	263.7	261.6	C 2.1
2+57.5 W			4.0	263.5	260.8	C 2.7
3+22 W			5.7	261.8	259.8	C 2.0
2+58 E			6.8	260.7	261.0	F 0.3
2+02 E			5.0	262.5	262.0	C 0.5
1+30 E			2.6	264.9	263.8	C 1.1
0+59 E			1.1	266.4	265.6	C 0.8
B.M.			-1.02	266.43		

		344.08			
3+14 W			8.6	335.5	335.2
T.P.	3.96	338.14	9.90	334.18	
3+50			4.1	334.0	334.2
3+48 E			4.1	334.0	333.8
3+84 W			4.5	333.6	332.9
3+91 W E			5.2	332.9	332.8
4+00			5.3	332.8	332.2
4+07 E			5.6	332.5	331.8
4+24 W			6.0	332.1	331.6
4+50			7.7	330.4	330.4
T.P	8.01	344.18	1.97	336.17	
			3.25	340.93	340.89

CO3

5-02 – C 3.6

CO2

CO7

CO1

CO6 < 4.4

CO7

CO5

CO2 · C3.8

Alley 6' Transite T.L.
Myrtle–Dwight
Fairmount 43rd

B.M	3.19	344.08			340.89
0+32 E			2.9	341.2	339.6
0+37 W			3.5	340.6	339.5
0+58			4.2	339.9	339.2
0+76 E			4.4	339.7	339.2
0+89 W			4.4	339.7	338.9
1+00			4.8	339.3	338.8
1+18 E			5.0	339.1	338.4
1+33 W			5.0	339.1	338.2
1+50			5.8	338.3	337.8
1+67 W			5.9	338.2	337.6
1+74 E			6.0	338.1	337.6
2+00			6.4	337.7	336.8
2+25 W			6.5	337.6	336.8
2+38 E			7.3	336.8	336.2
2+61 E			7.3	336.8	335.7
2+68 W			6.8	337.3	336.0
2+50			7.3	336.8	335.8
3+00			6.8	337.3	335.2

King
West
Thomas

1-2-58

21

H.W.B.P.

C 1.6 N
C 1.4
C 0.7 C 4.5
C 0.5
C 0.8
C 0.5 C 4.3
C 0.7
C 0.9 4.5
C 0.5 C 4.3
C 0.6 5.3
C 0.5
C 0.9 C 4.7 4.8
C 0.8
C 0.6
C 1.4
C 1.3
C 1.0 C 5.0
C 2.4 C 5.9

Line & Grade for Meter Boxes
YOSEMITE St. Between LA PLAYA & MOORLAND DRS (CROWN POINT)

Baker ↑ Ch.
West. Ch.

Oct. 24, 1950
Clear - warm

	2.02	35.70		33.68	N.W. BP. Ingraham & Moorland GRADE
TP.	4.40	31.22	8.88	26.82	
0+00 S. PROP. LINE of LA PLAYA AVE.					
0+21 E			6.41	24.81	25.05 F-0.24
0+87½ E			5.58	25.64	25.20 C-0.44
1+08½ E			5.63	25.59	25.30 C-0.29
1+31 W			5.39	25.83	26.00 F 0.17
1+77 W			4.87	26.35	26.10 C 0.25
1+81 E			5.65	25.57	25.40 C 0.17
2+15 W			4.84	26.38	26.20 C 0.18
2+30½ E			5.20	26.02	25.60 C 0.42
2+47 W			4.79	26.43	26.40 C 0.0
2+78 E			5.05	26.17	25.70 C 0.47
3+03 E			4.80	26.42	25.80 C 0.62
3+05 W			4.50	26.72	26.60 C 0.12
3+54½ W			4.14	27.08	26.80 C 0.28
3+54½ E			4.92	26.30	25.90 C 0.40
4+29½ W			4.40	26.82	27.0 F 0.18
4+40 E			4.47	26.75	26.20 C 0.55

3/22

			Grade	
4+81 W		4.14	27.08	27.20 FO 1.2
4+82 E		5.02	26.20	26.30 FO 1.0
5+41 E		4.32	26.90	26.70 CO 2.0
5+60 E. CURB		4.23	26.99	26.97 Top of Curb begining of improvement on Yosemite Street.

6" C.I.P. Felspar
Haynes - Ingraham

B.M.	10.76	68.85			58.09
T.P.	7.09	75.47	0.47	68.38	
0+00			4.9	70.6	70.96
F.H.C			4.1	71.4	70.4
F.H. 5'OFF			4.2	71.3	70.4
0+50			5.5	70.0	70.2
1+00			5.6	69.9	69.9
+50			5.7	69.8	69.6
2+00			5.7	69.8	69.3
+50			5.8	69.7	69.0
3+00			6.2	69.3	68.6
+50			6.3	69.2	68.3
4+00			6.3	69.2	68.0
+50			6.4	69.1	67.6
5+00			7.7	67.8	67.3
				137.38	137.09

King Rainey T West 11-29-50

N.W. Cor. Gresham & Felspar

4.4	East B.P. Haynes
C 1.0	
C.0.9	
4.2	
4.2	
4.4	
4.7	
4.9	
4.9	
5.1	
5.3	
5.7	
4.7	
booted	

K.M.P.L. #2
Check Levels.

Shipmon – 2-14-52
West –

B.M.	+	↑	–	ELEV.		
	2.12	163.51			161.39	9 Niney Sta. 382+00. K.M.P.L.
TP 1	2.02	152.60	12.93	150.58		Topo
TP 2	2.15	141.77	12.98	139.62		
TP 3	3.58	133.27	12.08	129.69		
TP 4	1.10	121.30	13.07	120.20		
* TP 5	12.98	130.43	3.85	117.45*		
TP 6	11.22	139.19	2.46	127.97		
TP 5	2.22	119.67			117.45	
TP 7	4.88	111.76	12.79	106.88		
TP 8	2.79	106.34	8.21	103.55		
TP 9	3.12	97.41	12.05	94.29		
* TP 10	12.42	104.65	5.18	92.23	92.23	ON ROCK IN PATH
TP 11	8.19	112.41	0.43	104.22		
FP 12			4.30	108.11		
TP 10	6.36	98.59	11.39	0	92.23	
TP # 11	3.45	90.65	2.88	87.20		
TP # 12	3.34	91.11	12.92	87.77		
TP # 13	1.19	79.38	2.50	78.19		
	49	77.37	9.71	76.88		

TP 10

K.M.P. Lot #2

BM	+	⊼	−	Elev
	1.05	68.71		67.66
	12.78	89.66	2.50	76.88
	13.07	100.23		87.16

Langley St. 6" P.h.
K – Island

King West Shipman 2-26-52

B.M.	1.55	104.54		102.99		N.W.B.P. 37 & K
T.P.	11.48	108.69	7.33	97.21		
0+00 Prop.			12.8	95.9	96.0	3.9
0+50			7.7	101.0	102.0	3.0
1+00			2.0	106.7	108.3	2.4
T.P.	12.85	121.54	0.00	108.69		
1+50			8.6	112.9	114.4	2.5
2+00			2.4	119.1	120.4	2.7
T.P.	13.02	134.25	0.31	121.23		
2+50			8.9	125.4	126.6	2.8
3+00			3.2	131.1	132.6	2.5
T.P.	4.25	137.34	1.16	133.09		
3+50			3.0	134.3	134.7	3.6 +0

Langley St. P.L.6"
K-Island

137.34

King
Shipman
West

2-20-50

4+00			4.4	132.9	133.8	3.1
4+50			10.6	126.7	128.0	2.7
T.P.	1.14	126.04	12.44	124.90		
5+00			6.3	119.7	120.6	3.1
T.P.	0.30	113.70	12.64	113.40		
5+50			1.2	112.5	114.2	2.3
6+00			6.6	107.1	107.7	3.4
6+50			9.7	104.0	104.6	3.4
7+00			10.3	103.4	103.8	3.6
T.P.	2.01	104.68	11.03	102.67		
			6.64	98.04	98.03	B.P. S.W. 28 & Island

ash 33rd To Bancroft
5 offsets

Kirk
Shipman
July 29, 1949

	9.64	196.64		187.0		
0 + 00			9.9	186.7	187.0	3.7
0 + 50			6.8	189.8	188.2	5.6
1 + 00			5.3	191.3	188.4	6.9
1 + 50			4.0	192.6	190.2	6.4
2 + 00			3.6	193.0	191.3	5.7
2 + 30 - Curb Line			5.2	191.4		
F. H. ℄			3.8	192.8	191.5	1.3
F. H. 5' Off			4.0	192.6	191.5	1.1
			8.54	188.10		

Alley between 37th & 38th
from Monroe to Madison

Rainey
West
Shipman

				391.51	S.E. BP Wilson & Monroe	
	0.85	392.36				
TP #1			12.66	379.70		3.5 cut given to bottom of pipe as a straight grade Use Eaton Barn curb to curb
	5.42	385.72				
Curb 0+00			5.89	379.23		
				381.1	380.2	4.9
0+50			4.6	~~380.5~~	~~378.7~~	C ~~5.3~~
				379.9	379.8	4.1
1+00			5.8	~~379.3~~	~~378.2~~	C ~~4.6~~
				379.5	379.5	4.0
1+50			6.2	~~378.7~~	~~377.7~~	C ~~4.7~~
Sewer MH.			7.3			
				379.1	379.1	C 4.0
2+00			6.6	~~378.5~~	~~377.2~~	C ~~4.6~~
				379.3	378.8	C 4.5
2+50			6.4	~~378.7~~	~~376.7~~	C ~~5.5~~
				376.4	~~378.9~~	
3+00			9.3	~~375.8~~	~~376.2~~	C 3.5
					376.2	
Curb 3+00			8.9	~~427.2~~		

Alley between 37th & 38th
Monroe to Wilson

Railway
West
Shipman

	0.53	382.21		386.68
			6.76	380.35
	5.29	385.64		
Curb on Monroe			5.75	379.89
Service 0+46 W			4.73	380.91
Service 0+63 E			5.13	380.51
0+99 W			5.58	380.06
1+27 E			5.95	379.69
1+33 W			6.16	379.48
1+58 W			6.29	379.35
1+65 E			6.54	379.10
1+90 E			6.58	379.06
2+09 W			6.33	379.31
2+45 W			6.44	379.20
2+78 W			6.54	379.10
	2.43	394.11		386.68
			1.85	392.26

I.C.R.R. Monroe & Church St.		
38		
380.51	C 0.40	
380.41	C 0.10	
380.06	Grade	
379.9	up 0.20	
379.95	up 0.17	
379.86	up 0.51	
379.80	up 0.70	
379.43	up 0.87	
379.30	Grade	
279.0	C 0.40	
228.2	C 1.10	

T Alley-Wilson - 36th
@ Madison

	3.86	397.68		393.82
0+50			4.4	393.1
0+68 Lt.			4.80	392.88
1+00			4.6	393.1
1+01 Rt			4.58	393.10
1+22 Rt			4.57	393.11
1+29 Lt.			4.95	392.73
1+50			4.7	393.0
1+65 Lt.			4.66	393.02
2+00			4.5	393.2
2+20 Rt			4.80	392.88
2+22 Lt			4.61	393.07
T.R 3.92	3.92	397.10	4.50	393.18
2+50			4.5	392.6
2+53 Rt			4.50	392.6
			4.81	392.29

King
Sherman
West

3a

	Cut
392.4	4.7
392.58	0.30
392.2	4.9
392.48	~~0.52~~ 0.42
392.46	0.65
392.60	~~0.74~~ 0.13
392.3	4.7
392.52	~~0.66~~ 0.50
392.0	5.2
392.18	0.70
392.17	0.90
392.9	4.7
392.6	0.66
392.0	0.29

T- Alley - Wilson - 36th OFF
Madison

397.10

2+81 Rt		4.45	392.65	391.88	0.77
2+80 Lt.		4.26	392.84	392.20	0.64
3+00		4.7	392.4	391.8	4.6
3+17 Rt		4.90	392.20	391.77	0.43
3+35 Lt.		4.97	392.13	392.00	0.13
3+50		5.0	392.10	391.6	4.4
3+58 Rt		5.03	392.07	391.66	0.41
3+78 Lt		5.07	392.03	391.78	0.25
4+00		5.0	392.1	391.4	4.7
4+18		5.03	392.07	391.47	0.60
4+31 Rt		5.11	391.99	391.44	0.55
4+50		5.4	391.7	391.3	4.4
4+71 Lt		5.06	392.04	391.65	0.39
5+00		5.1	392.0	391.1	4.9
5+21 Rt		4.80	392.30	391.23	1.07
5+35 Lt.		5.25	391.85	391.37	0.48
5+50		4.6	392.5	391.0	5.0

King
Shipman
West

T. Riley Wilson- 36"
OFF Madison

397.10

5+76 Lt.	5.14	391.96
5+99 Rt	5.60	391.50
6+00	5.6	391.5
6+02 Lt	5.16	391.94
6+34 Rt	5.98	391.32
6+50	5.6	391.5
	4.45	392.65

King
Shipman
West

391.1

391.15	0.81
391.00	0.50
390.9	4.6
391.10	0.84
390.93	039
390.7	4.8

Alley between 36th & Cherokee from Madison to "N" end

	0.19	393.86		393.67		
			6.30	387.56	"N" curb return	
0+28 E			3.93	389.93	388.60	C 1.33
0+50 TP			3.86	390.00	389.0	C 5.0
	4.07	394.07				
0+61	E		4.27	389.80	389.32	C 0.48
0+63	W		4.30	389.77	389.40	C 0.37
0+90	E		4.56	389.51	389.38	C 0.19
1+00			4.2	389.9	389.0	C 4.9
1+24	W		4.70	389.37	389.61	C 0.24
0+27	E		4.49	389.58	389.24	C 0.34
0+50			4.5	389.6	388.8	C 4.8
1+72	E		4.73	389.34	389.05	C 0.29
1+73	W.		4.48	389.59	389.01	C 0.58
2+00			4.6	389.5	388.7	C 4.8
2+24	W.		4.99	389.08	388.95	C 0.13
2+39	E		5.04	389.03	388.85	C 0.18
2+50			4.9	389.2	388.6	C 4.6

	394.07				
2+66 E		4.49	389.58	388.80	C 0.78
2+75 W		5.06	389.01	388.80	C 0.21
3+00		4.6	389.5	388.5	C 5.0
3+33 W		4.03	390.04	388.60	C 1.44
3+36 E		4.56	389.51	388.58	C 0.93
3+50		4.7	389.4	388.3	C 5.1
3+83 E		4.59	389.48	388.40	C 1.08
3+87 W		4.84	389.23	388.38	C 0.85
4+00		4.7	389.4	388.2	C 5.2
4+31 E		5.00	389.07	388.30	C 0.77
4+48 W		5.40	388.67	388.26	C 0.41
4+50		5.3	388.8	388.0	C 4.8
4+79E		5.47	388.60	388.10	C 0.50
4+84 W		5.10	388.97	388.14	C 0.83
5+00		5.2	388.9	387.8	C 5.1
5+36 W		5.65	388.42	387.90	C 0.52
5+39 E		6.01	388.06	387.70	C 0.36
5+50		5.85	388.22	387.5	C 1.7

		394.07				
5+52 W			5.96	388.11	387.70	C 0.41
5+76 E			6.43	388.64	387.42	C 0.22
6+00			6.5	387.6	387.2	4.4 C 4.6
CL to 6+00 E			6.6	387.5		

Beatty
King
Leonard
West.

8-29-50

C" P.L. X-over
Dawes St. at Reed & Thomas St.

Reed

T.B.M.	4.40	13.87			9.47	
0+25			4.7	09.2	04.8	4.4
0+50			5.0	08.9	04.8	4.1
0+78			4.6	09.3	04.8	4.5
T.P.	7.79	19.72	1.94	11.93		

Thomas

		7.6	12.7	
		7.9	11.8	
		4.2	15.5	11.0
		4.4	15.3	10.7
		4.0	15.7	10.5
		3.66	16.06	

Top P.L

Bottom Conduit 4.5

4.6

5.2

Top Curb B.C: No. S. du

Ties. Kipp Property
K.M. P.L. #2



Meter Boxes
Haynes St.
Roosvelt-Fortuna

8-7-50
King
West
Shipman

B.m	12.49	31.96			19.47	La Playa & Riviera N.E. B.P.
T.P	12.67	44.23 ~~43.23~~	0.40	31.56		
0+25 E			3.4	40.8 ~~39.8~~	36.2	C 4.6
0+60 E			3.4	40.8 ~~39.8~~	36.3	C 4.5
0+37 W			5.1	39.1 ~~38.1~~	36.1	C 3.0
T.P	4.86	43.97 ~~42.97~~	5.12	39.11 ~~38.11~~		
1+71 W.			6.9	37.1 ~~36.1~~	36.8	E 0.3
1+95 E			3.6	40.4 ~~39.4~~	37.0	C 3.4
2+59 E			4.3	39.7 ~~38.7~~	37.4	C 2.3
3+02 E			5.1	38.9	37.6	C 1.3
2+74 W.			9.1	34.9 ~~33.9~~	37.2	E 2.3
3+93 W			8.7	35.3 ~~34.3~~	37.5	E 2.5
3+94 E			4.6	39.4 ~~38.4~~	38.2	C 1.2
~~3+95 W~~				~~35.5~~		
4+15 E			4.2	39.8	38.3	C 1.5
4+35 W				35.9	38.0	E 2.1
4+59 W			6.9	37.1	38.1	E 1.0
4+87 E			4.6	39.4 ~~38.4~~	38.7	E 0.7
5+33 E			4.3	39.7 ~~38.7~~	39.0	E 0.7
5+92 E			2.8	~~40.2~~ 41.2	39.2	C 2.0
T.P			3.15	~~37.82~~	40.82	Top Sewer M.H

Meter Box grades
Haines
from Fortuna to
Pacific Beach Drive

Rainey
King
West

Aug. 8, 1950

East.	10.00	50.82 ~~49.82~~			40.82 ~~39.82~~	Top. Mtl. Haynes N Fortuna
0+03			8.2	41.6	40.1	C 2.5
1+24			6.1	43.7	42.6	C 2.1
1+42			5.8	44.0	42.9	C 2.1
2+15			4.9	44.9	44.3	C ~~0.6~~ 1.6
2+73			3.6	46.2	45.4	C ~~0.8~~ 1.8
3+39			1.7	48.1	46.9	C 2.2
West						
0+75			7.9	41.9	41.0	C ~~0.9~~ 1.9
1+03			7.3	42.5	41.6	C ~~0.9~~ 1.9
2+10			6.2	43.6	43.7	F ~~0.1~~ 1.1
2+34			4.6	45.2	46.2	C ~~0.0~~ 1.0
3+50			2.4	47.4	46.6	C 0.8 1.8
T.P.			2.42	48.40		
West cont.	7.04	55.44 ~~54.44~~				
4+10			5.5	48.9	47.8	C 2.1
4+57			4.5	49.9	48.6	C 2.3
5+12			3.8	50.6	49.6	C 2.0

	55.44 ~~54.44~~			
East				
4+21		3.1	51.3	48.5 C 3.8
4+46		2.0	52.4	49.5 C 3.9
T.B.M.		2.85	52.59	"S" Top M.H. Pacific Bell Drive + Haines
	1.02 53.61			
T.P.		12.01	41.60 ~~40.60~~	
	0.25 41.85 ~~40.85~~			
		11.50	30.35 ~~29.35~~	

Levels Top 16" C.I. Pipe
Fortuna - P.B. Drive
ON Haynes - 22.5 m East Prop Line

			Top 16" C.I.P.	Top curb
	10.81	51.63		40.82
0+03			13.3	3.83	40.1
1+23			11.3	40.3	42.6
1+42			10.8	4.08	42.9
2+15			9.3	42 3	44.3
2+78			8.0	43.6	45.4
			10.81	40.82	

Cover
Top. M.H. Fortuna at Haynes

1.8	00 ± N. Prop. Line Fortuna
2.3	
2.1	
2.0	
1.8	

8-29-50

X-over
Oliver St.
at Haynes

Beth'l T
King-N
Leonard
West

B.M.	0.81	51.55			50.74	
0+00			7.3	44.3	38.5	5.8
+25			7.3	44.3	38.1	6.2
+50			8.2	43.4	37.7	5.7
+80			8.7	42.9	37.3	5.6
		Reed St. X-over at Haynes				
0+00			3.4	48.2	42.5 ~~44.8~~	5.7 ~~6.4~~
0+25			2.9	48.7	42.4	6.3
0+50			2.9	48.7	42.4	6.3
0+80			3.4	48.2	42.3	5.9

Meter Boxes

Haines St.

King . 7-9-50
West
Leonard

0+00 - Soking Olive st - To P.B. Drive

.	4.35	56.94			52.59	
2+92 E			3.8	53.1	50.1	C 3.0
~~2+36 E~~			5.7	51.2	48.4	C 2.4
1+78 E			7.5	49.4	47.7	C 1.7
1+36 E			9.1	47.8	46.3	C 1.5
1+92 W			9.5	47.4	47.2	C 0.2
T.P	4.35	49.14	12.15	44.79		
0+64 W			5.0	44.1	44.0	C 0.1
0+44 W			5.5	43.6	43.5	C 0.0
		0+00 - N Live Olive - Reed				C 1.1
0+31 W			5.0	44.1	43.0	~~C 1.1~~
~~0~~+46 W			4.0	45.1	44.8	C 0.3
1+75 ~~2+04~~ E			3.5	45.6	45.5	C 0.1
T.P.			3.49	So 45.65		Ginney 2+04 East-side

Lowering 6" Pipe
Hornblende
Jewel - Hamant St

Rising
water

9-7-50

B.M	2.58	62.93			60.35	S.W. cor Jewel - Hornblende - 7' Lft
0+50			4.4	58.5	54.4	4.1
1+00			5.7	57.2	53.3	4.0
1+50			6.9	56.0	52.0	4.0
2+00			8.0	54.9	50.8	4.1
2+50			9.0	53.9	49.8	4.1
3+00			9.4	53.5	49.5	4.0
T.P.	4.27	58.64	8.56	54.37		
3+50			5.2	53.4	49.4	4.0
4+00			5.4	53.2	49.2	4.0
4+50			5.5	53.1	49.0	4.1
5+00			5.7	52.9	48.8	4.1
5+50			5.2	53.4	48.8	4.6
6+00			5.4	53.2	48.9	4.3
6+50			5.0	53.6	49.4	4.2
7+00			4.7	53.9	49.8	4.1
7+50			4.4	54.2	50.2	4.0
8+00			3.9	54.7	50.6	4.1

Lowering 6" C.I.P.
Horablend 54.
Jewel – Lamont

58.64

King
West

9-7-52

T.P.	7.92	62.64	3.92	54.72	~~51.2~~	
8+50			7.4	55.2	51.2	4.0
9+00			6.9	55.7	51.6	4.1
9+50			6.1	56.5	52.4	4.1
10+00			5.1	57.5	53.8	4.0
10+50			3.8	58.8	55.0	4.0
10+80			3.1	59.5	55.8	4.0
B.M.			2.52	60.12	60.03	B.P. S.W. Cor. Lamont & Horablend

Profile
Tunnel #1/2 → 5/8
Delzura Conduit

KMP
Baker ↑
West

9-11-52

48

	-9.40	1500.97			1510.37		
11+52	3.52	1504.49					
16+56			-3.60	1500.89		End Flume #6 - ON CONC.	
16+56			-3.63	1500.86		End " " ON CONC.	
17+00			+1.34	1505.83	1500.86	4.97 ON ceiling	
17+50			+1.38	1505.87	1500.93	5.04 ↵	
18+00			+1.06	1505.55	1500.80	4.75 ↵	
18+50			+1.04	1505.53	1500.78	4.77 ↵	
19+00			+0.88	1505.37	1500.72	4.65 ↵	
T.P.	+4.27	1504.80	-3.96	1500.53			
19+42			+2.52	1507.32	1500.69	6.63	F.25
19+74[3]			+2.55	1507.35	1500.67	6.68	F.22
20+27[3]			+1.26	1506.06	1500.63	5.43	F.22
20+64[41]			+2.19	1506.99	1500.61	638	F.37
21+18			+2.31	1507.11	1500.57	654	F.26
21+77			+1.65	1506.45	1500.51	594	F07
22+14 81			+1.55	1506.35	1500.50	585	F.19
22+8852			+2.36	1507.16	1500.45	6.71	F.29

Dyer-Ura Conduit
Profile
Flume 6-7
Tunnel 6 1/2 + 5/8

1504.80

King
West
Baker

9-11-50

4P

23+94.4			+2.28	1507.08	1500.41	6.67	F.17	
24+30.39			+2.27	1507.07	1500.35	6.72	F.18	
24+61.34			+1.72	1506.52	1500.33	C/P	F.41	
T.P.	3.98	1503.79	-4.99	1499.81				
25+12.6			-0.67	1503.12	1500.29	2.83 Scratch on Wall	F.24	
25+50.37.4			+0.90	1504.69	1500.27	4.43	F.47	From 26-26+90 Wall should be built 4P
26+00			+1.11	1504.90	1500.23	4.67	F.43	
26+50			-1.02	~~1504.81~~ 1502.77	1500.20	2.57 Top Wall IN Tunnel	F.33	
27+00			-1.43	~~1505.22~~ 1502.36	1500.18	2.20 Scratch on Wall	F.43	
27+50			+0.78	1504.57	1500.13	4.44	F.43	
T.P.	+4.42	1504.18	-4.03	1499.76				
28+00			+0.33	1504.51	1500.09	4.42	F.45	
28+50			+0.22	1504.40	1500.06	4.34	F.43	
29+00			~~+0.15~~ ~~+0.22~~ ~~+0.19~~	1504.33	1500.02	4.31	F.59	
~~+56~~								
TP	4.53	1504.13	-4.53	~~1503.60~~ 1499.60				
29+52			-1.22	1502.91	~~1500.03~~ 1499.98	2.92	F.46	
30+00			+0.19	1504.32	~~1500.00~~ 1499.96	4.36	F.40	

Dejzera Canal #7

1504.13

	+2.73	1502.36	-4.50	1499.63	~~1499~~
30+50			+1.97	1504.33	1499.93
~~T.P.~~ 31+00	3.90	1503.20	-3.06	1499.30	
31+00			+1.00	1504.20	1499.89
+19			-4.00	1499.70	
+19			-3.32	1499.88	1499.88
31+50			+0.82	~~1504.02~~	
31+93.00			-3.45	1499.75	1499.78

King Baker ✗ West 9-11-50

4.40 F65 1499.28

4.31 F60

Step up in bottom -

" " " "

Bottom Flume #7 - See BK 671

Dulzura Tunnel #6
Profile - Spads in roof

T.B.M.	+0.68	1461.72			1461.04
547+59			+1.74	63.46	56.97
gr.			-4.75	1456.97	
548+00			+1.78	1463.50	56.93
gr.			-4.18	1457.5	
+26.7			-5.00	1456.7	
+45 gr			-4.52	1457.2	
548+45-Roof			+0.93	1462.65	56.89
549+00			+3.38	65.02	56.84
gr.			-4.46	57.2	
549+50			+1.30	63.02	56.79
gr.			-4.07	57.4	
550+00			+2.01	63.73	56.74
gr.			-4.22	57.5	
550+50			+2.03	63.75	56.69
gr.			-4.37	57.3	
551+00			+1.60	63.32	56.64
gr.			-4.50	57.2	
T.P.	-2.24	1461.08	+1.60	1463.32	

Top Wall 547+09 Lt. BK671

6.49 . Roof

F.L. End Flume - East Tunnel Portal #6

6.55

Bottom Conc. Floor

5.74 revised

8.14
~~8.18~~ gr.41

.19
~~6.73~~

.93
6.99

.00
~~1.00~~
~~6.06~~ ✓

6.60
~~6.68~~

Dutzy Tunnel #6

King Baker West

9-13-50

1461.08

557+50			+2.65	63.~~73~~	56.59	7.~~17~~ .06
	gr		-3.5	57.6		6.14
552+00			+3.13	64.21	56.54	7.~~57~~ .57
	gr		-3.90	57.2		
552+50			+2.73	63.30	56.49	6.~~81~~ .71
	gr		-3.90	57.2		
548+00			+3.05	64.13	56.44	7.~~59~~ .57
	gr.		-4.1	57.0		
553+50			+2.61	63.69	56.39	7.~~50~~ .18
	gr		-4.2	56.9		
554+00			+2.45	63.53	56.34	7.14 .05
	gr		-3.9	57.2		
354+50			+2.94	64.02	56.29	7.~~23~~ .61
	gr		-4.6	56.5		
355+00			+2.37	63.45	56.24	7.21 .07
	gr.		-4.2	56.9		
555+50			+2.85	63.93	56.19	7.~~14~~ .60
	gr		-4.0	57.1		
T.P.	-2.87	1461.06 ~~1460.06~~	+2.85	1463.93		

Dulzura Tunnel #6

1461.06
~~1460.06~~

556+00	+2.01	63.07	56.14
gr.	-4.3	56.8	
556+50	+1.71	62.77	56.09
gr.	-4.2	56.9	
557+00	+1.87	62.93	56.04
gr.	-4.40	56.7	
557+33	-1.47	59.59	~~56.01~~
gr.	-4.33	145~~6~~.73	56.00

King
Baker
West

9-13-52

53

79
~~10.87~~
7.93

.52
~~6.40~~

.73
~~6.59~~

T.B.M. 6' Pt 557+33-0 on Rock

0.73 · 8 Mtg. N Nov

Avon + Oneida st. water grades
from 10th. to Oneida
Avon to Canyada

Sept. 19, 1950
Ramey
Baker
West

				282.01		B.P. 56. cor 10th + Robinson
	5.03	282.04				
0+00			4.44	282.60		top Gr. 10th + Avon
0+50			5.0	282.0	282.0	C 4.0
1+00			4.9	282.1	281.5	C 4.6
1+50			5.7	281.3	281.0	C 4.3
T.P.			5.62	281.42		
	3.71	285.13				
1+60.25	3 Pt		4.0	281.1	280.6	C 4.6
2+00			3.8	281.3	280.5	C 4.8
2+50			4.1	281.0	280.2	C 4.8
3+00			4.4	280.7	280.0	C 4.7
3+50			5.3	279.8	279.2	C 4.6
3+75			5.9	279.2	278.6	N end oneida C 4.6

G.V. Box - Connection - 16" Elliott P.L.
Texas St. & Mission Valley

55

B.M.	8.84	57.85	49.01
N.E Cor		6.10	51.75
N.W. Cor		6.90	50.95
S.W Cor		7.02	50.83
S.E Cor		6.80	51.05
		8.84	49.01

~~C.I. Box~~ Top Hdwll - No Side Texas & Mission Valley P/L

Co.o



Haynes St. P.L. 16"
Lowering Pac. Beach Drive
to Oliver St.

King
Baker
West

- 9-26-50

T.B.M	2.54	53.33			50.79	T.B.M. Top Tel M.H. - between Reed & Thomas
	4.94	56.70	1.57	51.76		0400 = Sq. Prop Line P.B. Drive
0485			3.1	53.6	46.2	7.4
1+00			3.6	53.1	46.0	7.1
1+50			5.2	51.5	44.9	6.6
2+00			7.1	49.6	43.6	6.0
2+50			8.9	47.8	42.3	5.5
T.P.	2.00	49.80	8.90	47.80		
3+00			8.8	46.0	41.3	4.7
+50			4.8	45.0	40.0	5.0
4+00			5.6	44.2	39.0	5.2
					~~50.79~~	
			4.80	45.00	45.67	Gin Jay

Barrett Dam.
Levels - New 80'x32' Bldg in Stone Quarry

King. T 10-3-50
West.

57

B.M.	2.46	102.46			100.00	assumed Elev. Top stone Pier S.W. Cor. - 10' No. - N.W. Cor Shower house
#1			3.25	99.21	99.71	F 0.5 S.W. Cor - 3' Offset No. 1
#2			4.05	98.41	99.71	F 1.3
#3			4.32	98.14	99.71	1.57
#4			4.44	98.02	99.71	1.69
#5			4.69	97.77	99.71	1.94
#6			5.08 n 25 77	97.38	99.71	2.33 N.E. Cor - Inside 3' Offset
#7			4.78	97.68	99.71	2.03 N.W. " " "
#8			4.17	98.29	99.71	1.42
#9			3.72	98.74	99.71	0.97

Barrett Dam

Levels New Bldg - Stone Quarry

Knight 10-3-50
West

58

		102.46				
#10			3.60	98.86	99.71	F 0.85
T.B.M.	2.11	102.11	-2.46	100		
					98.71	3.40

Meter Boxes
Alley - between 46-Chamounix
Polk to Orange

King
Baker
West

10-18-30

B.M	5.07		359.01		353.94	N.W.B.P. 46 & Orange
5+70 S	west			4.9	354.1	352.7 C 1¼
+68 ○	west			4.7	354.3 ~~355.3~~	353.0 C 1⅜ ~~2 0~~
+53 S	East			4.9	354.1	353.2 C 0⅝
+05	west			5.1	353.9	353.8 C 0¼
5+04	East			4.9	354.1	353.9 C 0⅜
+77	west			5.3	353.7	353.2 C 0⅝
+58	west			5.6	353.4	353.1 C 0⅜
+50	East			5.4	353.6	353.0 C 0⅝
+21	East			5.6	353.4	352.6 C 0⅞
4+06 S	East			5.6	353.4	352.4 C 1⅛
+89	West			5.8	353.2	353.2 C 0⅛
T.P. on Gunny 3+64	west	1.70	353.99	6.72	352.29	
+70	East			1.50	352.5	351.9 C 0⅝
+64	west			1.7	352.3	353.1 F 0⅞
3+02	west.			2.9	351.1	350.6 ~~352.1~~ ~~F 1 3~~ C 0⅝
2+86	East			3.0	351.0	350.4 C 0⅝

Meter Boxes
Alley between 46 - Chamoyne
Polk TO Orange

		T 353.99				
2+82.5	west		3.3	350.7	350.3	CO 4/
+48	East		4.5	349.5	349.8	FO 3/
+36	west		4.1	349.9	349.1	CO 8/
2+23	East		4.0	349.0	349.6	FO 6
+96	East.		4.6	349.4	349.2	CO 2/
+89	west		4.5	349.5	349.0	C.O 5/
+50	west		4.4	349.6	348.6	C 1 0
+25.5	East		4.9	349.1	348.6	C.05/
+23.5	East.		4.8	349.2	348.6	CO 6/
1+06	West		4.7	349.3	348.6	CO 7/
+80	west		5.1	348.9	348.6	CO 3/
+68	East		5.1	348.9	348.4	CO 5/
+45	west		5.0	349.0	348.7	CO 3/
0+33	East		5.2	348.8	348.5	CO 3/
CK. Gunny	at 1+00		5.4	348.6	=348.6	

King Baker Notes & T West not East

354.0
5.4
348.6

4' OFFsets -6" P.L. 7944.2 Sht 1

Juniper to Laurel

on Commonwealth

B.M.	11.82	278.25			266.43
~~0+00~~					
5+50			10.4	267.8	268.0
~~5+00~~			7.6	270.6	270.6
4+50			5.3	272.9	272.6
4+00			3.2	275.0	274.6
3+50			1.4	276.8	276.8
T.P.	11.93	289.11	1.07	277.18	
3+00			10.6	278.5	278.8
2+50			8.5	280.6	280.5
2+00			6.8	282.3	282.2
1+50			5.3	283.8	283.2
1+00			4.0	285.1	283.8
0+50			3.3	285.8	284.2
0+00			4.2	284.9	284.8
			4.45	284.64	284.62

King West 10-26-50

11

B.P. SW Cor Juniper & Commonwealth

No. prop line Juniper St.

3.0	
4.2	
4.5	
4.6	
4.2	
3.9	
4.1	289.11 / 4.45 / 284.66
4.1	
4.8	
5.5	
5.8	284.62
4.2	

4' OFFSETS - 6" P.L.

Juniper - Ivy

ON Commonwealth

King West

10-26-50

B.M.	1.34	267.77			266.43
0+50			1.6	266.2	265.8
0+73 BC			2.1	265.7	265.5
1+00			3.2	264.6	265.0
1+50			4.4	263.4	263.8
2+00			5.6	262.2	262.2
2+50			7.2	260.6	260.4
3+00			8.2	259.6	260.2
3+50			9.2	258.6	259.6
3+73.4			9.2	258.6	259.2
4+00			8.9	258.9	259.0
4+50			9.7	258.1	258.6
5+00			10.7	257.1	258.2
5+50			10.4	257.4	257.4
5+76			9.4	258.4	257.0
F.H.℄			10.4	257.4	257.1
F.H. 56 F.C.			11.2	256.6	257.1
T.P.			1.34	266.43	

S.W.B.P. Juniper & Commonwealth

4.6		GRADES FOR METER BOXES				
4.4		256	267.99		266.43	
4.0	0+50			8.27	259.72	1.3
4.0	0+85			8.27	259.72	1.0
4.2	1+43			8.32	259.67	0.8
4.4	1+95			7.94	260.05	0.8
3.8						
3.7						
3.6						
4.2						
3.8						
3.2						
4.2						
5.5						
~~4.5~~						
~~3.7~~						

Water Dist P.L. — Westland St. Juniper to Ivy

11-13-50

King & Bailey Inst

B.M.	0.02	266.45			266.43	S.W. Cor. Juniper & Commonwealth
0+00						PROP. LINE Edge of pavement —
0+40			5.4	261.1	258.3	2.8 C 7°
0+80			4.7	261.8	259.4	2 4/4 C 6 6/8
1+20			4.6	261.9	260.0	1 9/4 C 6 1/8
1+60			5.3	261.2	260.2	1 0/8 C 5 2/8
2+00			5.8	260.7	259.9	0 8/8 C 5°
2+40			5.9	260.6	259.6	1 0/8 C 5 2/8 — 249.2
2+80			6.3	260.2	259.0	1 2/8 C 5 4/8 — 256.2 − 6.4 = 249.8 G.H.
3+20			7.2	259.3	258.3	1 0/8 C 5 2/8
3+60			8.4	258.1	257.4	0 7/8 C 4 9/8 — 242.9 -5' OFF
4+00			10.1	256.4	255.8	0 6/8 C 4 8/8 — 247.7 − 4.38 = 3.9
4+40			11.7	254.8	254.0	0 8/8 C 5°
T.P.	2.90	257.62	-11.73		254.72	
4+80			4.7	252.9	252.2	0 7/8 C 4 9/8
5+20			5.9	251.7	250.4	1 3/8 C 5 5/8 ℄ of Street
5+60			8.44	249.18 / 249.2	248.6	0 6/8 C 4 8/8 ℄ of Street
			10.61		247.01	Top of S.M.H.
T.P.	10.12	267.24	-0.50		257.12	Ck. OK.

6" C.I.P. Pentucket St. Ivy–Juniper 11-13-52 Kno Baker West

Bm.	5.27	271.30			268.43	B.P. Juniper & Commonwealth
5+23.50			11.7	260.0	261.5	C 4 0
5+00			10.9	260.8	262.4	C 3 8
4+50			7.7	264.0	264.8	C 3 4
4+00			4.1	267.6	266.6	C 5 2
3+50			2.4	269.3	267.6	C 5 9
T.P.	1.30	270.60	2.40	269.30		
3+00			0.5	270.1	267.2	C 7 1
2+50			1.1	269.5	265.8	C 7 9
2+00			3.2	267.3	263.8	C 7 7
1+50			6.4	264.2	261.8	C 6 6
1+00			9.5	261.1	259.6	C 5 7
0+50			11.8	258.4	257.8	C 4 8
0+00			13.5	257.1	255.8	C 5 5
F.H. 50 Ft.			10.6	260.0	256.0	C. 4 0
P.F.H.			12.3	258.3	256.0	C 2 3
			10.25	260.35	260.3	Prop Line of Juniper & Pentucket

6" CIP Maple St - Montclair - Heller ✓ King Bath West 11-28-50

B.M.	1.82	286.65			284.83	S.E. Curb Return - Maple & Montclair	27++
0+00			2.1	284.5	284.8	FO 3	3.5 East Propline Montclair
0+50			6.7	279.9	281.0	FO 1½ ?	3.7 ?
1+00			10.3	276.3	277.4	F 1 2	2.7
T.P.	3.90	277.39	13.16	273.49			
1+50			4.5	272.9	274.3	F 1 4	2.4
2+00			7.4	270.0	272.2	F 2 3	1.6
2+50			7.6	269.8	271.0	F 1 2	2.6
3+00			5.3	272.1	270.2	C 1 9	5.7
3+50			5.4	272.0	269.6	C 2 4	6.2
4+00			6.7	270.7	269.5	C 1 3	5.0
4+50			8.4	269.0	270.0	F 1 0	2.8
5+00			6.7	270.7	270.4	C 0 3	4.1
5+50			5.0	272.4	271.0	C 1 4	5.2
6+00			3.9	273.5	272.0	C 1 2	5.3
6+50			3.3	274.1	273.0	C 1 1	4.9
7+00			2.7	274.7	274.0	C 0 2	4.5
7+40			2.0	275.4	274.0	C 1 4	5.2
			2.85	274.55	274.6		

C.I.P
Vancouver –
Maple – Kalamalka

11-29-50

King
Baker
West

T.B.M	3.42	275.42			272.0	3450
0+00			3.6	271.8	269.4	C 6 6
0+50			4.7	270.7	269.2	C 5 7
1+00			6.4	269.0	268.8	C 4 4
1+50			6.5	268.9	268.6	C 4 5
2+00			9.4	266.0	268.4	C 1 8
2+50			7.5	267.9	268.1	C 4 0
3+00			5.8	269.6	267.8	C 6 0
3+50			4.6	270.8	267.6	C 7 4
4+00			4.5	270.9	267.4	C 7 2
4+50			4.7	270.7	667.1	C 7 8
5+00			5.3	270.1	6669	C 7 4
5+50			5.6	269.8	666.7	C 7 3
T.P	3.26	273.13	5.55	269.87		
6+00			3.2	269.9	666.4	C 7 2
6+50			5.1	268.0	666.2	C 6 0
0+66			6.0	267.1	2666.8	C 4 5
0+45			8.0	265.1	266.6	C 2 7
0+89			9.0	264.1	245.8	C 2 5

6 2 8
6 7 →
16.93

B F H 7.9 - 2652 265.8 F 0 6

5 B F F - 6.9 - 26.2 265.8 C 0 4

Heller St at Maple - 4" CIP
160° No - 130 So.

12-1-50

47

T.B.M.	4.86	279.56			274.70	7+00 on Maple
F.H.@			4.0	275.6	274.5	C 1.1
F.H. 5' Off			3.7	275.9	274.5	C 1.9
0+50 So			5.0	274.6		C 4.2
1+00			6.0	273.6		C 4.2
1+30			6.9	272.7		C 4.3
0+10 N			3.3	276.3	275.1	5.0 10' No. N. Line Maple
0+43 N			3.0	276.6	275.3	4.9
0+82			2.7	276.9	275.4	4.9
1+60			3.0	276.6	275.9	4.3
		Vancouver - North of Maple				✓
~~0+00~~	4.68	276.48			271.80	4.9 4.8
0+00			4.7	271.8	269.6	6.0
0+50			4.9	271.6	267.7	7.7
1+00			6.6	269.9	264.0	9.7
1+50			12.6	263.9	259.0	7.7
1+77			16.2	260.3	256.3	7.8

GRADES FOR METER BOXES
PENTUCKETT - FROM JUNIPER - TO - IVY

King Baker T West. Rod

3+00 - 1+02 = 5.03

	3.75	↑ 271.05		267.3	GRADE	
1+84.5 E.			3.2	267.9	263.4	C 4.5
2+90.5 E			0.5	270.6	267.3	C 3.3
3+87.5 E			4.1	267.0	266.9	C 0.1
4+86			3.6	267.5	263.2	C 4.3
4+57.5			2.4	268.7	264.8	C 3.9
3+58			0.7	270.4	268.0	C 2.4
3+12.5			1.3	269.8	268.0	C 1.8
1+95.5			5.5	265.6	264.3	C 1.3
1+12.5 D			11.6	259.5	261.0	F 1.5

Meter Boxes
Haynes - Ingraham
ON Felspar

8.325 L

	3.24	74.54			71.3
4+57			4.7	69.8	70.3
4+11			4.7	69.8	69.8
3+94			4.6	69.9	69.8
3+26			4.6	69.9	69.7
2+59			4.5	70.0	69.0
2+09			4.7	69.8	68.7
1+56			5.1	69.4	68.4
1+12.5			5.2	69.3	68.1
0+28			5.5	69.0	67.4
			4.7	69.84	

KING
Baker

12-12-50

65

F. 0.5
C 0.0
C 0.1
C 0.3
C 1.0
C 1.1
C 1.0
C 1.3
C 1.6

Motor Boxes
Westland St
Juniper - Ivy

	2.73	26333			260.60
1+50E			1.4	261.9	260.6
2+45E			2.1	261.2	260.0
2+97E			3.0	260.3	259.4
3+37E			4.3	259.0	258.5
3+87E			6.5	256.8	256.6
0+81W			14.0	249.3	248.4
0+73W			10.8	252.5	250.2
1+59W			7.7	255.6	254.2
2+05W			6.0	257.3	256.2
2+48W			4.7	258.6	257.4
3+17W			3.5	259.8	259.0
3+46W			3.6	259.7	259.4
4+11W			3.4	259.9	260.0
4+91W			2.7	260.6	259.8
CK.			1.52	261.81	

King
Baker

70

2+40

C 1.3 From Juniper
C 1 2
C 0 9
C 0 5
C 0 2

C 0 9 From Ivy St.
C 2 3
C 1 4
C 1 1
C 1 2
C 0 8
C 0 3
F 0 1
C 0 8

2+00

6" C.I.P. Lowering
63rd No. From Montezuma

T. Bm	7.34	461.76			454.42
0+00			7.2	454.6	454.4
0+50			6.8	455.0	454.8
1+00			6.1	455.7	455.2
1+50			5.5	456.3	455.5
2+00			5.3	456.5	455.8

King
Baker

12-14-50

71

N.W. Curb return

4.2 Prop bmk

4.2

4.5

~~4.8~~ 4.9

4.7 4.9

Maple St.
Hallett – Montclair
Meter Boxes

T.B.M.	6.08	277.88			271.80
0+47			3.4	274.5	273.7
1+25			4.4	273.5	272.2
2+41			7.8	270.1	270.5
2+97			6.9	271.0	270.0
1+86			7.6	270.3	272.6

King Baker

12-14-50

72

C0.8
C1.3
F0.4
C1.0
F2.3

Maple – Sta. From Prop. at Hallett

6" Pipe - Alley Polk-Van, Menlo - 47 St.

King Baker 12-19-50

73

T.B.M.	9.56	352.77			343.21	East curb at Prop Line
0+00			9.3	343.5	343.2	4.1
+50			5.6	347.2	346.6	4.4
1+00			4.9	347.9	347.6	4.1
+50			4.9	347.9	347.7	4.0
2+00			4.7	348.1	347.8	4.1
+50			4.8	348.0	347.8	4.1
3+00			5.5	347.3	347.2	4.3
+50			6.3	346.5	346.3	4.2
4+00			7.3	345.5	345.4	4.0
+50			7.9	344.9	344.6	4.1
5+00			8.7	344.1	343.7	4.2
+58			10.2	342.6	342.8	4.0
			11.30	341.47	341.47	curb East side @ Van

352.7
341.47
11.30

Meter box grades
alley between 47th. + Menlo
Polk to Univ.

Rainey
King
Baker
West

Curb Polk		343.21		
0	9.44	352.65		
0+31 W	5.7	347.0	345.6	C 1 4
0+34 E	6.0	346.7	345.8	0 9
0+48 W	5.4	347.3	346.5	0 8
0+55 E	5.3	347.4	347.0	0 4
0+77 W	4.8	347.9	347.2	0 5
1+02 E	4.3	348.4	347.8	0 6
1+07 W	4.9	347.8	347.5	0 3
1+36 E	4.5	348.2	347.8	0 4
1+70 W	5.0	347.7	347.6	0 1
1+71 E	4.7	348.0	348.0	0 0
1+78 W	5.0	347.7	347.7	0 0
2+22 W	4.8	347.9	347.8	0 1
2+40 E	4.2	348.5	348.0	0 5
2+69 W	4.8	347.9	347.5	0 4
2+89 E	5.2	347.5	347.5	0 0
3+23 E	5.7	347.0	347.0	0 0
3+30 W	6.1	346.6	346.6	0 0

6" P.L. 3½' OFF So. Curb Lawrence St. – Rosecrans to San Antonio

King West Williams 2-19-52

T.B.M	1.30	36.20			34.90	
0+00			1.4	34.8	31.2	3.4 East. Prop Line Rosecrans
0+50			5.2	31.0	27.0	4.0
1+00			9.3	26.9	22.9	4.0
1+50			13.5	22.7	18.8	3.9
T.P.	0.89	24.85	12.24	23.96		
2+00			6.3	18.6	14.6	4.0
2+50			10.4	14.5	10.2	4.3
T.P	1.15	13.68	12.32	12.53		
3+00			3.4	10.3	06.0	4.3
3+12			4.5	9.2	05.0	4.2
3+50			7.0	06.7	04.2	2.5
℄ Intersec.			6.70	06.98	07.00	

B.M. Soleda	Terrace Rd.	443.94	Top Conc Mon. 40' Lt. Hgtway Sta 47+52
B.M. K.M.P.L.		161.39	Ginney Sta. 382+00
B.M.	Chert Tertiary	445 70	
Hornblend – Lamont		S.W.B. 60.03	
" d Jewel		S.W.L.T. 60.55	


3.70
480.34
210.00
N 51° 30' E
360'
446.23
245.63
210'
100.00
270'
90°
420'
323'
192'
370'
City Prop. Line

186


Mission Bay Res. Site
26992
490.23
City Mon.
370'
90°
Pit
Nail
100' Prop. Line
2545.2
500'
P.O.T. 200'
225'
Void
Tag
200'
110'
Nail
90°
280'
P.O.T.
Nail
175'
White house Edge Bay
S.E. Middle of W. Veranda
City Mon.
Hub & T.
135'
110'
No
80
4572.03
225'
Prop. Line
80
60'
135'
110'
110'
80
11.00 N.

.0071567 By machine

976
.009
.01

.0009
.0549

80

150097

657
327

1500.89
1499.79

1.10

½80
2
560

2.8
.3
35



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.

SLOPE 1½ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0.00	0.15	0.30	0.45	0.60	0.75	0.90	1.05	1.20	1.35	0
1	1.50	1.65	1.80	1.95	2.10	2.25	2.40	2.55	2.70	2.85	1
2	3.00	3.15	3.30	3.45	3.60	3.75	3.90	4.05	4.20	4.35	2
3	4.50	4.65	4.80	4.95	5.10	5.25	5.40	5.55	5.70	5.85	3
4	6.00	6.15	6.30	6.45	6.60	6.75	6.90	7.05	7.20	7.35	4
5	7.50	7.65	7.80	7.95	8.10	8.25	8.40	8.55	8.70	8.85	5
6	9.00	9.15	9.30	9.45	9.60	9.75	9.90	10.05	10.20	10.35	6
7	10.50	10.65	10.80	10.95	11.10	11.25	11.40	11.55	11.70	11.85	7
8	12.00	12.15	12.30	12.45	12.60	12.75	12.90	13.05	13.20	13.35	8
9	13.50	13.65	13.80	13.95	14.10	14.25	14.40	14.55	14.70	14.85	9
10	15.00	15.15	15.30	15.45	15.60	15.75	15.90	16.05	16.20	16.35	10
11	16.50	16.65	16.80	16.95	17.10	17.25	17.40	17.55	17.70	17.85	11
12	18.00	18.15	18.30	18.45	18.60	18.75	18.90	19.05	19.20	19.35	12
13	19.50	19.65	19.80	19.95	20.10	20.25	20.40	20.55	20.70	20.85	13
14	21.00	21.15	21.30	21.45	21.60	21.75	21.90	22.05	22.20	22.35	14
15	22.50	22.65	22.80	22.95	23.10	23.25	23.40	23.55	23.70	23.85	15
16	24.00	24.15	24.30	24.45	24.60	24.75	24.90	25.05	25.20	25.35	16
17	25.50	25.65	25.80	25.95	26.10	26.25	26.40	26.55	26.70	26.85	17
18	27.00	27.15	27.30	27.45	27.60	27.75	27.90	28.05	28.20	28.35	18
19	28.50	28.65	28.80	28.95	29.10	29.25	29.40	29.55	29.70	29.85	19
20	30.00	30.15	30.30	30.45	30.60	30.75	30.90	31.05	31.20	31.35	20
21	31.50	31.65	31.80	31.95	32.10	32.25	32.40	32.55	32.70	32.85	21
22	33.00	33.15	33.30	33.45	33.60	33.75	33.90	34.05	34.20	34.35	22
23	34.50	34.65	34.80	34.95	35.10	35.25	35.40	35.55	35.70	35.85	23
24	36.00	36.15	36.30	36.45	36.60	36.75	36.90	37.05	37.20	37.35	24
25	37.50	37.65	37.80	37.95	38.10	38.25	38.40	38.55	38.70	38.85	25
26	39.00	39.15	39.30	39.45	39.60	39.75	39.90	40.05	40.20	40.35	26
27	40.50	40.65	40.80	40.95	41.10	41.25	41.40	41.55	41.70	41.85	27
28	42.00	42.15	42.30	42.45	42.60	42.75	42.90	43.05	43.20	43.35	28
29	43.50	43.65	43.80	43.95	44.10	44.25	44.40	44.55	44.70	44.85	29
30	45.00	45.15	45.30	45.45	45.60	45.75	45.90	46.05	46.20	46.35	30
31	46.50	46.65	46.80	46.95	47.10	47.25	47.40	47.55	47.70	47.85	31
32	48.00	48.15	48.30	48.45	48.60	48.75	48.90	49.05	49.20	49.35	32
33	49.50	49.65	49.80	49.95	50.10	50.25	50.40	50.55	50.70	50.85	33
34	51.00	51.15	51.30	51.45	51.60	51.75	51.90	52.05	52.20	52.35	34
35	52.50	52.65	52.80	52.95	53.10	53.25	53.40	53.55	53.70	53.85	35
36	54.00	54.15	54.30	54.45	54.60	54.75	54.90	55.05	55.20	55.35	36
37	55.50	55.65	55.80	55.95	56.10	56.25	56.40	56.55	56.70	56.85	37
38	57.00	57.15	57.30	57.45	57.60	57.75	57.90	58.05	58.20	58.35	38
39	58.50	58.65	58.80	58.95	59.10	59.25	59.40	59.55	59.70	59.85	39
40	60.00	60.15	60.30	60.45	60.60	60.75	60.90	61.05	61.20	61.35	40
41	61.50	61.65	61.80	61.95	62.10	62.25	62.40	62.55	62.70	62.85	41
42	63.00	63.15	63.30	63.45	63.60	63.75	63.90	64.05	64.20	64.35	42
43	64.50	64.65	64.80	64.95	65.10	65.25	65.40	65.55	65.70	65.85	43
44	66.00	66.15	66.30	66.45	66.60	66.75	66.90	67.05	67.20	67.35	44
45	67.50	67.65	67.80	67.95	68.10	68.25	68.40	68.55	68.70	68.85	45
46	69.00	69.15	69.30	69.45	69.60	69.75	69.90	70.05	70.20	70.35	46
47	70.50	70.65	70.80	70.95	71.10	71.20	71.40	71.55	71.70	71.85	47
48	72.00	72.15	72.30	72.45	72.60	72.75	72.90	73.05	73.20	73.35	48
49	73.50	73.65	73.80	73.95	74.10	74.25	74.40	74.55	74.70	74.85	49
50	75.00	75.15	75.30	75.45	75.60	75.75	75.90	76.05	76.20	76.35	50

THE NATIONAL BLANK BOOK COMPANY
HOLYOKE MASSACHUSETTS
NEW YORK CHICAGO BOSTON SAN FRANCISCO